All India Institute of Medical Sciences Rishikesh 249202 Uttarakhand

TENDER

For

Supplying, Installation, Testing & Commissioning of Programable Outdoor LED Display Screen at AIIMS Rishikesh.

Tender No.: - 06/EE/Electrical/2022-23



Ref No : 06/EE/Electrical/2022-23

Publishing Date : 13/04/2023

Pre-bid Meeting : 17/04/2023

Last Date of Submission : 20/04/2023

Bid Opening Date : 21/04/2023

Estimated Amount : ₹ 8, 05,165.00

Office of Executive Engineer AIIMS Rishikesh. Tel No. 0135-2462986,

Email: - eee@aiimsrishikesh.edu.in

INDEX

Name of Work: Supplying, Installation, Testing & Commissioning of Programable Outdoor LED Display Screen at AIIMS Rishikesh.

•

Sr. No	Contents	Pages
1	Cover Page	1
2	Index	2
3	Notice Inviting e-Tender	3
4	Information & Instruction for Contractor	4 - 6
5	Notice Inviting e-Tender (CPWD-6)	7 - 8
6	Amendment in CPWD GCC-2020 Maintenance Work	9
7	General Guidelines	10
8	CPWD – 7/8	11-12
9	General Condition of Contractor (Clause of Contract)	13 - 54
10	Integrity Pact	55 - 61
11	C.P.W.D. SAFETY CODE	62 - 65
12	Model Rules for the Protection of Health and Sanitary Arrangements for Workers Employed by Central P.W.D. or its Contractors	66 - 98
13	Tender and contract	99 - 100
14	Schedule "A" to "F"	101 - 106
15	Particular specification and Special conditions	107 - 118
16	Amendment in general conditions of contractor (GCC) maintenance works -2020	119 - 120
17	List of approved make	121 - 122
18	Declaration (Annexure – 1 to Annexure - 6)	123 - 128
19	Financial Bid (Schedule of quantities)	129 - 130

.....

Certified that this bid document contains pages 1 to 130 (One to One Hundred Thirty page).

Executive Engineer AIIMS, Rishikesh

Tender document may be downloaded from CPPP site https://eprocure.gov.in

NIT may be downloaded from institute's website www.aiimsrishikesh.edu.in

AIIMS, Rishikesh

NOTICE INVITING TENDER

The Executive Engineer, AIIMS Rishikesh on behalf of Executive Director, AIIMS Rishikesh invites Percentage rate etenders from enlisted contractor in the appropriate classes and category in CPWD, MES, Railway and state government of Uttarakhand (PWD & IRRIGATION Department only) for the following work: -

NIT No.: 06/EE/Electrical/2022-23

Name of Work: Supplying, Installation, Testing & Commissioning of Programable Outdoor LED Display Screen of AUMS

Estimated Cost: Rs. 8, 05,165.00 Earnest money: Rs.16, 103.00

Period of completion: 45 Days

Last date & time of submission of bids:

The tender forms and other details can be seen and downloaded from the website www.aiimsrishikesh.edu.in or CPPP site http://eprocure.gov.in

INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE

The Executive Engineer, AIIMS Rishikesh on behalf of The Executive Director, AIIMS Rishikesh invites Percentage rate etenders from enlisted contractor in the appropriate classes and category in CPWD, MES, Railway and state government of Uttarakhand for the following work:

Name of work & Location	Estimated cost put to bid	Earnest Money	Period of Completion	Last date & time of submission ofbid	date of opening	Date and time of submission of EMD in hard form to Executive Engineer office
Supplying, Installation, Testing & Commissioning of Programable Outdoor LED Display Screen	Rs. 8,05,165.00	Rs.16,103.00	45 Days			Agency can Submit EMD in hard form upto one day after last date of submission of bid.

1. Last date of physical submission of EMD is not applicable for the bidder who deposited EMD online in the Institute account. Bidder may deposit EMD in the following account number of the Institute:-

Account Number: 6189000100021125 Bank Name: Punjab National Bank

Branch Name: Barrage const. Div., Pashulok, Rishikesh (Dehradun)

IFSC Code: PUNB0618900

- 2. The intending bidder must read the terms and conditions of CPWD-6 form carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 3. Information and Instructions for bidders posted on website shall form part of bid document.
- **4.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessarydocuments can be seen and downloaded from website **www.aiimsrishikesh.edu.in** or **https://eprocure.gov.in**
- **5.** Technical bids submitted by the bidder will be opened first and evaluated for fulfilling the Pre-qualification criteria and other conditions in NIT/Tender documents, based on documentary evidences submitted along with the offer.
- 6. Those contractors not registered on the website mentioned above, are requested to get registered beforehand.
- 7. The intending bidder must have valid class-III digital signature to submit the bid.
- 8. On opening date, the contractor can login and see the bid opening process. After opening of bids, he will receive the competitor bid sheets.
- **9.** All the bidder(s) should upload eligibility documents in the form of PDF only. The lowest bidder shall have to original documents in the office of the Executive Engineer within 7 days of open of price bid.
- 10. Contractor can upload documents in the form of PDF Format.
- 11. Contractor must ensure to quote rate in the prescribed columns meant for quoting rate in figures.

 However, if a bidder quotes nil rates against each item in item rate tender, the tender shall be treated as invalid and will not be considered as lowest bidder.
- 12. The contractor should quote the rate of item including GST as per statutory rules.
- 13. (i) The bidder shall pay the respective amount of Bid Security (EMD) as mentioned in table by Demand Draft/Fixed Deposit/Term Deposit in favor of "AIIMS, Rishikesh" drawn on any Nationalized Bank/ Scheduled Bank and payable at AIIMS Rishikesh and must be valid for 1 month. The EMD shall be scanned

or uploaded to the CPP Portal website within period of bid submission. The original EMD should be deposited in the office of EXECUTIVE ENGINEER (ELECTRICAL) within due date mentioned in the NIT. EMD

receiving authority shall issue receipt of deposition to the bidder in prescribed format. Bid received without Earnest Money deposit (EMD) shall stand rejected and thus shall not be considered for evaluation etc. at any stage.

- (ii). Earnest Money deposited with AIIMS, Rishikesh in connection with any other tender enquiry even if for same/similar material / Stores by the tenderer will not be considered against this tender.
- (iii). The EMD will be forfeited if the bidder withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender or if it comes to the notice that the information/ documents furnished in its tender is incorrect or false.
- **14.** The bid security (EMD) without interest shall be returned to the unsuccessful bidders after finalization of contract with successful bidder.
- 15. The successful bidders have to execute a contract on Indian non judicial stamp paper of Rs.100/- (Rupees one hundred only) within fifteen (15) days from the date of award of this tender in his favor and also required to furnish the security deposit @ 3% against performance guarantee of contract value in the form of Fixed Deposit/Bank Guarantee/Term Deposit from any Nationalized/Schedule bank duly pledged in favor of AIIMS, Rishikesh & payable at Rishikesh only. The EMD deposited by successful bidder may be adjusted towards Security Deposit as demanded above. If the successful bidder fails to furnish the full security deposit or difference amount between Security Deposit and EMD within 15 (fifteen) days after the issue of Letter of Award of Work, his bid security (EMD) shall be forfeited automatically without any notice to contractor and award of tender in Contractor favor automatically stands terminated at his cost & liability, unless time extension has been granted by AIIMS, Rishikesh. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee. The contractor whose bid is accepted will alsobe required to furnish either copy of applicable licensee / registration etc.
- 16. The bid shall be valid and open for acceptance by the competent authority of AIIMS Rishikesh for a period of 30 (Thirty) days from the last date of submission of bid and no request for any variation in quoted rates and / withdrawal of tender on any ground by bidders shall be entertained. The unilateral withdraw at any stage will cause forfeiture of EMD in addition to any remedy that the purchaser may have under the law. If any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the AIIMS shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidders shall not be allowed to participate in the re-bidding process of the work.
- 17. List of self-attested Documents to be scanned and uploaded on the CPP portal linked with the particular tender within the period of bid submission failing which the bid of the tenderer shall be rejected.
 - I. Demand Draft/Fixed Deposit/Term Deposit/Copy of deposit of EMD in the institute account /Fixed Deposit Receipt/ Bank guarantee of any scheduled bank against EMD.
 - II. Certificate of Registration for GST/PAN Card and acknowledgement of up to date filed return.
 - III. Certificate of work experience (As specified in Clause 1.2.1 of CPWD-6).
 - IV. Singed with company seal on each pages of NIT and documents and uploaded with bid.
 - V. Valid enlistment certificate of Government department mentioned in the NIT.
- **18.** Only Authorized signatory will be permitted to sign any type of documents.
- 19. If uploaded scanned documents/tender form are not downloaded successfully, due to any technical error/corrupt files then AIIMS Rishikesh will not be liable.
- **20.** Due to Scarcity of funds, payments may get delayed. No interest shall be paid to contractor due to delay in payment.

CPWD - 6

Govt. of India AIIMS, Rishikesh Notice Inviting e-Tender

The Executive Engineer, AIIMS Rishikesh on behalf of Executive Director, AIIMS Rishikesh invites Percentage rate etenders from enlisted contractor in the appropriate classes and category in CPWD, MES, Railway and state government of Uttarakhand (PWD & IRRIGATION Department only) for the work "Supplying, Installation, Testing & Commissioning of Programable Outdoor LED Display Screen".

- 1.1 The work is estimated to Cost **Rs 8, 05,165.00** this estimate, however, is given merely as a rough guide.
- 1.2 Intending tenderer is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similarworks of magnitude specified below: -

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility

Three similar works each of value not less than **Rs. 3,22,066.00** or two similar work each of value not less than Rs.**4,83,099.00** or one similar work of value not less than Rs.**6,44,132.00** in last **7 years** ending last day of the month previous to the one in which the tenders are invited.

Similar works means Supplying, Installation, Testing & Commissioning of Programable Outdoor LED Display Screen".

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of receipt of tenders.

- **1.2.2** Certificate of Registration for GST and acknowledgement of up to date filed return.
- **1.2.3** Certificate of work experience issued by the Government department/PSU. (As specified in 1.2.1 of CPWD-6)
- **1.2.4** Valid enlistment certificate of Government department mentioned in the NIT.
- **1.2.5** Scanned copy of EMD in form of FDR/DD/online receipt and submit in hard form in EE office upto one day after last date of submission of bid.
- 1. Agreement shall be drawn with the successful bidders on prescribed Form No. CPWD 7 which is available as a Govt. of India Publication and also available on website www.cpwd.gov.in. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 2. The time allowed for carrying out the work will be 45 Days from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- 3. The site for the work is available. The architectural and structural drawings shall be made available as per requirement of the same as per approved programme of completion submitted by the contractor after award of the work.

4. The tender document consisting of plans if any, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions Of ContractForm can be seen from website www.aiimsrishikesh.edu.in or https://eprocure.gov.in.

The bid submitted shall be opened on-

- 5. The contractor whose bid is accepted will be required to furnish performance guarantee of 3 (Three Percent) of the tendered amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs. 1, 00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period.
- 6. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwisespecifically provided for in the contract documents. Submission of a bid by a bidder implies thathe has read this notice and all other contract documents and has made himself aware of the scope and specifications of thework to be done and local conditions and other factors having a bearing on the execution of the work.
- 7. The competent authority does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- 8. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 9. The competent authority reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 10. The contractor shall not be permitted to tender for works in AIIMS Rishikesh in which his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Executive Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him
- 11. In any capacity or are subsequently employed by him and who are near relatives to any gazette officer in AIIMS Rishikesh. Any breach of this condition by the contractor would render him liable to reject his Bid submitted by him.
- 12. This notice inviting Bid shall form a part of the contract document. The successful bidders /contractor, on acceptance of his tender by the Accepting Authority shall within 10 days from the stipulated date of start of the work, sign the contract consisting of: -

In case the bidder withdraw tender or make any modification in the terms & condition of the

a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings,

	if any, forming part of the tender as uploaded at the time of invitation of tender.			
	b) Standard C.P.W.D. Form 7 or General condition of contract for C.P.W.D Maintenance work 2020 with up to date correction slips.			
13.	Tender which is not acceptable to the department. On view of earnest money non-deposit following bid security declaration, the contractor shall be suspended for two years and shallnot be eligible to bid for AIIMS, Rishikesh tenders from date of issue of suspension order.			

Amendment in CPWD General Condition of Contract (GCC) 2020 Maintenance Work.

Sr.no	Existing Provision	Modified Provision (Read as)
1	C.P.W.D	AIIMS Rishikesh.
2	President of India	Director of AIIMS Rishikesh
3	SE of Circle	SE of AIIMS Rishikesh.
4	CE of Zone	Director of AIIMS Rishikesh.
5	DDH	EE (Civil)
6	Government of India	AIIMS Rishikesh
7	CPWD Contractor's Labour Regulations.	Labour Regulations of Government of India/State.
8	ADG	Director of AIIMS Rishikesh.
9	Settlement of Disputes & Arbitration(Clause 25)	Modified (attached at page no.16)

To view CPWD General Condition of Contract (GCC) click on the link https://cpwd.gov.in/Publication/GCC Maintenance Works 2020.pdf

GENERAL GUIDELINES

- 1. This book of "General Conditions of Contract" is applicable to bothtypes of tenders i.e. "Percentage rate tenders and Item rate tenders". Accordingly, alternative provisions for conditions Nos. 4A, 9 & 10 ofthe General Rules and Directions are given in this book. The appropriate alternatives will be applicable in specific cases depending on whether this is used for percentage rate tender (CPWD-7) or itemrate tender (CPWD-8).
- 2. CPWD-6, Schedules A to F, special conditions/specifications anddrawings etc. will be part of NIT and shall be uploaded.
- 3. The intending bidders will quote their rates in ScheduleA and scheduleA to F and Performaforregisters are only for information and guidance
- 4. Authority approving the Notice Inviting Tenders (NIT) shall fill up all the blanks in CPWD-6 and in Schedules B to Fbefore issue of Tender Papers.
- 5. The intending bidders will quote their rates in Schedule A.
- 6. The Proforma for registers and Schedules A to F are only for information and guidance. These are not to be filled in the StandardForm. The Schedules with all blanks, duly filled, shall be separately issued to all intending tenderers.

Note - In case of any discrepancies between Hindi and English version, English version

GOVERNMENT OF INDIA AIIMS Rishikesh

Percentage Rate Tender /item Rate & Contract for Works

Tender for the work of: - Supplying, Installation, Testing & Commissioning of Programable Outdoor LED Display Screen at AIIMS Rishikesh.

- (i) To be uploaded by 03:00 Hours on 13/04/2023 at https://eprocure.gov.in.
- (ii) To be opened in presence of tenderers who may be present at **15:00 Hours on 21/04/2023** in Tender office AIIMS Rishikesh.

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the Director of AIIMS within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for (30) thirty days from the due date of its opening and not to make any modification in its terms and conditions.

A sum of **Rs. 16,103.00** is hereby forwarded in cash/receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/ bank guarantee issued by a scheduled bank as earnest money.

A copy of earnest money in receipt treasury challan/deposit at call receipt of a scheduled bank/fixed deposit receipt of scheduled bank/demand draft of a scheduled bank/bank guarantee issued by a scheduled bank is scanned and uploaded (strike out as the case may be). If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said Director of AIIMS Rishikesh or his successors, in office shall without prejudice to any other right or remedy to take action, Further, if I/We fail to commence work as specified, I/We agree that Director of AIIMS Rishikesh or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said the performance guarantee absolutely. The said performance guarantee shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form.

Further, I/We agree that in case of forfeiture of Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I / we shall be debarred for tendering in AIIMS, Rishikesh in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to

State.	
Dated:	Signature of Contractor: -
Dated	
	Postal Address: -
Witness: -	
Address: -	
Occupation: -	
ACCE	EPTANCE
	
Director, AIIMS Rishikesh	ers mentioned hereunder) is accepted by me for an on behalf of the for a sum of Rs.
(Rupees).	
The letters referred to below shall form part of this contract / a	agreement:-
r	
(a)	
(b)	
(c)	
Dated: -	For & on behalf of Director
	Signature
	Designation

whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the



GOVERNMENT OF INDIA CENTRAL PUBLIC WORKS DEPARTMENT

General Rules & Directions

- 1. All work proposed for execution by contract will be notified in a form of invitation to tender pasted by publication in News papers or posted on website as the case maybe. This form will state the work to be carried out, as well as the date for submittingand opening tenders and the time allowed for carrying out the work, also the amount of earnest money to be deposited withthe tender, and the amount of the security depositand Performance guarantee to be deposited by the successful tenderer and the percentage, if any, to be deducted from bills. Copies of the specifications, designs anddrawings and any other documents required in connection with the work signed for the purpose of identification by the officer inviting tender shall also be open for inspectionby the contractor at the office of officer inviting tender during office hours.
- 2. In the event of tender being submitted by a firm, it must be signed separately by eachpartner thereof or in the event of the absence of any partner, it must be signed on hisbehalf by a person holding a power of attorney authorizing him to do so, such power ofattorney to be produced with the tender, and it must disclose that the firm is duly registered under the Indian Partnership Act 1952.
- 3. Receipts for payment made on account of work, when executed by a firm, must also be signed by all the partners, except where contractors are described in their tenderas a firm, in which case the receipts must be signed in the name of the firm by one of the partners, or by some other person having due authority to give effectual receipts for the firm.
- 4. The rate(s) must be quoted in decimal coinage. Amounts must be quoted in full rupeesby ignoring fifty paisa and considering more than fifty paisa as rupee one.

Applicable for Item Rate Tender only (CPWD - 8) In case the lowest tendered amount (worked out on the basis of quoted rate of Individualitems) of two or more contractors is same, then such lowest contractors may be asked to submit sealed revised offer quoting rate of each item of the schedule of quantity for all sub sections/sub heads as the case may be, but the revised quoted rate of each item of schedule of quantity for all sub sections/sub heads should not be higher than their respective original rate quoted already at the time of submission oftender. The lowest tender shall be decided on the basis of revised offer.

If the revised tendered amount (worked out on the basis of quoted rate of individualitems) of two or more contractors received in revised offer is again found to be equal, then the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, or CE of the zone EE(s) in-charge of major & minorcomponent(s) (also DDH in case Horticulture work is also included in the tender), and the lowest contractors those have quoted equal amount of their tenders.

In case of any such lowest contractor in his revised offer quotes rate of any item more than their respective original rate quoted already at the time of submission of tender, then such revised offer shall be treated invalid. Such case of revised offer of the lowest contractor or case of refusal to submit revised offer by the lowest contractor shall betreated as withdrawal of his tender before acceptance and 50% of his earnest money shall be forfeited.

In case all the lowest contractors those have same tendered amount (as a result of their quoted rate of individual items), refuse to submit revised offers, then tenders are to be recalled after forfeiting 50% of EMD of each lowest contractors.

Contractor, whose earnest money is forfeited because of non-submission of revisedoffer, or quoting higher revised rate(s) of any item(s) than their respective original rate quoted already at the time of submission of his bid shall not be allowed to participate the retendering process of the work.

Applicable for Percentage Rate Tender only (CPWD - 7)

- 4A. In case of Percentage Rate Tenders, contractor shall fill up the usual printed form, stating at what percentage below/above (in figures as well as in words) the total estimated cost given in Schedule of Quantities at Schedule-A, he will be willing to execute thework. The tender submitted shall be treated as invalid if:-
 - I. The contractor does not quote percentage above/below on the total amount oftender or any section/sub head of the tender.
 - II. The percentage above/below is not quoted in figures & words both on the total amount of tender or any section/sub head of the tender.
 - III. The percentage quoted above/below is different in figures & words on the total amount of tender or any section/sub head of the tender.

Tenders, which propose any alteration in the workspecified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected.

4B. In case the lowest tendered amount (estimated cost + amount worked on the basis ofpercentage above/below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case maybe, but the revised percentage quoted above/below on tendered cost or on each subsection/ sub head should not be higher than the percentagequotedatthetimeofsubmission of tender. The lowesttender shall be decided on the basis of revised offers.

In case anyofsuch contractor refuses to submit revised offer, then it shall be treated aswithdrawal of his tenderbeforeacceptance and 50% of earnest money shall be for feited.

If the revised tendered amount of two more contractors received in revised offer is again found to be equal, the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, or CE of the zone EE(s) in-chargeof major & minor component(s) (also DDH in case Horticulture work is also included inthe tender), & the lowest contractors those have quoted equal amount of their tenders.

In case all the lowest contractors those have quoted same tendered amount, refuse to submit revised offers, then tenders are to be recalled after forfeiting 50% of EMD of each contractor. Contractor(s), whose earnest money is forfeited because of non-submission of revised offer, shallnot be allowed to participate in the re-tendering process of the work.

- 5. The officer inviting tender or his duly authorized assistant, will open tenders in the presence of any intending contractors who may be present at the time.
- 6. The officer inviting tenders shall have the right of rejecting all or any of the tenders andwill not be bound to accept the lowest or any other tender.
- 7. The receipt of an accountant or clerk for any money paid by the contractor will not be considered as any acknowledgment or payment to the officer inviting tender and the contractor shall be responsible for seeing that he procures a receipt signed by the officer inviting tender or a duly authorized Cashier.

Applicable for Item Rate Tender only (CPWD - 8) 8. In the case of Item Rate Tenders, only rates quoted shall be considered. Any tendercontaining percentage below/above the rates quoted is liable to be rejected. Rates quoted by the contractor in item rate tender in figures and words shall be accuratelyfilled in so that there is no discrepancy in the rates written in figures and words. However, if a discrepancy is found, the rates which correspond with the amount worked out by the contractor shall unless otherwise proved be taken as correct. If the amount of an item is not worked out by the contractor or it does not correspond with the rateswritten either in figures or in words, then the rates quoted by the contractor in wordsshall be taken as correct. Where the rates quoted by the contractor in figures and inwords tally, but the amount is not worked out correctly, the rates quoted by the contractorwill unless otherwise proved be taken as correct and not the amount. In event no rate has been quoted for any item(s), leaving space both in figure(s), word(s), and amount blank, it will be presumed that the contractor has included the cost of this/these item(s) in other items and rate for such item(s) will be considered as zero and work willbe required to be executed accordingly.

However, if a tenderer quotes nil rates against each item in item rate tender, the tender shall be treated as invalid and will not be considered as lowest tenderer and earnest money deposited shall be forfeited.

- 9. In case of Percentage Rate Tenders only percentage quoted shall be considered. Anytender containing itemrates is liable to be rejected. Percentage quoted by the contractor in percentage rate tender shall be accurately filled in figures and words, so that there is no discrepancy.
- 10. In Percentage Rate Tender, the tenderer shall quote percentage below/above (in figuresas well as in words) at which he will be willing to execute the work. He shall also workout the total amount of his offer and the same should be written in figures as well as in words in such a way that no interpolation is possible. In case of figures, the word 'Rs.' should be written before the figure of rupees and word 'P' after the decimal figures, e.g.'Rs. 2.15P and in case of words, the word 'Rupees' should precede and the word 'Paisa' should be written at the end.
- 11. (i) The Contractor whose tender is accepted, will be required to furnish performanceguarantee of 5% (Five Percent) of the tendered amount within the period specifiedin Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at call receipt of any scheduled bank/Banker's cheque of any scheduled bank/Demand Draft of any scheduledbank/Pay order of any scheduled bank (in case guarantee amount is less thanRs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank
 - (ii) The contractor whose tender is accepted will also be required to furnish by way of Security Deposit for the fulfillment of his contract, an amount equal to 2.5% of the tendered value of the work. The Security deposit will be collected by deductions

Applicable for percentage Rate Tender only (CPWD - 7)

Applicable for Percentage Rate Tender only (CPWD - 7) from the running bills as well as final bill of the contractor at the rates mentioned above. The Security amount will also be accepted in cash or in the shape of Government Securities. Fixed Deposit Receipt of a Scheduled Bank or will also be accepted for this purpose provided confirmatory advice is enclosed.

- 12. On acceptance of the tender, the name of the accredited representative(s) of the contractor who would be responsible for taking instructions from the Engineer-in-Charge shall be communicated in writing to the Engineer-in-Charge.
- 13. GST or any other tax applicable in respect of inputs procured by the contractor for this contract shall be payable by the Contractor and Government will not entertain any claim whatsoever in respect of the same. However, component of GST at time of supply of service (as provided in CGST Act 2017) provided by the contract shall bevaried if different from that applicable on the last date of receipt of tender including extension if any.
- 14. The contractor shall give a list of both gazetted and non-gazetted C.P.W.D. employeesrelated to him
- 15. The tender for composite work includes, in addition to building work, all other workssuch as sanitary and water supply installations drainage installation, electrical work, horticulture work, roads and paths etc.

16. The contractor shall submit list of works which are in hand (progress) in the following form:-

Name of work	Name and particulars of Divn where work is being executed	Value of work progress	Position of works in	Remarks
1.	2.	3.	4.	5.

CONDITIONS OF CONTRACT

Definitions

- 1. The Contract means the documents forming the tender and acceptance thereof andthe formal agreement executed between the competent authority on behalf of the President of India and the Contractor, together with the documents referred to thereinincluding these conditions, the specifications, designs, drawings and instructions issued from time to time by the Engineer-in-Charge and all these documents takentogether, shall be deemed to form one contract and shall be complementary to oneanother.
- 2. In the contract, the following expressions shall, unless the context otherwise requires, have the meanings, hereby respectively assigned to them:-
 - (i) The expression works or work shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken tomean the works by or by virtue of the contract contracted to be executed whether temporary or permanent, and whether original, altered, substituted or additional.
 - (ii) The **Site** shall mean the land, places on, into or or where work is to be executed under the contract or any adjacent land, path or street or where workis to be executed under the contract or any adjacent land, path or street whichmay be temporally allotted or used for the purpose of carrying out the contract.
 - (iii) The **Contractor** shall mean the individual, firm or company, whether incorporated not, undertaking the works and shall include the legal personal representative of such individual or the persons composing such firm or company, or the successors of such firm or company and the permitted assignees of such individual, firm or company.
 - (iv) The **President** means the President of India and his successors.
 - (v) **Government** or **Government of India** shall mean the President of India.
 - (vi) The **Engineer-in-charge** means the Engineer Officer who shall supervise and be in charge of thework and who shall sign the contract on behalf of the Presidentof India as mentionedin Schedule 'F' hereunder.
 - (vii) The term **Director General** includes Special Director General/Additional Director General/Chief Engineer.
 - (viii) **Accepting Authority** shall mean the authority mentioned in Schedule 'F'.
 - (ix) **Excepted Risk** are risks due to riots (other than those on account of contractor's employees), war (whether declared or not) invasion, act of foreign enemies, hostilities, civil war, rebellion revolution, insurrection, military or usurped power, any acts of Government, damages from aircraft, acts of God, such as earthquake, lightening and unprecedented floods, and other causes over which the contractorhas no control and accepted as such by the Accepting Authority or causes solely due to use or occupation by Government of the part of the works in respect of which a certificate of completion has been issued or a cause solelydue to Government's faulty design of works.
 - (x) Market Rate shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where the work is to be executed plus the percentage mentioned in Schedule 'F' to cover, all overheadsand profits.

Provided that no extra overheads and profits shall be payable on the part(s) ofwork assigned to other agency(s) by the contractor as per terms of contract.

Schedule(s) referred to in these conditions shall mean the relevant schedule(s)annexed to the tender documents or the standard Schedule of Rates of the government mentioned in Schedule 'F' hereunder, with the amendments thereto issued upto the dateof receipt of the tender.

- (Xi) **Department** means CPWD or any department of Government of India whichinvites tenders on behalf of President of India as specified in schedule 'F'.
- (Xii) **District Specifications** means the specifications followed by the State Government in the area where the work is to be executed.
- (Xiii) **Tendered value** means the value of the entire work as stipulated in the letter of award.
- (xiv) **Date of commencement of work:** The date of commencement of work shallbe the date of start as specified in schedule 'F' or the first date of handing over of the site, whichever is later, in accordance with the phasing if any, as indicated in the tender document.
- (xv) GST shall mean Goods and Service Tax Central, State and Inter State.

Scope and Performance

- Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.
- 4. Headings and Marginal notes to these General Conditions of Contract shall not be deemed to form part thereof or be taken into consideration in the interpretation or construction thereof or of the contract.
- 5. The contractor shall be furnished, free of cost one certified copy of the contract documents except standard specifications, Schedule of Rates and such other printed and published documents, together with all drawings as may be forming part of thetender documents. None of these documents shall be used for any purpose other than that of this contract.

Works to be carried out

6. The work to be carried out under the Contract shall, except as otherwise provided inthese conditions, include all labourers, materials, tools, plants, equipment and transportwhich may be required in preparation of and for and in the full and entire execution and completion of theworks. The descriptions given in the Scheduleof Quantities (Schedule-A) shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognized principles.

Sufficiency of Tender

7. The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the Scheduleof Quantities, which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.

Discrepancies and Adjustment of Errors

- 8. The several documents forming the Contract are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale drawing and figured dimensions in preference to scale and special conditions in preference to General Conditions.
 - 8.1 In the case of discrepancy between the schedule of Quantities, the Specifications and/ or the Drawings, the following order of preference shall be observed:-
 - (i) Description of Schedule of Quantities.
 - (ii) Particular Specification and Special Condition, if any.
 - (iii) Drawings.
 - (iv) CPWD Specifications.
 - (v) Indian Standard Specifications of B.I.S.
 - 8.2 If there are varying or conflicting provisions made in any one document formingpart of the contract, the Accepting Authority shall be the deciding authority with regard to the intention of the document and his decision shall be final and binding on the contractor.
 - 8.3 Any error in description, quantity or rate in Schedule of Quantities or any omission therefrom shall not vitiate the Contract or release the Contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contract.
- 9. The successful tenderer/contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work, sign the contract consisting of:-

(i) the notice inviting tender, all the documents including drawings, if any, formingthe tender as issued at the time of invitation of tender and acceptance thereoftogether with any correspondence leading thereto.

- (ii) Standard C.P.W.D. Form as mentioned in Schedule 'F' consisting of:
 - (a) Various standard clauses with corrections up to the date stipulated in Schedule 'F' along with annexures thereto.
 - (b) C.P.W.D. Safety Code.
 - (c) Model Rules for the protection of health, sanitary arrangements for workers employed by CPWD or its contractors.
 - (d) CPWD Contractor's Labour Regulations.
 - (e) List of Acts and omissions for which fines can be imposed.
- (iii) No payment for the work done will be made unless contract is signed by the contractor.

Signing of Contract

GENERAL CONDITION OF

CONTRACTCLAUSES OF

CONTRACT

Performance

Clause 1

Guarantee

- (i) The contractor shall submit an irrevocable Performance Guarantee of 5% (Five percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contractfor his proper performance of the contract agreement, (not withstanding and/or withoutprejudice to any other provisions in the contract) within period specified in Schedule 'F'fromthedateofissue of letter of acceptance. This period can be further extended by the Engineer-in-Charge up to a maximum period as specified in schedule 'F' on writtenrequest of the contractor stating the reason for delays in procuring the PerformanceGuarantee, to the satisfaction of the Engineer-in-Charge. This guarantee shall be in the form of Cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's Cheque of any scheduled bank/Demand Draftof any scheduled bank/Pay Order of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank isunable to make payment against the said fixed deposit receipt, the loss caused therebyshall fall on the contractor and the contractorshallforthwithon demandfurnishadditional security to the Government to make good the deficit.
- (ii) The Performance Guarantee shall be initially valid up to the stipulated date of completionplus minimum 60 days beyond that. if the same is submitted bythe agencyon scheduleformat I as per GCC. If the same is submitted on the format II as per GCC then theperformance Guarantee shall be valid up to the stipulated date of completion plus minimum 6 months beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest. However, in case of contracts involving maintenanceofbuildingand services/anyother workafter construction of same building and services/ other work, then 50% of Performance Guarantee shall be retained as Security Deposit. The same shall be returned yearwise proportionately.
- (iii) The Engineer-in-Charge shall not make a claim under the performance guarantee except for amounts to which the President of India is entitled under the contract (notwithstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:
 - (a) Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer-in-Charge may claimthe full amount of the Performance Guarantee.
 - (b) Failure by the contractor to pay President of India any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer- in-Charge.
- (iv) In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the performance guarantee shall stand for feited in full and shall be absolutely at the disposal of the President of India.

Clause 1A

Recovery of Security Deposit

The person/persons whose tender(s) may be accepted (hereinafter called the contractor)shall permit Government at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 2.5% of the gross amount of each running andfinal bill till the sum deducted will amount to security deposit of 2.5% of the tendered value of the work. Such deductions will be made and held by Government by way of Security Deposit unless he/they has/have deposited the amount of Security at the rate mentioned above in cash or in the form of Government Securities or fixed deposit receipts. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the security deposit and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make goodthe deficit.

All compensations or the other sums of money payable by the contractor under the termsof this contract may be deducted from, or paid by the sale of a sufficient part of his securitydeposit or from the interest arising there from, or from any sums which may be due to or may become due to the contractor by Government on any account whatsoever and in theevent of his Security Deposit being reduced by reason of any such deductions or sale as aforesaid, the contractor shall within 10 days make good in cash or fixed deposit receipt tendered by the State Bank of India or by Scheduled Banks or Government Securities (if deposited for more than 12 months) endorsed in favour of the Engineer-in-Charge, any sumor sums which may have been deducted from, or raised by sale of his security deposit or any part thereof. The security deposit shall be collected from the running bills and the finalbill of the contractor at the rates mentioned above.

The security deposit as deducted above can be released against bank guarantee issued by a scheduled bank, on its accumulations to a minimum of Rs. 5 lac subject to the condition that amount of such bank guarantee, except last one, shall not be less than Rs.5 lac. Provided further that the validity of bank guarantee including the one given against the earnest money shall be in conformity with provisions contained in clause 17 which shall be extended from time to time depending upon extension of contract granted under provisions of clause 2 and clause 5.

In case of contracts involving maintenance of building and services/any other work after construction of same building and services/other work, then 50% of Performance Guarantee shall be retained as Security Deposit. The same shall be returned year wise proportionately.

Note-1: Government papers tendered as security will be taken at 5% (five per cent) belowits market price or at its face value, whichever is less. The market price of Government paper would be ascertained by the Divisional Officer at the time of collection of interest and the amount of interest to the extent of deficiency in value of the Government paper will be withheld if necessary.

Note-2: Government Securities will include all forms of Securities mentioned in Rule No. 274 of the G.F. Rules except fidelity bond. This will be subject to the observance of the condition mentioned under the rule against each form of security.

Note-3: Note 1 & 2 above shall be applicable for both clause 1 and 1A

Clause 2

If the contractor fails to maintain the required progress in terms of clause 5 or to complete work and clear the site on or before the contract or justified extended date of completion as per clause 5 (excluding any extension under Clause 5.5) as well as any extension granted under clauses 12 and 15, he shall, without prejudice to any other right or remedy

Compensation for Delay

available under the law to the Government on account of such breach, pay as compensation the amount calculated at the rates stipulated below as the authority specified in schedule'F' may decide on the amount of accepted Tendered Value of the work for every completedday/month (as determined) that the progress remains below that specified in Clause 5 or that the work remains incomplete.

Compensation for delay of work

- (i) With maximum rate 1% (one percent) maximum per month of delay to be computed on per day basis based on quantum of damage suffered due to stated delay on the prt of Contractor. if scheduled completion of work is more than one year
- (ii) With maximum rate 1% (one percent) to 2% (two percent) (maximum) per month of delayto be computed on per day basis based on quantum of damage suffered due to stated delay on thepart of Contractor. if scheduled completion of work is more than six months and upto one year
- (iii) With maximum rate 2% (two percent) to 5% (five percent) (maximum) per month of delay to be computed on per day basis based on quantum of damage suffered due tostated delay on the part of Contractor. if scheduled completion of work is up to six months

Provided always that the total amount of compensation for delay to be paid under this condition shall not exceed 10 % of the accepted Tendered Value of work. In case no compensation has been decided by the authority in Schedule 'F' during the progress of work, this shall be no waiver of right to levy compensation by the said authority if the workremains incomplete on final justified extended date of completion. If the Engineer in Charge decides to give further extension of time allowing performance of work beyond the justified extended date, the contractor shall be liable to pay compensation for such extended period. If any variation in amount of contract takes place during such extended period beyond justified extended date and the contractor becomes entitled to additional time under clause 12, the net period for such variation shall be accounted for while deciding theperiod for levy of compensation. However, during such further extended period beyond thejustified extended period, if any delay occurs by events under sub clause 5.2, the contractor shall be liable to pay compensation for such delay.

This is without prejudice to right of action by the Engineer in Charge under clause 3 for delay in performance and claim of compensation under that clause.

In case action under clause 2 has not been finalized and the work has been determined under clause 3, the right of action under this clause shall remain post determination of contract but levy of compensation shall be for days the progress is behind the schedule ondate of determination, as assessed by the authority in Schedule F, after due consideration of justified extension. The compensation for delay, if not decided before the determination of contract, shall be decided after of determination of contract.

The amount of compensation may be adjusted or set-off against any sum payable to the Contractor under this or any other contract with the Government. In case, the contractor does not achieve a particular milestone mentioned in schedule F, or the re-scheduled milestone(s) in terms of Clause 5.4, the amount shown against that milestone shall be withheld, to be adjusted against the compensation levied as above. With-holding of this amount on failure to achieve a milestone, shall be automatic without any notice to the contractor. However, if the contractor catches up with the progress of work on the subsequent milestone(s), the withheld amount shall be released. In case the contractor fails to make up for the delay in subsequent milestone(s), amount mentioned against each milestone missed subsequently also shall be withheld. However, no interest, whatsoever, shall be payable on such withheld amount.

Clause 3

When Contract can be Determined

Subject to other provisions contained in this clause, the Engineer-in-Charge may, without prejudice to any other rights or remedy against the contractor in respect of any delay, notfollowing safety norms inferior workmanship, any claims for damages and/or any other provisions of this contract or otherwise, and whether the date of completion has or has notelapsed, by notice in writing absolutely determine the contract in any of the following cases:

- (i) If the contractor having been given by the Engineer-in-Charge a notice in writing torectify, reconstruct or replace any defective work or that the work is being performed an inefficient or otherwise improper or un-workman like manner shall omit to comply with the requirement of such notice for a period of seven days thereafter.
- (ii) If the contractor has, without reasonable cause, suspended the progress of the work or has failed to proceed with the work with due diligence and continues to do so after a notice in writing of seven days from the Engineer-in-Charge.
- (iii) If the contractor fails to complete the work or section of work with individual date of completion on or before the stipulated or justified extended date, on or before suchdate of completion; and the Engineer in Charge without any prejudice to any other right or remedy under any other provision in the contract has given further reasonabletime in a notice given in writing in that behalf as either mutually agreed or in absence of such mutual agreement by his own assessment making such time essence of contract and in the opinion of Engineer-in-Charge the contractor will be unable to complete the same or does not complete the same within the period specified.
- (iv) If the contractor persistently neglects to carry out his obligations under the contractand/ or commits default in complying with any of the terms and conditions of the contract and does not remedy it or take effective steps to remedy it within 7 days after a notice in writing is given to him in that behalf by the Engineer-in-Charge.
- (v) If the contractor shall offer or give or agree to give to any person in Government service or to any other person on his behalf any gift or consideration of any kind asan inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other contract for Government.
- (vi) If the contractor shall enter into a contract with Government in connection with which commission has been paid or agreed to be paid by him or to his knowledge, unlessthe particulars of any such commission and the terms of payment thereof have beenpreviously disclosed in writing to the Engineer-in-Charge.
- (vii) If the contractor had secured the contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits breach of Integrity Agreement.
- (viii) If the contractor being an individual, or if a firm, any partner thereof shall at any time be adjudged insolvent or have a receiving order or order for administration of his estate made against himor shall take any proceedings for liquidation or composition (other than a voluntary liquidation for the purpose of amalgamation or reconstruction) under any Insolvency Act for the time being in force or make any conveyance or assignment of his effects or composition or arrangement for the benefit of his creditors or purport so to do, or if any application be made under any Insolvency Act for the time being in force for the sequestration of his estate or if a trust deed be executedby him for benefit of his creditors.

- (ix) If the contractor being a company shall pass a resolution or the court shall make an order that the company shall be wound up or if a receiver or a manager on behalf of a creditor shall be appointed or if circumstances shall arise which entitle the court or the creditor to appoint a receiver or a manager or which entitle the court to make a winding up order.
- (x) If the contractor shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days.
- (xi) If the contractor assigns (excluding part(s) of work assigned to other agency(s) by the contractor as per terms of contract), transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer, sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Engineer -in-Charge. When the contractor has made himself liable for action under any of the cases aforesaid, the Engineer-in- Charge on behalf of the President of India shall have powers:
 - (a) To determine the contract as aforesaid so far as performance of work by the Contractor is concerned (of which determination notice in writing to the contractor under the hand of the Engineer-in-Charge shall be conclusive evidence). Upon such determination, Security Deposit already recovered, Security Deposit, payable, PerformanceGuarantee under the contract shall be liable to be forfeited and shall be absolutely at the disposal of the Government
 - (b) After giving notice to the contractor to measure up the work of the contractor and to take such whole, or the balance or part thereof, as shall be un-executedout of his hands and to give it to another contractor to complete the work. The contractor, whose contract is determined as above, shall not be allowed to participate in the tendering process for the balance work.

In the event of above courses being adopted by the Engineer-in-Charge, the contractor shall have no claim to compensation for any loss sustained by himby reasons of his having purchased or procured any materials or entered into any engagements or made any advances on account or with a view to the execution of the work or the performance of the contract. And in case action istaken under any of the provision aforesaid, the contractor shall not be entitled to recover or be paid any sum for any work thereof or actually performed underthis contract unless and until the Engineer-in-Charge has certified in writing the performance of such work and the value payable in respect thereof and heshall only be entitled to be paid the value so certified.

Clause 3A

In case, the work cannot be started due to reasons not within the control of the contractorwithin 1/8th of the stipulated time for completion of work or one month whichever is higher, either party may close the contract by giving notice to the other party stating the reasons. In such eventuality, the Performance Guarantee of the contractor shall be refunded within 15 days Neither party shall claim any compensation for such eventuality. This clause is not applicable for any breach of the contract by either party.

Clause 4

Contractor liable to pay compensation even if action not taken under Clause 3

In any case in which any of the powers conferred upon the Engineer-in-Charge by Clause-3 thereof, shall have become exercisable and the same are not exercised, the non-exercise thereof shall not constitute a waiver of any of the conditions hereof and such powers shallnotwithstanding be exercisable in the event of any future case of default by the contractor and the liability of the contractor for compensation shall remain unaffected. In the event of the Engineer-in-Charge putting in force all or any of the powers vested in him under the preceding clause he may, if he so desires after giving a notice in writing to the contractor, take possession of (or at the sole discretion of the Engineer-in-Charge which shall be final and binding on the contractor) use as on hire (the amount of the hire money being also in the final determination of the Engineer-in-Charge) all or any tools, plant, materials and stores, in or upon the works, or the site thereof belonging to the contractor, or procured by the contractor and intended to be used for the execution of the work/or any part thereof, paying or allowing for the same in account at the contract rates, or, in the case of these not being applicable, at current market rates to be certified by the Engineer-in-Charge, whose certificate thereof shall be final, and binding on the contractor, clerk of the works, foreman or other authorized agent to remove such tools, plant, materials, or stores from the premises (within a time to be specified in such notice) in the event of the contractor failing to comply with any such requisition, the Engineer-in-Charge may remove them at the contractor's expense or sell them by auction or private sale on account of the contractor and his risk in all respects and the certificate of the Engineer-in-Charge as to the expenses of any such removal and the amount of the proceeds and expenses of any such sale shall be final and conclusive against the contractor.

Clause 5

The time allowed for execution of the Works as specified in the Schedule 'F' or the extendedtime in accordance with these conditions shall be the essence of the Contract. The execution of the work shall commence from such time period as mentioned in schedule 'F' or from the date of handing over of the site, notified by the Engineer-in-Charge, whichever is later. If the Contractor commits default in commencing the execution of the work as aforesaid, the performance guarantee shall be forfeited by the Engineer in Charge and shall be absolutely at the disposal of the Government without prejudice to any other right or remedyavailable in law.

Time and Extension for Delay

- **5.1** (i) As soon as possible but within 7 (seven) working days of award of work and in consideration of
 - (a) Schedule of handing over of site as specified in the Schedule 'F'
 - (b) Schedule of issue of drawings if applicable as specified in the Schedule 'F'

the Contractor shall submit a Time and Progress Chart for each mile stone. The Engineer-in-Charge may within 7 (seven) working days thereafter, if required modify, and communicate the program approved to the contractor failing which the program submitted by the contractor shall be deemed to be approved by the Engineer-in-Charge. The work programme shall include all details of balance drawings and decisions required to complete the contract with specific dates by which these details are required by contractor without causing any delay in execution of the work. The Chart shall be prepared in direct relation to the timestated in the Contract documents for completion of items of the works. It shall indicate the forecast of the dates of commencement and completion of various trades of sections of the work and may be amended as necessary by agreement between the Engineer-in-Charge and the Contractor within the limitations of time imposed in the Contract documents.

- (ii) In case of non submission of work programme by the contractor the programapproved by the Engineer-in-Charge shall be deemed to be final.
- (iii) The approval by the Engineer-in-Charge of such programme shall not relieve the contractor of any of the obligations under the contract.
- (iv) The contractor shall submit the Time and Progress Chart and progress reportusing the mutually agreed software or in other format decided by Engineer-in- Charge for the work done during previous month to the Engineer-in-charge onor before 5th day of each month failing which a recovery as per Schedule F to be decided by the NIT approving authority shall be made on per week or partbasis in case of delay in submission of themonthly progress report

5.2 Deleted

5.3 In case the work is hindered in the opinion of the contractor, by the Department forany reason/event, for which the Department is responsible. The authority as indicated in Schedule 'F' shall, if justified, give a fair and reasonable extension of time and reschedule the mile stones for completion of work

Such extension of time or rescheduling of milestone/s shall be without prejudice to any other right or remedy of the parties in contract or in law; provided further that forconcurrent delays under this sub clause and sub clause 5.2 to the extent the delayis covered under sub clause 5.2 the contractor shall be entitled to only extension of time and no damages.

5.4 Request for rescheduling of Mile stones or extension of time, to be eligible for consideration, shall be made by the Contractor in writing within fourteen days of thehappening of the event causing delay on the prescribed forms i.e. Form of application by the contractor for seeking rescheduling of milestones or Form of application by the contractor for seeking extension of time (Appendix -XVI) respectively to the authority as indicated in Schedule 'F'. The Contractor shall indicate in such a request the period by which rescheduling of milestone/s or extension of time is desired.

With every request for rescheduling of milestones, or if at any time the actual progress of work falls behind the approved programme by more than 10% of the stipulated periodof completion of contract, the contractor shall produce a revised programme which shallinclude all details of pending drawings and decisions required to complete the contract and also the target dates by which these details should be available without causing any delay in execution of the work. A recovery as specified in Schedule 'F' shall be madeon per day basis in case of delay in submission of the revised programme.

- 5.4.1 In any such case the authority as indicated in Schedule 'F' may give a fair and reasonable extension of time for completion of work or reschedule the mile stones. Engineer -in-Charge shall finalize/ reschedule a particular mile stone before taking an action against subsequent mile stone Such extension or rescheduling of the milestones shall be communicated to the Contractor by the authority as indicated in Schedule 'F' in writing, within 21 days of the date of receipt of suchrequest from the Contractor in prescribed form. In event of non application by the contractor for extension of time E-in-C after affording opportunity to the contractor, may give, supported with a programme (as specified under 5.4 above), a fair andreasonable extension within a reasonable period of occurrence of the event.
- 5.5 In case the work is delayed by any reasons, in the opinion of the Engineer-in-Charge, by the contractor for reasons beyond the events mentioned in clause 5.2 or clause 5.3 or clause 5.4 and beyond the justified extended date; without prejudice to right to take action under Clause 3, the Engineer-in-Charge may grant extension of time requiredfor completion of work without rescheduling of milestones. The contractor shall beliable for levy of compensation for delay for such extension of time.

Clause 5A Deleted

Computerized Measurement Book

Clause 6

Engineer-in-Charge shall, except as otherwise provided, ascertain and determine by measurement the value of work done in accordance with the contract.

All measurements of all items having financial value shall be entered by the contractor and compiled in the shape of the Computerized Measurement Book having pages of A-4 size as per the format of the department so that a complete record is obtained of all the items of works performed under the contract.

All such measurements and levels recorded by the contractor or his authorized representative from time to time, during the progress of the work, shall be got checked by the contractor from the Engineer- in-Charge or his authorized representative as per interval or program fixed in consultation with Engineer-in-Charge or his authorized representative. After the necessary corrections made by the Engineer-in-Charge, the measurement sheets shall be returned to the contractor for incorporating the corrections and for resubmission to the Engineer-in-Charge for the dated signatures by the Engineer-in-Charge and the contractor or their representatives in token of their acceptance.

Whenever bill is due for payment, the contractor would initially submit draft computerized measurement sheets and these measurements would be got checked/test checked from the Engineer-in-Charge and/or his authorized representative. The contractor will, thereafter, incorporate such changes as may be done during these checks/test checks in his draft computerized measurements, and submit to the department a computerized measurement book, duly bound, and with its pages machine numbered. The Engineer-in-Charge and/orhis authorized representative would thereafter check this MB, and record the necessary certificates for their checks/test checks.

The final, fair, computerized measurement book given by the contractor, duly bound, withits pages machine numbered, should be 100% correct, and no cutting or over-writing in the measurements would thereafter be allowed. If at all any error is noticed, the contractorshall have to submit a fresh computerized MB with its pages duly machine numbered and bound, after getting the earlier MB cancelled by the department. Thereafter, the MB shallbe taken in the Divisional Office records, and allotted a number as per the Register of Computerized MBs. This should be done before the corresponding bill is submitted to the Division Office for payment. The contractor shall submit two spare copies of suchcomputerized MB's for the purpose of reference and record by the various officers of the department.

The contractor shall also submit to the department separately his computerized Abstract of Cost and the bill based on these measurements, duly bound, and its pages machine numbered along with two spare copies of the "bill. Thereafter, this bill will be processed bythe Division Office and allotted a number as per the computerized record in the same wayas done for the measurement book meant for measurements.

The contractor shall, without extra charge, provide all assistance with every appliance, labour and other things necessary for checking of measurements/levels by the Engineer-in- Charge or his representative.

Except where any general or detailed description of the work expressly shows to the contrary, measurements shall be taken in accordance with the procedure set forth in the specifications notwithstanding any provision in the relevant Standard Method of measurement or any general or local custom. In the case of items which are not coveredby specifications, measurements shall be taken in accordance with the relevant standardmethod of measurement issued by the Bureau of Indian Standards and if for any item nosuch standard is available then a mutually agreed method shall be followed.

The contractor shall give not less than seven days' notice to the Engineer-in-Charge or his authorized representative in charge of the work before covering up or otherwise placing beyond the reach of checking and/or test checking the measurement of any work in order that the same may be checked and/or test checked and correct dimensions thereof be taken before the same is covered up or placed beyond the reach of checking and/or test checking measurement and shall not cover up and place beyond reach of measurement any work without consent in writing of the Engineer-in-Charge or his authorized representative in charge of the work who shall within the aforesaid period of seven days inspect the work, and if any work shall be covered up or placed beyond the reach of checking and/or test checking measurements without such notice having been given or the Engineer-in-Charge's consent being obtained in writing the same shall be uncovered at the Contractor's expense, or in defaultthereof no payment or allowance shall be made for such work or the materials with which the samewas executed.

Engineer-in-Charge or his authorized representative may cause either themselves or throughanother officer of the department to check the measurements recorded by contractor and all provisions stipulated herein above shall be applicable to such checking of measurements or levels.

It is also a term of this contract that checking and/or test checking the measurements of any item of work in the measurement book and/or its payment in the interim, on account of final bill shall not be considered as conclusive evidence as to the sufficiency of any work or material to which it relates nor shall it relieve the contractor from liabilities from any overmeasurement or defects noticed till completion of the defects liability period .

Clause 7

Payment on intermediate certificate to be regarded as Advances No payment shall be made for work, estimated to cost Rs. Five lac or less till after the whole of the work shall have been completed and certificate of completion given. For works estimated to cost over Rs. Five lac, the interim or running account bills shall be submitted by the contractor for the work executed on the basis of such recorded measurements on the format of the Department in triplicate on or before the date of every month fixed for the same by the Engineer-in-Charge. The contractor shall not be entitled to be paid any suchinterim payment if the gross work done together with net payment/adjustment of advances for material collected, if any, since the last such payment is less than the amount specifiedin. Schedule 'F', in which case the interim bill shall be prepared on the appointed date of the month after the requisite progress is achieved. Engineer-in-Charge shall arrange to have the bill verified by taking or causing to be taken, where necessary, the requisite measurements of the work. In the event of the failure of the contractor to submit the bills, no claims whatsoever due to delays on payment including that of interest shall be payableto the contractor. Payment on account of amount admissible shall be made by the Engineer-in-Charge certifying the sum to which the contractor is considered entitled by way of interim payment at such rates as decided by the Engineer- in-Charge. The amount admissible shall be paid by 10th working day after the day of presentation of thebill by the Contractor to the Engineer-in-Charge or his Asstt. Engineer together with the account of the materialissued by the department, or dismantled materials, if any. In the case of works outsidethe headquarters of the Engineer- in-Charge, the period of ten working days will be extended to fifteen working days.

All such interim payments shall be regarded as payment by way of advances against final payment onlyand shall notprecludetherequiringofbad, unsound and imperfect or unskilled work to be rejected, removed, taken away and reconstructed or re-erected. Any certificategiven by the Engineer-in-Charge relating to the work done or materials delivered forming part of such payment, may be modified or corrected by any subsequent such certificate(s)or by the final certificate and shall not by itself be conclusive evidence that any work or materials to which it relates is/are in accordance with the contract and specifications. Anysuch interim payment, or any part thereof shall not in any respect conclude, determine oraffect in any way powers of the Engineer-in-Charge under the contract or any of such payments be treated as final settlement and adjustment of accounts or in any way vary oraffect the contract.

Pending consideration of extension of date of completion, interim payments shall continue to be made as herein provided without prejudice to the right of the department to take action under the terms of this contract for delay in the completion of work, if the extension date of completion is not granted by the competent authority.

The Engineer-in-Charge in his sole discretion on the basis of a certificate from the Asstt. Engineer to the effect that the work has been completed up to the level in question makeinterim advance payments without detailed measurements for work done (other than foundations, items to be covered under finishing items) up to lintel level (including sunshadeetc.) and slab level, for each floor working out at 75% of the assessed value. The advancepayments so allowed shall be adjusted in the subsequent interim bills to be submitted by the contractor within 10 days of the interim payment. In case of delay in submission of billby the contractor a simple interest @ 10% (ten percent) per annum shall be paid to the Government from the date of expiry of prescribed time limit which will be compounded onyearly basis.

Payments in composite Contracts

In case of composite tenders, running payment for the major component shall be made by EEof major discipline to the main contractor. Running payment for minor component shall be madeby the Engineer-in-Charge of the discipline of minor component directly to the main contractor.

In case main contractor fails to make the payment to the contractor associated by himwithin 15 days of receipt of each running account payment, then on the written complaint of contractor associated for such minor component, Engineer in charge of minor component shall serve the show cause to the main contractor and if reply of main contractor either not received or found unsatisfactory, he may make the payment directly to the contractor associated for minor component as per the terms and conditions of the agreement drawn between main contractor and associate contractor fixed by him. Such payment made to the associate contractor shall be recovered by Engineer-in-charge of major or minor component from the next R/A/ final bill due to main contractor as the case may be.

Clause 7A

No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge.

Clause 8

Completion Certificate

Within ten days of the completion of the work, the contractor shall give notice of such completion to the Engineer-in-Charge and within thirty days of the receipt of such notice, the Engineer-in-Charge shall inspect the work and if there is no defect in the work, shall furnish the contractor with a final certificate of completion, otherwise a provisional certificate of physical completion indicating defects

(a) to be rectified by the contractor and/or (b) for which payment will be made at reduced rates, shall be

(a) to be rectified by the contractor and/or (b) for which payment will be made at reduced rates, shall be issued. But no final certificate of completion shall be issued, nor shall the work be considered to be complete until thecontractor shall have removed from the premises on which the work shall be executed all scaffolding, surplus materials, rubbish and all huts and sanitary arrangements required for his/their work people on the site in connection with the execution of the works as shallhave been erected or constructed by the contractor(s) and cleaned off the dirt from allwood work, doors, windows, walls, floor or other parts of the building, in, upon, or aboutwhich the work is to be executed or of which he may have had possession for the purpose of the execution; thereof, and not until the work shall have been measured by the Engineer- in-Charge. If the contractor shall fail to comply with the requirements of this Clause as to removal of scaffolding, surplus materials and rubbish and all huts andsanitary arrangements as aforesaid and cleaning off dirt on or before the date fixed for the completion of work, the Engineer-in-Charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish etc., and dispose of the same as he thinks fit and clean off such dirtas aforesaid, and the contractor shall have no claim in respect of scaffolding or surplus materials as aforesaid except for any sum actually realized by the sale thereof.

Clause 8A

When the annual repairs and maintenance of works are carried out, the splashes anddroppings from white washing, colour washing, painting etc., on walls, floor, windows, etc shall be removed and thesurface cleaned simultaneously with the completion of these items of work in the individual rooms, quarters or premises etc. where the work is done: without waiting for the actual completion of all the other items of work in the contract. Incase the contractor fails to comply with the requirements of this clause, the Engineer-in- Charge shall have the right to get this work done at the cost of the contractor either departmentally or through any other agency. Before taking such action, the Engineer-in- Charge shall give ten days notice in writing to the contractor.

Clause 9

The final bill shall be submitted by the contractor in the same manner as specified ininterim bills within three months of physical completion of the work or within one month of the date of the final certificate of completion furnished recorded by the Engineer-in-Charge whichever is earlier. No furtherclaims shall be made by the contractor after submission of the final bill and these shall be deemed to have been waived and extinguished. Payments

Payment of Final Bill

Contractor to keep

Site Clean

of those items of the bill in respect of which there is no dispute and of items in dispute, forquantities and rates as approved by Engineer-in-Charge, will, as far as possible be madewithin three months the period specified here in under, the period being reckoned from the date of receipt of the bill by the Engineer-in- Charge or his authorized Asstt. Engineer/ Junior Engineer, complete with account of materials issued by the Department and dismantled materials if any.

: 2 months (a) If the Tendered value of work is up to Rs. 45 lac

(b) If the Tendered value of work is more than Rs.45 lac and up to : 3 monthsRs. 2.5 Crore

If the Tendered value of work exceeds Rs. 2.5 Crore : 6 months

If the final bill is submitted by the contractor within the period specified above and delay in payment of final bills is made by the deptt. After prescribed time limit a simple interest@ 5% per annum shall be paid to the contractor from the date of expiry of prescribed time limit which will be compounded on yearly basis, provided the final bill submitted by the contractor is found to be in order.

Clause 9A

Payments due to the contractor may, if so desired by him, be made to his bank, registered financial, co-operative or thrift societies or recognized financial institutions instead of directto him provided that the contractor furnishes to the Engineer-in-Charge (1) an authorization in the form of a legally valid document such as a power of attorney conferring authority on the bank; registered financial, co-operative or thrift societies or recognized financialinstitutions to receive payments and (2) his own acceptance of the correctness of the amount made out as being due to him by Governmentor his signature on the bill or otherclaim preferred against Government before settlement by the Engineer-in-Charge of the account or claim by payment to the bank, registered financial, co-operative or thrift societiesor recognized financial institutions. While the receipt given by such banks; registered financial, co-operative or thrift societies or recognized financial institutions shall constitute full and sufficient discharge for the payment, the contractor shall whenever possible present his bills duly receipted and discharged through his bank, registered financial, co operative or thrift societies or recognized financial institutions.

Nothing herein contained shall operate to create in favour of the bank; registered financial, cooperative or thrift societies or recognized financial institutions any rights or equities visthe President of India.

Clause 10A

The contractor shall, at his own expense, provide all materials, required for the works otherthan those which are stipulated to be supplied by the Government.

provided by the Contractor

Materials to be

Payment of Contractor's Bills to

Banks

The contractor shall, at his own expense and without delay; supply to the Engineer-in- Charge samples of materials to be used on the work and shall get these approved in advance. All such materials to be provided by the Contractor shall be in conformity with the specifications laid down or referred to in the contract. The contractor shall, if requested by the Engineer-in-Charge furnish proof, to the satisfaction of the Engineer-in-Charge that the materials so comply. The Engineer-in-Charge shall within thirty days of supply of samples or within such further period as he may require intimate to the Contractor in writing whether samples are approved by him or not. If samples are not approved, the Contractor shall forthwith arrange to supply to the Engineer-in-Charge for his approval, fresh samples complying with the specifications laid down in the contract. When materials are required to be tested in accordance with specifications, approval of the Engineer-in-Charge shall be issued after the test results are received.

The Contractor shall at his risk and cost submit the samples of materials to be tested or analyzed and shall not make use of or incorporate in the work any materials represented by the samples until the required tests or analysis have been made and materials finally accepted by the Engineer-in-Charge. The Contractor shall not be eligible for any claim or compensation either arising out of any delay in the work or due to any corrective measures required to be taken on account of and as a result of testing of materials.

The contractor shall, at his risk and cost, make all arrangements and shall provide all facilities as the Engineer-in-Charge may require for collecting, and preparing the requirednumber of samples for such tests at such time and to such place or places as may be directed by the Engineer-in-Charge and bear all charges and cost of testing unless specifically provided for otherwise elsewhere in the contract or specifications. The Engineer

-in- Charge or his authorized representative shall at all times have access to the works and to all workshops and places where work is being prepared or from where materials, manufactured articles or machinery are being obtained for the works and the contractor shall afford every facility and every assistance in obtaining the right to such access.

The Engineer-in-Charge shall have full powers to require the removal from the premises of all materials which in his opinion are not in accordance with the specifications and in case of default, the Engineer-in-Charge shall be at liberty to employ at the expense of the contractor, other persons to remove the same without being answerable or accountable forany loss or damage that may happen or arise to such materials. The Engineer-in-Chargeshall also have full powers to require other proper materials to be substituted thereof and case of default, the Engineer-in-Charge may cause the same to be supplied and all costs which may attend such removal and substitution shall be borne by the Contractor.

The contractor shall at his own expense, provide a material testing lab at the site for conducting routine field tests. The lab shall be equipped at least with the testing equipment as specified in schedule F.

Clause 10 B
Clause 10 C
Clause 10 CC
Clause 10 D
Clause 10 D
Deleted
Deleted
Deleted

Work to be Executedin Accordance with Specifications, Drawings, Orders etc.

Clause 11

The contractor shall execute the whole and every part of the work in the most substantialand workmanlike manner both as regards materials and otherwise in every respect in strictaccordance with the specifications. The contractor shall also conform exactly, fully and faithfully to the design, drawings and instructions in writing in respect of the work signed by the Engineer-in-Charge and the contractor shall be furnished free of charge one copy ofthe contract documents together with specifications, designs, drawings and instructions as are not included in the standard specifications of Central Public Works Department specified in Schedule 'F' or in any Bureau of Indian Standard or any other, published standardor code or, Schedule of Rates or any other printed publication referred to elsewhere in the contract.

The contractor shall comply with the provisions of the contract and with the care and diligence execute and maintain the works and provide all labour and materials, tools and plants including for measurements and supervision of all works, structural plans and otherthings of temporary or permanent nature required for such execution and maintenance in so far as the necessity for providing these, is specified or is reasonably inferred from the contract. The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and methods of construction.

Clause 12

Deviations/ Variations Extent and Pricing

The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additionsto, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him in writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form partofthe contract as if originally providedtherein and any altered, additional or substituted work whichthe contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to dothe main work except as hereafter provided.

The completion cost of any agreement for Maintenance works including works of upgradation, aesthetic, special repair, addition/alteration should not exceed 1.25 times of Tendered amount. Any further deviation beyond this limit upto 1.5 times of tendered amountshall be approved by the authority mentioned in schedule 'F' with recorded reason and inexceptional case, ADG shall have full power to approve the deviation beyond 1.50 times of tendered amount with recorded reason and take suitable corrective action.

- **12.1** The time for completion of the works shall, in the event of any deviations resulting in additional cost over the tendered value sum being ordered, be extended, if requested by the contractor, as follows:
 - (i) In the proportion which the additional cost of the altered, additional or substituted work, bears to the original tendered value plus
 - (ii) 25% of the time calculated in (i) above or such further additional time as may be considered reasonable by the Engineer-in-Charge.

12.2 In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above/ below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.

12.3 In the case of Substitute Item(s) being the schedule items (Delhi Schedule of Ratesitems), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above/ below quoted contract amount. Payment of Substitute in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.

In the case of contract items, which exceed the limits laid down in schedule F, the contractor shall be paid rates at Agreement rate/Market rate whichever is lower.

In case of decrease in the rates prevailing in the market of items for the work in excess of the limits laid down in Schedule F, the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of thereceipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.

Deviation, Extra Items and Pricing

Deviation, deviated Quantities, Pricing

- **12.4** For the purpose of operation of Schedule "F", the following works shall be treated asworks relating to foundation unless & otherwise defined in the contract:
 - (i) For Buildings: All works up to 1.2 metres above ground level or up to floor 1 level whichever is lower.
 - (ii) For abutments, piers and well staining: All works up to 1.2 m above the bed level.
 - (iii) For retaining walls, wing walls, compound walls, chimneys, over head reservoirs/tanks and other elevated structures: All works up to 1.2 metres above the ground level.
 - (iv) For reservoirs/tanks (other than overhead reservoirs/tanks): All works up to 1.2 metres above the ground level.
 - (v) For basement: All works up to 1.2 m above ground level or up to floor 1 level whichever is lower.
 - (vi) For Roads, all items of excavation and filling including treatment of sub base.
- **12.5** Any operation incidental to or necessarily has to be in contemplation of tenderer while quoting filing tender, or necessary for proper execution of the item included inthe Schedule of quantities or in the schedule of rates mentioned above, whether ornot, specifically indicated in the description of the item and the relevant specifications, shall be deemed to be included in the rates quoted by the tenderer or the rate givenin the said schedule of rates, as the case maybe. Nothing extra shall be admissible for such operations.

Clause 13

If at any time after acceptance of the tender or during the progress of work, the purpose or object for which the work is being done changes due to any supervening cause and as a result of which the work has to be abandoned or reduced in scope the Engineer-in- Charge shall give notice in writing to that effect to the contractor stating the decision as well as the cause for such decision and the contractor shall act accordingly in the matter. The contractor shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the works in full but which he did not derive in consequence of the foreclosure of the whole or part of the works.

The contractor shall be paid at contract rates, full amount for works executed at site and, in addition, a reasonable amount as certified by the Engineer-in-Charge for the items hereunder mentioned which could not be utilized on the work to the full extent in view of the foreclosure;

- (i) Any expenditure incurred on preliminary site work, e.g. temporary access roads, temporary labour huts, staff quarters and site office; storage accommodation and water storage tanks.
- (ii) Government shall have the option to take over contractor's materials or any part thereof either brought to site or of which the contractor is legally bound to accept delivery from suppliers (for incorporation in or incidental to the work) provided, however Government shall be bound to take over the materials or such portions thereof as the contractor does not desire to retain. For materials taken over or to be taken over byGovernment, cost of such materials as detailed by Engineer-in- Charge shall be paid. The cost shall, however, take into account purchase price, cost of transportationand deterioration or damage which may have been caused to materials whilst in thecustody of the contractor.

Foreclosure of contract due to Abandonment or Reduction in Scopeof Work

- (iii) Reasonable compensation for transfer of T & P from site to contractor's permanentstores or to his other works, whichever is less. If T & P are not transported to either of the said places, no cost of transportation shall be payable.
- (iv) Reasonable compensation for repatriation of contractor's site staff and imported labour to the extent necessary.

The contractor shall, if required by the Engineer- in-Charge, furnish to him, books of account, wage books, time sheets and other relevant documents and evidence as may be necessaryto enable him to certify the reasonable amount payable under this condition.

The reasonable amount of items on (i), (iv) and (v) above shall not be in excess of 2% of the cost of the work remaining incomplete on the date of closure, i.e. total stipulated cost of the work as per accepted tender less the cost of work actually executed under the contract and less the cost of contractor's materials at site taken over by the Government as per item (ii) above. Provided always that against any payments due to the contractor on this account or otherwise, the Engineer-in-Charge shall be entitled to recover or be credited with any outstanding balances due from the contractor for advance paid in respect of anytool, plants and materials and any other sums which at the date of termination were recoverable by the Government from the contractor under the terms of the contract.

In the event of action being taken under Clause 13 to reduce the scope of work, the contractor may furnish fresh Performance Guarantee on the same conditions, in the samemanner and at the same rate for the balance tendered amount and initially valid up to the extended date of completion or stipulated date of completion if no extension has been granted plus minimum 60 days beyond that. Wherever such a fresh Performance Guarantee furnished by the contractor the Engineer-in-Charge may return the previous PerformanceGuarantee.

Clause 14

If contractor:

Carrying out part work at risk & cost of contractor

- (i) At any time makes default during currency of work or does not execute any part of the work with due diligence and continues to do so even after a notice in writing of 7working days in this respect from the Engineer-in-Charge; or
- (ii) Commits default in complying with any of the terms and conditions of the contract and does not remedy it or takes effective steps to remedy it within 7 working days even after a notice in writing is given in that behalf by the Engineer-in-Charge; or
 - Fails to complete the work(s) or items of work with individual dates of completion, on or before the date(s) so determined, and does not complete them within the period specified in the notice given in writing in that behalf by the Engineer-in-Charge.
- (iii) The Engineer- in-Charge without invoking action under clause 3 may, without prejudice any other right or remedy against the contractor which have either accrued or accrue thereafter to Government, by a notice in writing to take the part work / part incomplete work of any item(s) out of his hands and shall have powers to:
 - (a) Take possession of the site and any materials, constructional plant, implements, stores, etc., thereon; and/or
 - (b) Carry out the part work / part incomplete work of any item(s) by any means at the risk and cost of the contractor.

The Engineer-in-Charge shall determine the amount, if any, is recoverable from the contractor for completion of the part work/ part incomplete work of any item(s) taken out of his hands and execute at the risk and cost of the contractor, the liability of contractor on account of loss or damage suffered by Government because of action under this clause shall not exceed 10% of the tendered value of the work.

In determining the amount, credit shall be given to the contractor with the value of work done in all respect in the same manner and at the same rate as if it had been carried out by the original contractor under the terms of his contract, the value of contractor's materials taken over and incorporated in the work and use of plant and machinery belonging to the contractor.

The certificate of the Engineer-in-Charge as to the value of work done shall be final and conclusive against the contractor provided always that action under this clause shall onlybe taken after giving notice in writing to the contractor. Provided also that if the expenses incurred by the department are less than the amount payable to the contractor at his agreement rates, the difference shall not be payable to the contractor.

Any excess expenditure incurred or to be incurred by Government in completing the part work/part incomplete work of any item(s) or the excess loss of damages suffered or maybe suffered by Government as aforesaid after allowing such credit shall without prejudice to any other right or remedy available to Government in law or per as agreement be recoveredfrom any money due to the contractor on any account, and if such money is insufficient, the contractor shall be called upon in writing and shall be liable to pay the same within 30days.

If the contractor fails to pay the required sum within the aforesaid period of 30 days, the Engineer-in-Charge shall have the right to sell any or all of the contractors' unused materials, constructional plant, implements, temporary building at site etc. and adjust the proceeds of sale thereof towards the dues recoverable from the contractor under the contract and if thereafter there remains any balance outstanding, it shall be recovered in accordance with the provisions of the contract.

In the event of above course being adopted by the Engineer-in-Charge, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagements or made any advanceon any account or with a view to the execution of the work or the performance of the contract.

Clause 15

- (i) The contractor shall, on receipt of the order in writing of the Engineer-in-Charge, (whose decision shall be final and binding on the contractor) suspend the progressof the works or any part thereof for such time and in such manner as the Engineer-in-Charge may consider necessary so as not to cause any damage or injury to the work already done or endanger the safety thereof for any of the following reasons:
 - (a) on account of any default on the part of the contractor or;
 - (b) for proper execution of the works or part thereof for reasons other than the default of the contractor; or
 - (c) for safety of the works or part thereof.

The contractor shall, during such suspension, properly protect and secure the works to the extent necessary and carry out the instructions given in that behalf by the Engineer in-Charge.

Suspension of Work

- (ii) If the suspension is ordered for reasons (b) and (c) in sub-para (i) above:
 - (a) the contractor shall be entitled to an extension of time equal to the period of every such suspension PLUS 25%, for completion of the item or group of itemsof work for which a separate period of completion is specified in the contract and of which the suspended work forms a part, and;
 - (b) If the total period of all such suspensions in respect of an item or group of items or work for which a separate period of completion is specified in the contract exceeds thirty days, the contractor shall, in addition, be entitled to such compensation as the Engineer-in- Charge may consider reasonable in respect of salaries and/or wages paid by the contractor to his employees andlabour at site, remaining idle during the period of suspension, adding thereto2% to cover indirect expenses of the contractor provided the contractor submits his claim supported by details to the Engineer-in- Charge within fifteen days ofthe expiry of the period of 30 days.
- (iii) If the works or part thereof is suspended on the orders of the Engineer-in-Charge formore than three months at a time, except when suspension is ordered for reason (a)in subpara (i) above, the contractor may after receipt of such order serve a writtennotice on the Engineer-in-Charge requiring permission within fifteen days from receipt by the Engineer in- Charge of the said notice, to proceed with the work or part thereof in regard to which progress has been suspended and if such permission is not granted within that time, the contractor, if he intends to treat the suspension, where it affects only a part of the works as an omission of such part by Government or where it affects whole of the works, as an abandonment of the works by Government, shall within ten days of expiry of such period of 15 days give notice in writing of his intention to the Engineer-in-Charge. In the event of the contractor treating the suspension as an abandonment of the contract by Government, he shall have no claim to payment of any compensation on account of any profit or advantage which he might have derived from the execution of the work in full but which he could not derive in consequence of the abandonment. He shall, however, be entitled to such compensation, as the Engineer-in-Charge may consider reasonable, in respect of salaries and/or wages paid by him to his employees and labour at site, remaining idle in consequence adding to the total thereof 2% to cover indirect expenses of the contractor provided the contractor submits his claim supported by details to the Engineer-in-Charge within 30 days of the expiry of the period of 3 months.

All works under or in course of execution or executed in pursuance of the contract, shall at all times be open and accessible to the inspection and supervision of the Engineer-in - charge, his authorized

agent duly accredited inwriting, present for that purpose. Orders given to the Contractor's agent shall be

considered to have the same force as if they had been given to the contractor himself.

Clause 16

subordinates in charge of the work and all the superior officers, officerof the Quality Assurance Unit of the Department or any organization engaged by the Department for Quality Assurance and of the Chief Technical Examiner's Office, and the contractor shall, at all times, during the usual working hours and at all other times at whichreasonable notice of the visit of such officers has been given to the contractor, either himselfbe present to receive orders and instructions or have a responsible

Action in case Work not done as per Specifications If it shall appear to the Engineer-in-charge or his authorized subordinates in charge of the work or to the Chief Engineer in charge of Quality Assurance or his subordinate officers or the officers of the organization engaged by the Department for Quality Assurance or to the Chief Technical Examiner or his subordinate officers, that any work has been executed with unsound, imperfect, or unskillful workmanship, or with materials or articles provided by him for the execution of the work which are unsound or of a quality inferior to that contracted or otherwise not in accordance with the contract, the contractor shall, on demandin writing which shall be made within twelve months (six months in the case of work costing Rs. 10 Lac and below except road work) of the completion of the work from the Engineer-in-Charge specifying the work, materials or articles complained of notwithstanding that the same may have been passed, certified and paid for forthwith rectify, or remove andreconstruct the work so specified in whole or in part, as the case may require or as the case may be, remove the materials or articles so specified and provide other proper and suitable materials or articles at his own charge and cost. In the event of the failing to do sowithin a period specified by the Engineer-in-Charge in his demand aforesaid, then the contractor shall be liable to pay compensation at the same rate as under clause 2 of the contract (for non-completion of the work in time) for this default.

In such case the Engineer-in-Charge may not accept the item of work at the rates applicableunder the contract but may accept such items at reduced rates as the authority specified in schedule 'F' may consider reasonable during the preparation of on account bills or finalbill if the item is so acceptable without detriment to the safety and utility of the item and the structure or he may reject the work outright without any payment and/or get it and other connected and incidental items rectified, or removed and re-executed at the risk andcost of the contractor. Decision of the Engineer-in-Charge to be conveyed in writing in respect of the same will be final and binding on the contractor.

Clause 17

Contractor Liable for Damages, defects during defect liability Period If the contractor or his working people or servants shall break, deface, injure or destroy anypart of building in which they may be working, or any building, road, road kerb, fence, enclosure, water pipe, cables, drains, electric or telephone post or wires, trees, grass or grassland, or cultivated ground contiguous to the premises on which the work or any partis being executed, or if any damageshall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within twelve months (six months in the case of work costing Rs. Tenlacs and below except road work)after a certificate final or otherwise of its completion shall have been given by the Engineerin- Charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Engineer-in-Charge cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit or the proceedsof sale thereof or of a sufficient portion thereof. The security deposit of the contractor shallnot be refunded before the expiry of twelve months (six months in the case of work costingRs. Ten lacs and below except road work) after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later. Provided that in the case of road work, if in the opinion of the Engineer-in-Charge, half ofthe security deposit is sufficient, to meet all liabilities of the contractor under this contract, half of the security deposit will be refundable after six months and the remaining half aftertwelve months of the issue of the said certificate of completion or till the final bill has been prepared and passed whichever is later.

In case of Maintenance and Operation works of E&M services, the security deposit deducted from contractors shall be refunded within one month from the date of completion of the maintenance contract whichever is earlier.

Clause 18

Contractor to Supply Tools & Plants etc.

The contractor shall provide at his own cost all materials, machinery, tools & plants as specified in schedule F. In addition to this, appliances, implements, other plants, ladders, cordage, tackle, scaffolding and temporary works required for the proper execution ofthe work, whether original, altered or substituted and whether included in the specificationsor other documents forming part of the contract or referred to in these conditions or not, or which may be necessary for the purpose of satisfying or complying with the requirementsof the Engineer-in-Charge as to any matter as to which under these conditions he is entitled to be satisfied, or which he is entitled to require together with carriage therefore to and from the work. The contractor shall also supply without charge the requisite number of persons with the means and materials, necessary for the purpose of setting out works, and counting, weighing and assisting the measurement for examination at any time and from time to time of the work or materials. Failing his so doing, the same may be provided by the Engineer-in-Charge at the expense of the contractor and the expenses may be deducted, from any money due to the contractor, under this contract or otherwise and/or from his security deposit or the proceeds of sale thereof, or of a sufficient portions thereof.

Clause 18A

In every case in which by virtue of the provisions sub- section (1) of section 12 of the Workmen's Compensation Act. 1923, Government is obliged to pay compensation to a workman employed by the contractor, in execution of the works , Government will recoverfrom the contractor , the amount of the compensation so paid: and, , without prejudice to the rights of the Government under sub-section(2) of section 12, of the said Act, Government shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by Government to the contractor whether under this contract or otherwise. Government shall not be bound to contest any claim made againstit under sub- section (1) of section 12, of the said Act, except on the written request of the contractor and upon his giving to Government full security for all costs for which Governmentmight become liable in consequence of contesting such claim.

Clause 18B

Ensuring Payment and Amenities to Workers if Contractorfails

Recovery of

Workmen

Compensation paidto

In every case in which by virtue of the provisions of the Contract Labour (Regulation and Abolition) Act, 1970, and of the Contract Labour (Regulation and Abolition) Central Rules,1971, Government is obliged to pay any amounts of wages to a workman employed by the contractor in execution of the works, or to incur any expenditure in providing welfare and health amenities required to be provided under the above said Act and the rules under Clause 19H or under the C.P.W.D. Contractor's Labour Regulations, or under the Rules framed by Government from time to time forthe protection of health and sanitaryarrangements for workers employed by C.P.W.D. Contractors, Government will recover from the contractor, the amount of wages so paid or the amount of expenditure so incurred; and without prejudice to the rights of the Government under sub-section(2) of Section 20, and sub-section (4) of Section 21, of the Contract Labour (Regulation and Abolition)Act, 1970, Government shall be at liberty to recover such amount or any part thereof by deductingitfrom the security deposit or from any sum due by Government to the contractor whether

under this contract or otherwise Government shall not be bound to contest any claim made against it under sub-section (1) of Section 20, sub-section (4) of Section 21, of the said Act, except on the written request of the contractor and upon his giving to the Government full security for all costs for which Government might become liable in contesting such claim.

Clause 19

Labour Laws to be complied by the Contractor

The contractor shall obtain a valid licence under the Contract Labour (R&A) Act, 1970, and the Contract Labour (Regulationand Abolition) Central Rules, 1971, before the commencement of the work, and continue to have a valid license until the completion of the work.

The contractor shall also comply with provisions of the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service) Act, 1979. The contractor shall also abide by the provisions of the Child Labour (Prohibition and Regulation) Act, 1986.

The contractor shall also comply with the provisions of the building and other ConstructionWorkers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996.

Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non-execution of the work.

Clause 19A

No labour below the age of fourteen years shall be employed on the work.

Clause 19B

Payment of Wages

- (i) The contractor shall pay to labour employed by him either directly or through subcontractors, wages not less than fair wages as defined in the C.P.W.D. Contractor's Labour Regulations or as per the provisions of the Contract Labour (Regulation and Abolition) Act, 1970 and the contract Labour (Regulation and Abolition) Central Rules, 1971, wherever applicable.
- (ii) The contractor shall, notwithstanding the provisions of any contract to the contrary, cause to be paid fair wage to labour indirectly engaged on the work, including any labour engaged by his sub-contractors in connection with the said work, as if the labour had been immediately employed by him.
- (iii) In respect of all labour directly or indirectly employed in the works for performance of the contractor's part of this contract, the contractor shall comply with or cause to becomplied with the Central Public Works Department contractor's Labour Regulations made by Government from time to time in regard to payment of wages, wage period, deductions from wages recovery of wages not paid and deductions unauthorizedly made, maintenance of wage booksor wage slips publication of scale of wage and other terms of employment, inspection and submission of periodical returns and all other matters of the like nature or as per the provisions of the Contract Labour(Regulation and Abolition) Act, 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971, wherever applicable
- (iv) (a) The Engineer-in-Charge concerned shall have the right to deduct from the moneysdue to the contractor any sum required or estimated to be required for makinggood the loss suffered by a worker or workers by reason of non-fulfillment of the conditions of the contract for the benefit of the workers, non-payment of wagesor of deductions made from his or their wages which are not justified by their terms of the contract or non-observance ofthe Regulations.

(b) Under the provision of Minimum Wages (Central) Rules, 1950, the contractor is bound to allow to the labours directly or indirectly employed in the works one day rest for 6 days continuous work and pay wages at the same rate as forduty. In the event of default, the Engineer-in-Charge shall have the right to deduct the sum or sums not paid on account of wages for weekly holidays to any labours and pay the same to the persons entitled thereto from any money due to the contractor by the Engineer-in-Charge concerned.

In the case of Union Territory of Delhi, however, as the all inclusive minimum daily wages fixed under Notification of the Delhi Administration No.F.12(162)MWO/DAB/ 43884-91, dated 31-12-1979 as amended from timeto time are inclusive of wages for the weekly day of rest, the question of extra payment for weekly holiday would not arise.

- (v) The contractor shall comply with the provisions of the Payment of Wages Act, 1936, Minimum Wages Act, 1948, Employees Liability Act, 1938, Workmen's CompensationAct, 1923, Industrial Disputes Act, 1947, Maternity Benefits Act, 1961, and the Contractor's Labour (Regulation and Abolition) Act 1970, or the modifications thereofor any other laws relating thereto and the rules made there under from time to time.
- (vi) The contractor shall indemnify and keep indemnified Government against payments to be made under and for the observance of the laws aforesaid and the C.P.W.D. Contractor's Labour Regulations without prejudice to his right to claim indemnity from his subcontractors.
- (vii) The laws aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a breach of this contract.
- (viii) Whatever is the minimum wage for the time being, or if the wage payable is higherthan such wage, such wage shall be paid by the contractor to the workmen directly without the intervention of Jamadar and that Jamadar shall not be entitled to deductor recover any amount from the minimum wage payable to the workmen as and byway of commission or otherwise.
- (ix) The contractor shall ensure that no amount by way of commission or otherwise is deducted or recovered by the Jamadar from the wage of workmen.

Clause 19C

In respect of all labour directly or indirectly employed in the work for the performance of the contractor's part of this contract, the contractor shall at his own expense arrange for the safety provisions as per C.P.W.D. Safety Code framed from time to time and shall at his own expense provide for all facilities in connection therewith. In case the contractor fails to make arrangement and provide necessary facilities as aforesaid, he shall be liableto pay a penalty as decided by the authority mentioned in Schedule F for each default and in addition, the Engineer-in-Charge shall be at liberty to make arrangement and provide facilities as aforesaid and recover the costs incurred in that behalf from the contractor.

Clause 19D

The contractor shall submit by the 4th and 19th of every month, to the Engineer-in-Charge, a true statement showing in respect of the second half of the preceding month and the first half of the current month respectively:-

- (1) the number of labourers employed by him on the work,
- (2) their working hours,

- (3) the wages paid to them,
- (4) the accidents that occurred during the said for night showing the circumstances under which they happened and the extent of damage and injury caused by them, and
- (5) the number of female workers who have been allowed maternity benefit according to Clause 19F and the amount paid to them.

Failing which the contractor shall be liable to pay to Government, a sum as decided by theauthority mentioned in Schedule F for each default or materially incorrect statement. The decision of the Divisional Officer shall be final in deducting from any bill due to the contractor, the amount levied as fine and be binding on the contractor.

Clause 19E

In respect of all labour directly or indirectly employed in the works for the performance of the contractor's part of this contract, the contractor shall comply with or cause to be complied with all the rules framed by Government from time to time for the protection of health and sanitary arrangements for workers employed by the Central Public Works Department and its contractors.

Clause 19F

Leave and pay during leave shall be regulated as follows:-

- 1. Leave:
 - (i) in the case of delivery maternity leave not exceeding 8 weeks, 4 weeks up to and including the day of delivery and 4 weeks following that day,
 - (ii) in the case of miscarriage upto 3 weeks from the date of miscarriage.
- 2. Pay:
 - (i) in the case of delivery leave pay during maternity leave will be at the rate of the women's average daily earnings, calculated on total wages earned on the days when full time work was done during a period of three months immediately preceding the date on which she gives notice that she expects to be confined or at the rate of Rupee one only a day whichever is greater.
 - (ii) in the case of miscarriage leave pay at the rate of average daily earning calculated on the total wages earned on the days when full time work was done during a period of three months immediately preceding the date of such miscarriage.
- 3. Conditions for the grant of Maternity Leave:
 - No maternity leave benefit shall be admissible to a woman unless she has been employed for a total period of not less than six months immediately preceding the date on which she proceeds on leave.
- 4. The contractor shall maintain a register of Maternity (Benefit) in the Prescribed Form as shown in appendix -I and II, and the same shall be kept at the place of work.

Clause 19G

In the event of the contractor(s) committing a default or breach of any of the provisions of the Central Public Works Department, Contractor's Labour Regulations and Model Rulesfor the protection of health and sanitary arrangements for the workers as amended from time to time or furnishing any information or submitting or filing any statement under the provisions of the above Regulations and' Rules which is materially incorrect, he/they shall, without prejudice to any other liability, pay to the Government a sum as decided by the authority mentioned in Schedule F for every default, breach or furnishing, making, submitting, filing such materially incorrect statements and in the event of the contractor(s)defaulting continuously in this respect, the penalty may be enhanced to Rs.200/- per dayfor each day of default subject to a maximum of 5 percent of the estimated cost of the work put to tender. The decision of the Engineer-in-Charge shall be final and binding on the parties.

Should it appear to the Engineer-in-Charge that the contractor(s) is/are not properly observing and complying with the provisions of the C.P.W.D. Contractor's Labour Regulationsand Model Rules and the provisions of the Contract Labour (Regulation and Abolition) Act 1970, and the Contract Labour (R& A) Central Rules 1971, for the protection of health and sanitary arrangements for work-people employed by the contractor(s) (hereinafter referredas "the said Rules") the Engineer-in-Charge shall have power to give notice in writing to the contractor(s) requiring that the said Rules be complied withandthe amenities prescribedtherein be provided to the work-people within a reasonable time to be specified in the notice. If the contractor(s) shall fail within the period specified in the notice to comply withand/observe the said Rules and to provide the amenities to the work-people as aforesaid, the Engineerin-Charge shall have the power to provide the amenities hereinbefore mentionedat the costof the contractor(s). The contractor(s) shall erect, make and maintain at his/their own expense andasper approved standards all necessary huts and sanitary arrangements required for his/their work-people on the site in connection with the execution of the works, and if the same shall not have been erected or constructed, according to approved standards, the Engineer-in-Charge shall have powerto give notice in writing tothe contractor(s) requiring that the said huts and sanitary arrangements be remodelled and/or reconstructed according to approved standards, and if the contractor(s) shall fail toremodel or reconstruct such huts and sanitary arrangements according to approved standards within the period specified in the notice, the Engineer-in-Charge shall have the power to remodel or reconstruct such huts and sanitary arrangements according to approved standards at the cost of the contractor(s).

Clause 19H

The contractor(s) shall at his/their own cost arrange appropriate accommodation for his/ their labour employed which should have proper doors windows, ventilation, water supply, drainage, & sanitary installation etc.

Clause 19I

The Engineer-in-Charge may require the contractor to dismiss or remove from the site of the work any person or persons in the contractors' employ upon the work who may be incompetent or misconduct himself and the contractor shall forthwith comply with such requirements. In respect of maintenance/repair or renovation works etc. where the labour have an easy access to the individual houses, the contractor shall issue identity cards to the labourers, whether temporary or permanent and he shall be responsible for any untoward action on the part of such labour.

Clause 19J

It shall be the responsibility of the contractor to see that the building under construction isnot occupied by anybody unauthorized during construction, and is handed over to the Engineer-in-Charge with vacant possession of complete building. If such building though completed is occupied illegally, then the Engineer-in-Charge shall have the option to refuse to accept the said building/buildings in that position. Any delay in acceptance on this account will be treated as the delay in completion and for such delay, a levy upto 5% of tendered value of work may be imposed by the Executive Engineer/ Chief Engineerwhose decision shall be final both with regard to the justification and quantum and be binding on the contractor.

However, the Executive Engineer/ Chief Engineer, through a notice, may require the contractor to remove the illegal occupation any time on or before construction and delivery.

Clause 19K

Employment of skilled/semi skilled workers

The contractor shall, at all stages of work, deploy skilled/semi skilled tradesmen who are qualified and possess certificate in particular trade from CPWD Training Institute/IndustrialTraining Institute/National Institute of construction Management and Research (NICMAR)/ National Academy of Construction, CIDC or any similar reputed and recognized Institute managed/ certified by State/Central Government. The number of such qualified tradesmen shall not be less than 20% of total skilled/semi skilled workers required in each trade at any stage of work. The contractor shall submit number of man days required in respect of each trade, its scheduling and the list of qualified tradesmen along with requisite certificate from recognized Institute to Engineer in charge for approval. Notwithstanding such approval, if the tradesmen are found to have inadequate skill to execute the work of respective trade, the contractor shall substitute such tradesmen within two days of written notice from Engineer-in- Charge. Failure on the part of contractor to obtain approval of Engineer-in- Charge or failure to deploy qualified tradesmen will attract a compensation to be paid by contractor at the rate specified in schedule 'F' per such tradesman per day. Decision of Engineer in Charge as to whether particular tradesman possesses requisite skill and amount of compensation in case of default shall be final and binding.

Provided always, that the provisions of this clause, shall not be applicable for works with estimated cost put to tender being less than Rs. 5 crores.

For work costing more than Rs. 10 Crores, and upto Rs. 50 Crores, the contractor shall arrange on site training as per National Skill Development Corporation (NSDC) norms for at least 20% of the unskilled workers engaged in the project in co-ordination with the CPWDRegional Training Institute & National Skill Development Corporation (NSDC) for certification at the level of skilled/semi skilled tradesmen.

For work costing more than Rs. 50 Crores, the contractor shall arrange on site training asper National Skill Development Corporation (NSDC) norms for at least 30% of the unskilled worker engaged in the project in coordination with the CPWD Regional Training Institute & National Skill Development Corporation (NSDC) for certification at the level of skilled/semiskilled tradesmen. The cost of such training as stated above shall be born by the Government. The necessary space and workers shall be provided by the contractor and no claim what so ever shall be entertained.

Clause 19L

The ESI and EPF contributions on the part of employer in respect of this contract shall be paid by the contractor. These contributions on the part of the employer paid by the contractor shall be reimbursed by the Engineer-in-charge to the contractor on actual basis. The

Contribution of EPF and ESI

verification of deployment labour will be done through biometric attendance system or any other suitable method by the Engineer in Charge. The applicable and eligible amount of EPF & ESI shall be reimbursed preferably within 7 days but not later than 30 days of submission of documentary proof of payment provided same are in order.

Clause 20

Minimum Wages Act to be Complied With

The contractor shall comply with all the provisions of the Minimum Wages Act, 1948, and Contract Labour (Regulation and Abolition) Act, 1970, amended from time to time and rules framed there under and other labour laws affecting contract labour that may be brought into force from time to time.

Clause 21

Work not to be sublet. Action in case of in solvency

The contract shall not be assigned or sublet without the written approval of the Engineer-in-Charge. And if the contractor shall assign or sublet his contract, or attempt to do so, orbecome insolvent or commence any insolvency proceedings or make any composition with his creditors or attempt to do so, or if any bribe, gratuity, gift, loan, perquisite, rewardor advantage pecuniary or otherwise, shall either directly or indirectly, be given, promised or offered by the contractor, or any of his servants or agent to any public officer or personin the employ of Government in any way relating to his office or employment, or if any such officer or person shall become in any way directly or indirectly interested in the contract, the Engineer-in-Charge on behalf of the President of India shall have power to adopt the course specified in Clause 3 hereof in the interest of Government and in the event of such course being adopted, the consequences specified in the said Clause 3 shall ensue.

Clause 22

All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of Government without reference to the actual loss or damage sustained and whether or not any damage shall have been sustained.

Clause 23

Where the contractor is a partnership firm, the previous approval in writing of the Engineer-in- Charge shall be obtained before any change is made in the constitution of the firm. Where the contractor is an individual or a Hindu undivided family business concern, such approval as aforesaid shall likewise be obtained before the contractor enters into any partnership agreementwhere under the partnership firm would havetheright to carryoutthe worksherebyundertakenby the contractor. If previous approval as aforesaid is not obtained, the contract shall be deemed to havebeen assigned in contravention of Clause 21 hereof and the same action may be taken, and the same consequences shall ensue as provided in the said Clause 21.

Clause 24

The contractor shall be responsible for safety, quality and soundness of the buildings includingstructural elements beyond maintenance period. The contractor shall have obligation to rectify such defects minimum up to 5 (five) years from the date of completion of work. The defects have to be rectified within a reasonable time not exceeding forty five days after issue of notice by Engineer- in- Charge. If contractor does not take corrective action within 45 days, then action for debarring of the agency shall be taken by the appropriate authority.

Clause 25

Modified as attached at page no - 108-110

Changes in firm's Constitution to be Intimated

Life Cycle cost

Contractor to indemnify Govt. against Patent Rights

(i) Clause 26

The contractor shall fully indemnify and keep indemnified the President of India against any action, claim or proceeding relating to infringement or use of any patent or design or any alleged patent or design rights and shall pay any royalties which may be payable in respect of any article or part thereof included in the contract. In the event of any claims made under or action brought against Government in respect of any such matters as aforesaid, the contractor shall be immediately notified thereof and the contractor shall beat liberty, at his own expense, to settle any dispute or to conduct any litigation that may arise there from, provided that the contractor shall not be liable to indemnify the Presidentof India if the infringement of the patent or design or any alleged patent or design right is the direct result of an order passed by the Engineer-in-Charge in this behalf.

Clause 27

Lumpsum Provisionsin Tender

When the estimate on which a tender is made includes lump sum in respect of parts of thework, the contractor shall be entitled to payment in respect of the items of work involved orthe part of the work in question at the same rates as are payable under this contract for such items, or if the part of the work in question is not, in the opinion of the Engineer-in-Charge payable of measurement, the Engineer-in-Charge may at his discretion pay the lump-sum amount entered in the estimate, and the certificate in writing of the Engineer-in-Charge shall be final and conclusive against the contractor with regard to any sum or sumspayable to him under the provisions of the clause.

Clause 28

Action where no Specifications are Specified In the case of any class of work for which there is no such specifications as referred to inClause 11, such workshallbe carried out in accordance withthe Bureau of Indian StandardsSpecifications. In casethere are no such specifications in Bureau of Indian Standards, thework shall be carried out as per manufacturers' specifications, if not available then as perstate District Specifications. In case there are no such specifications as required above, the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-Charge

Clause 29

Withholding and lienin respect of sum due from Contractor

(i) Whenever any claim or claims for payment of a sum of money arises out of or underthe contract or against the contractor, the Engineer-in-Charge or the Government shall be entitled to withhold and also have a lien to retain such sum or sums in wholeor in part from the security, if any deposited by the contractor and for the purpose aforesaid, the Engineer-in-Charge or the Government shall be entitled to withhold the security deposit, if any, furnished as the case may be and also have a lien overthe same pending finalization or adjudication of any such claim. In the event of the security being insufficient to cover the claimed amount or amounts or if no security has been taken from the contractor, the Engineer-in-Charge or the Government shallbe entitled to withhold and have a lien to retain to the extent of such claimed amountor amounts referred to above, from any sum or sums found payable or which may at any time thereafter become payable to the contractor under the same contract or any other contract with the Engineer-in-Charge of the Government or any contracting person through the Engineer-in-Charge pending finalization of adjudication of any such claim.

It is an agreed term of the contract that the sum of money or moneys so withheld orretained under the lien referred to above by the Engineer-in-Charge or Governmentwill be kept withheld or retained as such by the Engineer-in-Charge or Governmenttill the claim arising out of or under the contract is determined by the arbitrator(if the contract is governed by the arbitration clause) by the competent court, as the case may be and that the contractor will have no claim for interest or damages whatsoever on any account in respect of such withholding or retention under the lien referred to above and duly notified as such to the contractor. For the purpose of this clause, where the contractor is a partnership firm or a limited company, the Engineer-in- Charge or the Government shall be entitled to withhold and also have a lien to retaintowards such claimed amount or amounts in whole or in part from any sum found payable to any partner/limited company as the case may be, whether in his individual capacity or otherwise.

(ii) Government shall have the right to cause an audit and technical examination of the works and the final bills of the contractor including all supporting vouchers, abstract, etc., to be made after payment of the final bill and if as a result of such audit and technical examination anysum is found to have been overpaid in respect of any work done by the contractor under the contract or any work claimed to have been done by him under the contract and found not tohave been executed, the contractorshall be liable to refund the amount of over-payment andit shall be lawful for Government to recover the same from him in the manner prescribed insub-clause (i)of this clause or in any other manner legally permissible; and if it is found that the contractor was paid less than what was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be dulypaid by Government to the contractor, without any interest thereon whatsoever.

Provided that the Government shall not be entitled to recover any sum overpaid, nor the contractor shall be entitled to payment of any sum paid short where such paymenthas been agreed upon between the Executive Engineer or Executive Engineeron the one hand and the contractor on the other under any term of the contract permitting payment for work after assessment by the Executive Engineer or the Executive Engineer.

Clause 29A

Any sum of money due and payable to the contractor (including the security deposit returnable to him) under the contract may be withheld or retained by way of lien by the Engineer-in-Charge or the Government or any other contracting person or persons through Engineer-in-Charge against any claim of the Engineer-in-Charge or Government or such other person or persons in respect of payment of a sum of money arising out of or under any other contract made by the contractor with the Engineer- in-Charge or the Governmentor with such other person or persons. It is an agreed term of the contract that the sum of money so withheld or retained under this clause by the Engineer-in-Charge or the Government will be kept withheld or retained as such by the Engineer-in-Charge or the Government or till his claim arising out of the same contract or any other contract is either mutually settled or determined by the arbitration clause or by the competent court, as the case maybe and that the contractor shall have no claim for interest or damages whatsoeveron this account or on anyother ground in respect of any sum of money withheld or retained under this clause and duly notified as such to the contractor.

Clause 30

The contractor(s) shall make his/their own arrangements for water required for the work and nothing extra will be paid for the same. This will be subject to the following conditions.

- (i) That the water used by the contractor(s) shall be fit for construction purposes to the satisfaction of the Engineer-in-Charge.
- (ii) The Engineer-in-Charge shall make alternative arrangements for supply of water atthe risk and cost of contractor(s) if the arrangements made by the contractor(s) for procurement of water are in the opinion of the Engineer-in-Charge, unsatisfactory.

Clause 31

The contractor shall arrange at his own expense all tools, plant, machinery and equipment (hereinafter referred to as T&P) required for execution of the work

Hire of Plant & Machinery

Lien in respect of claims in other Contracts

Water for Works

Clause 32

Employment of Technical Staff and employees

Contractors Superintendence, Supervision, Technical Staff & Employees

(i) The contractor shall provide all necessary superintendence during execution of thework and all along thereafter as may be necessary for proper fulfilling of the obligations under the contract.

The contractor shall immediately after receiving letter of acceptance of the tender and before commencement of the work, intimate in writing to the Engineer-in-Charge, the name(s), qualifications, experience, age, address(s) and other particulars alongwith certificates, of the principal technical representative to be in charge of the work and other technical representative(s) who will be supervising the work. Minimum requirement of such technical representative(s) and their qualifications and experience shall not be lower than specified in Schedule 'F'. Even of the contractor (or partner(s) in case of firm/ company) is himself / herself an Engineers, it is necessary on the part of the contractor to employ principal technical representative / technical representative (s) as per stipulation in Schedule 'F'

The Engineer-in-Charge shall within 3 days of receipt of such communication intimate in writing his approval or otherwise of such a representative(s) to the contractor. Anysuch approval may at any time be withdrawn and in case of such withdrawal, the contractor shall appoint another such representative(s) according to the provisions of this clause. Decision of the tender accepting authority shall be final and binding on the contractor in this respect. Such a principal technical representative and othertechnical representative(s) shall be appointed by the contractor soon after receipt of the approval from Engineer-in-charge and shall be available at site before start of work.

All the provisions applicable to the principal technical representative under the Clausewill also be applicable to other technical representative(s) The principal technical representative and other technical representative(s) shall be present at the site of work for supervision at all times when any construction activity is in progress and also present himself/themselves, as required, to the Engineer-in-Charge and/or hisdesignated representative to take instructions. Instructions given to the principal technical representative or other technical representative(s) shall be deemed to have the same force as if these have been given to the contractor. The principal technical representative and other technical representative(s) shall be actually available at site fully during all stages of execution of work, during recording/checking/test checking of measurements of works and whenever so required by the Engineer-in-Charge and shall also note down instructions conveyed by the Engineer-in-Charge or his designated representative(s) in the site order book and shall affix his/their signature in token of noting down the instructions and in token of acceptance of measurements/checked measurements/ test checked measurements. The representative(s) shall not look after any other work. Substitutes, duly approved by Engineer-in-Charge of the work in similar manner as aforesaid shall be provided in event of absence of any of the representative(s) by more than two days.

If the Engineer-in-Charge, whose decision in this respect is final and binding on the contractor, is convinced that no such technical representative(s) is/are effectively appointed or is/are effectively attending or fulfilling the provision of this clause, a recovery (non refundable) shall be effectedfromthecontractor as specified in Schedule'F' and the decision of the Engineer-In-Charge as recorded in the site order book and measurement recorded checked/test checked in Measurement Books shall be final

and binding on the contractor. Further if the contractor fails to appoint suitable technical Principal technical representative and/or other technical representative(s) and if such appointed persons are not effectively present or are absent by more than two days without duly approved substitute or do not discharge their responsibilitiessatisfactorily, the Engineer-in-Charge shall have full powers to suspend the execution of the work until such date as suitable other technical representative(s) is/are appointed and the contractor shall be held responsible for the delay so caused to the work. The contractor shall submit a certificate of employment of the technical representative(s) (in the form of copy of Form-16 or CPF deduction issued to the Engineers employed by him) along with every on account bill/ final bill and shall produce evidence if at any time so required by the Engineer-in-Charge.

(ii) The contractor shall provide and employ on the site only such technical assistants as are skilled and experienced in their respective fields and such foremen and supervisory staff as are competent to give proper supervision to the work.

The contractor shall provide and employ skilled, semiskilled and unskilled labour asis necessary for proper and timely execution of the work.

The Engineer-in-Charge shall be at liberty to object to and require the contractor toremove from the works any person who in his opinion misconducts himself, or is incompetent or negligent in the performance of his duties or whose employment is otherwise considered by the Engineer-in-Charge to be undesirable. Such person shall not be employed again at works site without the written permission of the Engineer-in-Charge and thepersons so removed shall be replaced as soon as possible by competent substitutes.

Clause 33

- (i) GST, Building and other Construction Workers Welfare Cess or any other tax, levyor Cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respectexcept as provided under Clause 38
- (ii) The contractor shall deposit royalty and obtain necessary permit for supply of the red bajri, stone, kankar, etc. from local authorities.

If pursuant to or under any law, notification or order any royalty, cess or the like becomespayable by the Government of India and does not any time become payable by the contractor to the State Government, Local authorities in respect of any material used by the contractor in the works, then in such a case, it shall be lawful to the Government of India and it will have the right and be entitled to recover the amount paid in the circumstances as aforesaid from dues of the contractor.

Clause 34

(i) All tendered rates shall be inclusive of any tax, levy or cess applicable on last stipulated date of receipt of tender including extension if any. No adjustment i.e. increase or decrease shall be made for any variation in the rate of GST, Building and Other Construction Workers Welfare Cess or any tax, levy or cess applicable on inputs.

However, effect of variation in rates of GST or Building and Other Construction WorkersWelfare Cess or imposition or repeal of any other tax, levy or cess applicable on output of the works contract shall be adjusted on either side, increase or decrease.

Levy/Taxes payable by Contractor

Conditions for reimbursement of levy/taxes if levied after receipt of Tenders Provided further that for Building and Other Construction Workers Welfare Cess or any tax (other than GST), levy or cess varied or imposed after the last date of receipt of tender including extension if any, any increase shall be reimbursed to the contractor only if the contractor necessarily and properly pays such increased amount of taxes/ levies/cess.

Provided further that such increase including GST shall not be made in the extended period of contract for which the contractor alone is responsible for delay as determined by authority for extension of time under Clause 5 in Schedule F.

- (ii) The contractor shall keep necessary books of accounts and other documents for the purpose of this condition as may be necessary and shall allow inspection of thesame by a duly authorized representative of the Government and/or the Engineer-in-Charge and shall also furnish such other information/document as the Engineer-in-Charge may require from time to time
- (iii) The contractor shall, within a period of 30 days of the imposition of any such furthertax or levy or cess, or variation or repeal of such tax or levy or cess give a written notice thereof to the Engineer-in-charge that the same is given pursuant to this condition, together with all necessary information relating thereto.

Clause 35

Without prejudice to any of the rights or remedies under this contract, if the contractor dies, the Engineer in Charge on behalf of the President of India shall have the option of terminating the contract without levy compensation to the contractor.

Clause 36

The contractor shall not be permitted to tender for works in the CPWD circle (Division in case of contractors of Horticulture/Nursery categories) responsible for award and execution contracts in which his near relative is posted as Divisional Accountant or as an officer inany capacity between the grades of the Executive Engineer and Junior Engineer (bothinclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted Officer in the C.P.W.D. or in the Ministry of Housing and Urban Affairs. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department. If however the contractor is registered in anyotherdepartment, he shall be debarred fromtendering in CPWD for any breach of this condition.

NOTE: By the term "near relatives" is meant wife, husband, parents and grandparents, children and grand children, brothers and sisters, uncles, aunts and cousins and their corresponding in-laws.

Clause 37

No engineer of gazetted rank or other gazetted officer employed in engineering or administrative duties in an engineering department of the Government of India shall workas a contractor or employee of a contractor for a period of one year after his retirement fromgovernmentservice without the previous permission of Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a personwho had not obtained the permission of Governmentof India as aforesaid, before submission of thetender or engagement in the contractor's service, as the case may be.

Termination of Contract on death of contractor

If relative working in CPWD then the contractor not allowed to tender

No Gazetted Engineer to work asContractor within one year of retirement

Clause 38

Theoretical consumption of Material

- (i) After completion of the work and also at any intermediate stage in the event of Non reconciliation of materials issued theoretical quantity of materialsused in the work shall be calculated on the basis and method given hereunder:
 - (a) Quantity of cement & bitumen shall be calculated on the basis of quantity of cement & bitumen required for different items of work as shown in the Schedule of Rates mentioned in Schedule 'F'. In case any item is executed for which standard constants for the consumption of cement or bitumen are not available in the above mentioned schedule/statement or cannot be derived from the same shall be calculated on the basis of standard formula to be laid down bythe Engineer in Charge.
 - (b) Theoretical quantity of steel reinforcement or structural steel sections shallbe taken as the quantity required as per design or as authorized by Engineer- in-Charge, including authorized lappages, chairs etc. plus 3% wastage due tocutting into pieces, such theoretical quantity being determined and compared with the actual, each diameter wise, section wise and category wise separately.
 - (c) Theoretical quantity of G.I. & C.I. or other pipes, conduits, wires and cables, pig lead and G.I./M.S. sheets shall be taken as quantity actually required andmeasured plus 5% for wastage due to cutting into pieces (except in the caseof G.I./M.S. sheets it shall be 10%), such determination & comparison being made diameter wise & category wise.
 - (d) For any other material as per actual requirements.
 - Over the theoretical quantities of materials so computed a variation shall be allowed as specified in Schedule 'F'Fornon scheduled items, the decision of the Executive Engineer CE regarding theoretical quantities of materials which should have been actually used, shall be final and binding on the contractor.
- (ii) The said action under this clause is without prejudice to the right of the Governmentto take action against the contractor under any other conditions of contract for not doing the work according to the prescribed specifications.

Clause 39

The work (whether fully constructed or not) and all materials, machines, tools and plants, scaffolding, temporary buildings and other things connected therewith shall be at the riskof the contractor until the work has been delivered to the Engineer-in-Charge and a certificate from him to that effect obtained. In the event of the work or any materials properly brought to the site for incorporation in the work being damaged or destroyed in consequence of hostilities or warlike operation, the contractor shall when ordered (in writing) by the Engineer-in-Charge to remove anydebris from the site, collect and properly stack or remove in store all serviceable materials salvagedfrom the damaged work and shall be paid at the contract rates in accordance with the provision of this agreement for the work of clearing the site ofdebris, stacking or removal of serviceable material andfor reconstruction of all works ordered by the Engineer-in-Charge, such payments being in addition to compensation upto the value of the work originally executed before being damaged or destroyedand notpaid for. In case of works damaged or destroyed but not already measured and paid for, the compensation shall be assessed by the Divisional Officer uptoRs.2,00,000/-- and by the next higher officer concerned for a higher amount. The contractor shall be paid for the

Compensation during warlike situations

damages/destruction suffered and for restoring the material at the rate based on analysis of rates tendered for in accordance with the provision of the contract. The certificate of the Engineer-in-Charge regarding the quality and quantity of materials and the purpose for which they were collected shall be final and binding on all parties to this contract.

Provided always that no compensation shall be payable for any loss in consequence of hostilities or warlike operations (a) unless the contractor had taken all such precautions against air raid as are deemed necessary by the A.R.P. (Air Raid Precaution) Officers orthe Engineer-in-Charge (b) for any material etc. not on the site of the work or for any tools, plant, machinery, scaffolding, temporary building and other things not intended for the work. In the event of the contractor having to carry out reconstruction as aforesaid, he shallbe allowed such extension of time for its completion as is considered reasonable by the Divisional Officer.

Clause 40

Apprentices Act provisions to be complied with

clearance

The contractor shall comply with the provisions of the Apprentices Act, 1961 and the rules and orders issued there under from time to time. If he fails to do so, his failure will be a breach of the contract and the Executive Engineer may, in his discretion, cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions of the said Act.

Clause 41

Release of Security deposit after labour

Release of Security Deposit of the work shall not be refunded till the contractor producesa clearance certificate after labour certificate from the Labour Officer. As soon as the workis virtually complete the contractor shall apply for the clearance certificate to the Labour Officer under intimation to the Engineer-in-Charge. The Engineer-in-Charge, on receipt of the said communication, shall write to the Labour Officer to intimate if any complaint is pending against the contractor in respect of the work. If no complaint is pending, on recordtill after 3 months after completion of the work and/or no communication is received from the Labour Officer to this effect till six months after the date of completion, it will be deemed to have received the clearance certificate and the Security Deposit will be released if otherwise due.

Note: In case of any discrepancies between Hindi and English version, Englishversion will prevail.

INTEGRITY PACT

To,	
Sub: Supplying, Installation, Testing & Commissioning of Programable Outdoor LED Rishikesh.	Display Screen at AIIMS
Dear Sir,	
It is here by declared that AIIMS Rishikesh is committed to follow the principle of transparency, expublic procurement.	quity and competitiveness in
The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Agreement, which is an integral part of tender / bid documents, failing which the tenderer / bidder w tendering process and the bid of the bidder would be summarily rejected.	
This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall signing of the Integrity Agreement on behalf of the AIIMS Rishikesh.	be deemed as acceptance and
Y	Yours faithfully,
E	Executive Engineer (E)

AIIMS Rishikesh INTEGRITY PACT

To,	
	Executive Engineer,
	Supplying, Installation, Testing & Commissioning of Programable Outdoor LED Display Screen at Rishikesh."
	Dear Sir,
	I/We acknowledge that CPWD is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.
	I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.
	I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit andfurther agree that execution of the said Integrity Agreement shall be separate and distinct from themain contract, which will come into existence when tender/bid is finally accepted by CPWD. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.
	I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, CPWD shall have unqualified, absolute and unfettered right to disqualify the tenderer/bidder and reject the tender/bid is accordance with terms and conditions of the tender/ bid.
	Yours faithfully
	(Dulyauthorized signatory of the Bidder)

To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of CPWD

INTEGRITYAGREEMENT

BETWEEN
President of India represented through Executive Engineer,
(Name of Division)
CPWD, , (Hereinafter referred as the (Address of Division)
'Principal/Owner', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)
AND
(Name and Address of the Individual/firm/Company)
through (Hereinafter referred to as the
(Details of duly authorized signatory)
"Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)
Preamble
WHEREAS the Principal / Owner has floated the Tender (NIT No) (hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract for
(Name of work)
hereinafter referred to as the "Contract".
AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement(hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integralpart and parcel of the

Tender/Bid documents and Contract between the parties.

Article 1: Commitment of the Principal/Owner

- (1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- (2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhereto the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2. The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - (a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - (b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - (c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 - (d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/ representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the

foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.

(e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed

to or intends to make to agents, brokers or any other intermediaries in connection withthe award of the Contract.

- 3. The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1. If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility inquestion, the Principal/Owner after giving 14 days notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2. Forfeiture of EMD/Performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s)from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apartfrom exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3. Criminal Liability: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1. The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3. If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1. The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid downin this agreement/Pact by any of its Subcontractors/sub-vendors.
- 2. The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3. The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 12 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, CPWD.

Article 7- Other Provisions

- 1. This Pact is subject to Indian Law, place of performance and jurisdiction is the Head quarters of the Division of the Principal/Owner, who has floated the Tender.
- 2. Changes and supplements need to be made in writing. Side agreements have not been made.
- 3. If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company,the Pact must be signed by a representative duly authorized by board resolution.
- 4. Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5. It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8- Legal and Prior Rights

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions coveredunder this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

	n behalf of Principal/Owner)		
	n behalf of Bidder/Contractor)		
WITNESS	SES:		
1	(signature, name and address)		
2	(signature, name and address)		
Place:			
Dated			

C.P.W.D. SAFETY CODE

- 1. Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When a ladder issued, an extra mazdoor shall be engaged for holding the ladder and if the ladder is used for carrying materials as well suitable footholds and handhold shall be provided on the ladder and the ladder shall be given an inclination not steeper than ¼ to 1(¼ horizontal and 1 vertical.)
- 2. Scaffolding of staging more than 3.6 m (12ft.) above the ground or floor, swung or suspended from an overheadsupport or erected with stationary support shall have a guard rail properly attached or bolted, braced and otherwise secured at least 90 cm. (3ft.) high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends there of with only such opening as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.
- 3. Working platforms, gangways and stairways should be so constructed that they should not sag unduly or unequally, and if the height of the platform or the gangway or the stairway is more than 3.6 m (12ft.) above ground level or floor level, they should be closely boarded, should have adequate width and should be suitably fastened as described in (2) above.
- 4. Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of person or materials by providing suitable fencing or railing whose minimum height shall be 90 cm. (3ft.)
- 5. Safe means of access shall be provided to all working platforms and other working places. Every ladder shall besecurely fixed. No portable single ladder shall be over 9m. (30ft.) in length while the width between side rails in rung ladder shall in no case be less than 29 cm. (11½") for ladder upto and including 3 m. (10 ft.) in length. For longer ladders, this width shouldbe increased at least ¼" for each additional 30 cm. (1 foot) of length. Uniformstep spacing of not more than 30 cm shall bekept. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites or work shall be so stacked or placed as to cause dangeror inconvenience to any person or the public. The contractor shallprovideall necessary fencing and lights toprotect the public from accident and shall be bound to bear the expenses of defence of every suit, action or other proceedings at law that may be brought by any person for injury sustained owing toneglect of the above precautions and to pay any damages and cost which may be awarded in any such suit; action or proceedingsto any such person or which may, with the consent of the contractor, be paid to compensate any claim by any such person.
- 6. (a) Excavation and Trenching All trenches 1.2 m. (4ft.) or more in depth, shall at all times be supplied with atleast one ladder for each 30 m. (100 ft.) in length or fraction thereof, Ladder shall extend from bottom of the trench to at least 90 cm. (3ft.) above the surface of the ground. The side of the trenches which are 1.5 m. (5ft.) or more in depth shall be stepped back to give suitable slope or securely held by timber bracing, soas to avoid the danger of sides collapsing. The excavated materials shall not be placed within 1.5 m. (5ft.) of the edges of the trench or half of the depth of the trench whichever is more. Cutting shall be done from top to bottom. Under no circumstances, undermining or undercutting shall be done.
 - (b) Safety Measures for digging bore holes:-
 - (i) If the bore well is successful, it should be safely capped to avoid caving and collapse of the bore well. The failed and the abandoned ones should be completely refilled to avoid caving and collapse;
 - (ii) During drilling, Sign boards should be erected near the site with the address of the drilling contractor and the Engineer in-charge of the work;
 - (iii) Suitable fencing should be erected around the well during the drilling and after the installation of therig on the point of drilling, flags shall be put 50m alround the point of drilling to avoid entry of people;
 - (iv) After drilling the borewell, a cement platform (0.50m x 0.50m x 1.20m) 0.60m above ground level and 0.60m below ground level should be constructed around the well casing;

- (v) After the completion of the borewell, the contractor should cap the bore well properly by welding steelplate, cover the bore well with the drilled wet soil and fix thorny shrubs over the soil. This should bedone even while reparing the pump;
- (vi) After the borewell is drilled the entire site should be brought to the ground level.
- 7. Demolition Before any demolition work is commenced and also during the progress of the work,
 - (i) All roads and open areas adjacent to the work site shall either be closed or suitably protected.
 - (ii) No electric cable or apparatus which is liable to be a source of danger or a cable or apparatus used by the operator shall remain electrically charged.
 - (iii) All practical steps shall be taken to prevent danger to persons employed from risk of fire or explosion orflooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as torender it unsafe.
- 8. All necessary personal safety equipment as considered adequate by the Engineer-in-Charge should be keptavailable for the use of the person employed on the site and maintained in a condition suitable for immediateuse, and the contractor should take adequate steps to ensure proper use of equipment by those concerned:-The following safety equipment shall invariably be provided.
 - (i) Workers employed on mixing asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective goggles.
 - (ii) Those engaged in white washing and mixing or stacking of cement bags or any material which is injurious to the eyes, shall be provided with protective goggles.
 - (iii) Those engaged in welding works shall be provided with welder's protective eyeshields.
 - (iv) Stone breaker shall be provided with protective goggles and protective clothing and seated at sufficientlysafe intervals.
 - (v) When workers are employed in sewers and manholes, which are in active use, the contractors shall ensure that the manhole covers are opened and ventilated atleast for an hour before the workers are allowed to get into the manholes, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or boards to prevent accident to the public. In addition, the contractorshall ensure that the following safety measure are adhered to:-
 - (a) Entry for workers into the line shall not be allowed except under supervision of the JE or any other higher officer.
 - (b) At least 5 to 6 manholes upstream and downstream should be kept open for at least 2 to 3 hours before any man is allowed to enter into the manhole for working inside.
 - (c) Before entry, presence of Toxic gases should be tested by inserting wet lead acetate paper whichchanges colour in the presence of such gases and gives indication of their presence.
 - (d) Presence of Oxygen should be verified by lowering a detector lamp into the manhole. In case, no Oxygen is found inside the sewer line, workers should be sent only with Oxygen kit.
 - (e) Safety belt with rope should be provided to the workers. While working inside the manholes, suchropeshould be handled by two men standing outside to enable him to be pulled out during emergency.
 - (f) Theareashould be barricaded or cordoned of bysuitable meansto avoid mishapsofanykind. Properwarningsigns should be displayed for the safetyof the public whenever cleaning works are undertakenduring night or day.
 - (g) No smoking or open flames shall be allowed near the blocked manhole being cleaned.
 - (h) The malbaobtained on account of cleaning of blocked manholes and sewer lines should be immediately removed to avoid accidents on account of slippery nature of the malba.

- (i) Workers should not be allowed to work inside the manhole continuously. He should be given rest intermittently. The Engineer-in-Charge shall decide the time up to which a worker may be allowed towork continuously inside the manhole.
- (j) Gas masks with Oxygen Cylinder should be kept at site for use in emergency.
- (k) Air-blowers should be used for flowof fresh air through the manholes. Whenever called for, portableairblowers are recommended for ventilating the manholes. The Motors for these shall be vapour proofand of totally enclosed type. Non sparking gas engines also could be used but they should be placedat least 2 metres away from theopening and on the leeward side protected from wind so that they willnot be a source of friction on any inflammable gas that might be present.
- (l) The workers engaged for cleaning the manholes/sewers should be properly trained before allowing towork in the manhole.
- (m) The workers shall be provided with Gumboots or non sparking shoes bump helmets and gloves non sparking tools safety lights and gas masks and portable air blowers (when necessary). They must be supplied with barrier creamfor anointing the limbs before working inside the sewer lines.
- (n) Workmen descending a manhole shall try each ladder stop or rung carefully before putting his fullweight on it to guard against insecure fastening due to corrosion of the rung fixed to manhole well.
- (0) If a man has received a physical injury, he should be brought out of the sewer immediately and adequate medical aid should be provided to him.
- (p) The extent to which these precautions are to be taken depend on individual situation but the decision of the Engineer-in-Charge regarding the steps to be taken in this regard in an individual case will be final.
- (vi) The Contractor shall not employ men and women below the age of 18 years on the work of painting withproducts containing lead in any form. Wherever men above the age of 18 are employed on the work of lead painting, the following precaution should be taken:-
 - (a) No paint containing lead or lead products shall be used except in the form of paste or ready madepaint.
 - (b) Suitable face masks should be supplied for use by the workers when paint is applied in the form of spray or a surface having lead paint is dry rubbed and scrapped.
 - (c) Overalls shall be supplied by the contractors to the workmen and adequate facilities shall be provided to enable the working painters to wash during and on the cessation of work.
- (vii) Workmen executing work on scaffolds or other structures above specified height shall be provided withfull body harness and fall arresters.
- 9. An additional clause (viii)(i) of Central Public Works Department Safety Code (iv) the Contractor shall not employ women and men below the age of 18 on the work of painting with product containing lead in any form, wherever men above the age of 18 are employed on the work of lead painting, the following principles must be observed for such use:
 - (i) White lead, sulphate of lead or product containing these pigment, shall not be used in painting operation except in the form of pastes or paint ready for use.
 - (ii) Measures shall be taken, wherever required in order to prevent danger arising from the application of apaint in the form of spray.
 - (iii) Measures shall be taken, wherever practicable, to prevent danger arising out of from dust caused by dryrubbing down and scraping.
 - (iv) Adequate facilities shall be provided to enable working painters to wash during and on cessation of work.
 - (v) Overall shall be worn by working painters during the whole of working period.

- (vi) Suitable arrangement shall be made to prevent clothing put off during working hours being spoiled13 by painting materials.
- (vii) Cases of lead poisoning and suspected lead poisoning shall be notified and shall be subsequently verified by medical man appointed by competent authority of C.P.W.D PWD(DA).
- (viii) C.P.W.D./PWD (DA) may require, when necessary medical examination of workers.
- (ix) Instructions with regard to special hygienic precautions to be taken in the painting trade shall be distributed to working painters.
- 10. When the work is done near any place where there is risk of drowning, all necessary equipments should be provided and kept ready for use and all necessary steps taken for prompt rescue of any person in danger and adequate provision, should be made for prompt first aid treatment of all injuries likely to be obtained during the course of the work.
- 11. Use of hoisting machines and tackle including their attachments, anchorage and supports shall conform to the following standards or conditions:-
 - (i) (a) These shall be of good mechanical construction, sound materials and adequate strength and freefrom patent defects and shall be kept repaired and in good working order.
 - (b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of durablequality and adequate strength, and free from patent defects.
 - (ii) Every crane driver or hoisting appliance operator, shall be properly qualified and no person under the age of 21 years should be in charge of any hoisting machine including any scaffolding winch or give signals to operator.
 - (iii) In case of every hoisting machine and of every chain ring hook, shackle swivel and pulley block used in hoisting or as means of suspension, the safe working load shall be ascertained by adequate means. Every hoisting machine and all gear referred to above shall be plainly marked with the safe working load. In case of a hoisting machine having a variable safe working load each safe working load and the conditionunder which it is applicable shall be clearly indicated. No part of any machine or any gear referred to above in this paragraph shall be loaded beyond the safe working load except for the purpose of testing.
 - (iv) In case of departmental machines, the safe working load shall be notified by the Electrical Engineer-in- Charge. As regards contractor's machines the contractors shall notify the safe working load of the machineto the Engineer-in-Charge whenever he brings any machinery to site of work and get it verified by the Electrical Engineer concerned.
- 12. Motors, gearing, transmission, electricwiringand otherdangerouspartsof hoistingappliancesshould be provided with efficient safeguards. Hoisting appliances should be provided with such means as will reduce to the minimum the risk of accidental descent of the load. Adequate precautions should be taken to reduce to the minimum therisk of any part of a suspended load becoming accidentally displaced. When workers are employed on electrical installations which are already energized, insulating mats, wearing apparel, such as gloves, sleeves and boots as may be necessary should be provided. The worker should not wear any rings, watches and carry keys orother materials which are good conductors of electricity.
- 13. All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in safe condition and no scaffold, ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities should be provided at or near places of work.
- 14. These safety provisions should be brought to the notice of all concerned by display on a notice board at a prominent place at work spot. The person responsible for compliance of the safety code shall be named thereinby the contractor.
- 15. To ensure effective enforcement of the rules and regulations relating to safety precautions the arrangementsmade by the contractor shall be open to inspection by the Labour Officer or Engineer-in-Charge of the departmentor their representatives.
- 16. Notwithstanding the above clauses from (1) to (15), there is nothing in these to exempt the contractor from the operations of any other Act or Rule in force in the Republic of India.

Model Rules for the Protection of Health and Sanitary Arrangements for Workers Employed by Central P.W.D. or its Contractors

1. APPLICATION

These rules shall apply to all buildings and construction works in charge of Central Public Works Department/ PWD (DA) in which twenty or more workers are ordinarily employed or are proposed to be employed in any day during the period during which the contract work is in progress.

2. DEFINITION

Workplace meansaplace wheretwenty or more workers are ordinarily employed in connection with construction work on any day during the period during which the contract work is in progress.

3. FIRST-AID FACILITIES

- (i) At every work place, there shall be provided and maintained, so as to be easily accessible during working hours, first-aid boxes at the rate of not less than one box for 150 contract labour or part thereof ordinarilyemployed.
- (ii) The first-aid box shall be distinctly marked with a red cross on white back ground and shall contain the following equipment:-
 - (a) For work places in which the number of contract labour employed does not exceed 50- Each first-aidbox shall contain the following equipments:-
 - 1. 6 small sterilised dressings.
 - 2. 3 medium size sterilised dressings.
 - 3. 3 large size sterilised dressings.
 - 4. 3 large sterilised burn dressings.
 - 5. 1 (30 ml.) bottle containing a two per cent alcoholic solution of iodine.
 - 6. 1 (30 ml.) bottle containing salvolatile having the dose and mode of administration indicated on he label.
 - 7. 1 snakebite lancet.
 - 8. 1 (30 gms.) bottle of potassium permanganate crystals.
 - 9. 1 pair scissors.
 - 10. 1 copyofthe first-aid leaflet issued by the Director General, Factory Advice Service and Labour Institutes, Government of India.
 - 11. 1 bottle containing 100 tablets (each of 5 gms.) of aspirin.
 - 12. Ointment for burns.
 - 13. A bottle of suitable surgical antiseptic solution.
 - (b) For work places in which the number of contract labour exceed 50.Each

first-aid box shall contain the following equipments.

- 1. 12 small sterilised dressings.
- 2. 6 medium size sterilised dressings.
- 3. 6 large size sterilised dressings.
- 4. 6 large size sterilised burn dressings.

- 5. 6 (15 gms.) packets sterilised cotton wool.
- 6. 1 (60 ml.) bottle containing a two per cent alcoholic solution iodine.
- 7. 1 (60 ml.) bottle containing salvolatile having the dose and mode of administration indicated on the label.
- 8. 1 roll of adhesive plaster.
- 9. 1 snake bite lancet.
- 10. 1 (30 gms.) bottle of potassium permanganate crystals.
- 11. 1 pair scissors.
- 12. 1 copy of the first-aid leaflet issued by the Director General Factory Advice Service and LabourInstitutes /Government of India.
- 13. A bottle containing 100 tablets (each of 5 gms.) of aspirin.
- 14. Ointment for burns.
- 15. A bottle of suitable surgical antiseptic solution.
- (iii) Adequate arrangements shall be made for immediate recoupment of the equipment when necessary.
- (iv) Nothing except the prescribed contents shall be kept in the First-aid box.
- (v) The first-aid box shall be kept in charge of a responsible person who shall always be readily available during the working hours of the work place.
- (vi) A person in charge of the First-aid box shall be a person trained in First-aid treatment in the work placeswhere the number of contract labour employed is 150 or more.
- (vii) In work places where the number of contract labour employed is 500 or more and hospital facilities are not available within easy distance from the works. First-aid posts shall be established and run by a trained compounder. The compounder shall be on duty and shall be available at all hours when the workers are atwork.
- (viii) Where work places are situated in places which are not towns or cities, a suitable motor transport shall be kept readily available to carry injured person or person suddenly taken ill to the nearest hospital.

4. DRINKING WATER

- (i) In every work place, there shall be provided and maintained at suitable places, easily accessible to labour, a sufficient supply of cold water fit for drinking.
- (ii) Where drinking water is obtained from an Intermittent public water supply, each work place shall be provided with storage where such drinking water shall be stored.
- (iii) Every water supply or storage shall be at a distance of not less than 50 feet from any latrine drain or othersource of pollution. Where water has to be drawn from an existing well which is within such proximity of latrine, drain or any other source of pollution, the well shall be properly chlorinated before water is drawn from it for drinking. All such wells shall be entirely closed in and be provided with a trap door which shall bedust and waterproof.
- (iv) A reliable pump shall be fitted to each covered well, the trap door shall be kept locked and opened only for cleaning or inspection which shall be done at least once a month.

5. WASHING FACILITIES

- (i) In every work place adequate and suitable facilities for washing shall be provided and maintained for the use of contract labour employed therein.
- (ii) Separate and adequate cleaning facilities shall be provided for the use of male and female workers.
- (iii) Such facilities shall be conveniently accessible and shall be kept in clean and hygienic condition.

6. LATRINESANDURINALS

- (i) Latrines shall be provided in every work place on the following scale namely:-
 - (a) Where female are employed, there shall be at least one latrine for every 25 females.
 - (b) Where males are employed, there shall be at least one latrine for every 25 males.

Provided that, where the number of males or females exceeds 100, it shall be sufficient if there is one latrine for 25 males or females as the case may be upto the first 100, and one for every 50 thereafter.

- (ii) Every latrine shall be under cover and so partitioned off as to secure privacy, and shall have a proper doorand fastenings.
- (iii) Construction of latrines: The inside walls shall be constructed of masonry or some suitable heat-resisting nonabsorbent materials and shall be cement washed inside and outside at least once a year, Latrines shall not be of a standard lower than borehole system.
- (iv) (a) Where workers of both sexes are employed, there shall be displayed outside each block of latrine and urinal, a notice in the language understood by the majority of the workers "For Men only" or "For Women Only" as the case may be.
 - (b) The notice shall also bear the figure of a man or of a woman, as the case may be.
- (v) There shall be at least one urinal for male workers upto 50 and one for female workers upto fifty employed at a time, provided that where the number of male or female workmen, as the case may be exceeds 500, it shall be sufficient if there is one urinal for every 50 males or females upto the first 500 and one for every 100 or part thereafter.
- (vi) (a) The latrines and urinals shall be adequately lighted and shall be maintained in a clean and sanitary condition at all times.
 - (b) Latrines and urinals other than those connected with a flush sewage system shall comply with therequirements of the Public Health Authorities.
- (vii) Water shall be provided by means of tap or otherwise so as to be conveniently accessible in or near thelatrines and urinals.
- (viii) Disposal of excreta: Unless otherwise arranged for by the local sanitary authority, arrangements for properdisposal of excreta by incineration at the work place shall be made by means of a suitable incinerator. Alternately excreta may be disposed of by putting a layer of night soil at the bottom of a pucca tank prepared for the purpose and covering it with a 15 cm. layer of waste or refuse and then covering it with a layer of earth for a fortnight (when it will turn to manure).
- (ix) The contractor shall at his own expense, carry out all instructions issued to him by the Engineer-in-Charge to effect proper disposal of night soil and other conservancy work in respect of the contractor's workmen oremployees on the site. The contractor shall be responsible for payment of any charges which may be levied by Municipal or Cantonment Authority for execution of such on his behalf.

7. PROVISION OF SHELTER DURING REST

At every place there shall be provided, free of cost, four suitable sheds, two for meals and the other two for restseparately for the use of men and women labour. The height of each shelter shall not be less than 3 meters (10ft.) from the floor level to the lowest part of the roof. These shall be kept clean and the space provided shall be onthe basis of 0.6 sq.m. (6 sft) per head.

Provided that the Engineer-in-Charge may permit subject to his satisfaction, a portion of the building under construction or other alternative accommodation to be used for the purpose.

8. CRECHES

- At every work place, at which 20 or more women worker are ordinarily employed, there shall be provided two rooms of reasonable dimensions for the use of their children under the age of six years. One room shall be used as a play room for the children and the other as their bedroom. The rooms shall be constructed with specifications as per clause 19H
 (ii) a,b & c.
- (ii) The rooms shall be provided with suitable and sufficient openings for light and ventilation. There shall be adequate provision of sweepers to keep the places clean.
- (iii) The contractor shall supply adequate number of toys and games in the play room and sufficient number of cots and beddings in the bed room.
- (iv) The contractor shall provide one ayaa to look after the children in the creche when the number of womenworkers does not exceed 50 and two when the number of women workers exceed 50.
- (v) The use of the rooms earmarked as creches shall be restricted to children, their attendants and mothers of the children.

9. CANTEENS

- (i) In every work place where the work regarding the employment of contract labour is likely to continue for sixmonths and where in contract labour numbering one hundred or more are ordinarily employed, an adequate canteen shall be provided by the contractor for the use of such contract labour.
- (ii) The canteen shall be maintained by the contractor in an efficient manner.
- (iii) The canteen shall consist of at least a dining hall, kitchen, storeroom, pantry and washing places separately for workers and utensils.
- (iv) The canteen shall be sufficiently lighted at all times when any person has access to it.
- (v) The floor shall be made of smooth and impervious materials and inside walls shall be lime-washed or colourwashed at least once in each year.
 - Provided that the inside walls of the kitchen shall be lime-washed every four months.
- (vi) The premises of the canteen shall be maintained in a clean and sanitary condition.
- (vii) Waste water shall be carried away in suitable covered drains and shall not be allowed to accumulate so asto cause a nuisance.
- (viii) Suitable arrangements shall be made for the collection and disposal of garbage.
- (ix) The dining hall shall accommodate at a time 30 per cent of the contract labour working at a time.
- (x) The floor area of the dining hall, excluding the area occupied by the service counter and any furniture except tables and chairs shall not be less than one square metre (10 sft) per diner to be accommodated asprescribed in sub-Rule 9.
- (xi) (a) A portion of the dining hall and service counter shall be partitioned off and reserved for womenworkers in proportion to their number.
 - (b) Washing places for women shall be separate and screened to secure privacy.

- (Xii) Sufficient tables stools, chair or benches shall be available for the number of diners to be accommodated as prescribed in sub-Rule 9.
- (Xiii) (a) 1. There shall be provided and maintained sufficient utensils crockery, furniture and any other equipments necessary for the efficient running of the canteen.
 - 2. The furniture utensils and other equipment shall be maintained in a clean and hygienic condition.
 - (b) 1. Suitable clean clothes for the employees serving in the canteen shall be provided and maintained.
 - 2. Aservice counter, if provided, shall have top of smooth and impervious material.
 - 3. Suitable facilities including an adequate supply of hot water shall be provided for the cleaning of utensils and equipments.
- (xiv) The food stuffs and other items to be served in the canteen shall be in conformity with the normal habits ofthe contract labour.
- (xv) The charges for food stuffs, beverages and any other items served in the canteen shall be based on 'Noprofit, No loss' and shall be conspicuously displayed in the canteen.
- (XVI) In arriving at the price of foodstuffs, and other article served in the canteen, the following items shall not be taken into consideration as expenditure namely:-
 - (a) The rent of land and building.
 - (b) The depreciation and maintenance charges for the building and equipments provided for the canteen.
 - (c) The cost of purchase, repairs and replacement of equipments including furniture, crockery, cutleryand utensils.
 - (d) The water charges and other charges incurred for lighting and ventilation.
 - (e) The interest and amounts spent on the provision and maintenance of equipments provided for the canteen.
- (xvii) The accounts pertaining to the canteen shall be audited once every 12 months by registered accountants and auditors.

10. ANTI-MALARIAL PRECAUTIONS

The contractor shall at his own expense, conform to all anti-malarial instructions given to him by the Engineer-in-Charge including the filling up of any borrow pits which may have been dug by him.

11. The above rules shall be incorporated in the contracts and in notices inviting tenders and shall form an integral part of the contracts.

12. AMENDMENTS

Government may, from time to time, add to or amend these rules and issue directions - it mayconsider necessary for the purpose of removing any difficulty which may arise in the administration thereof.

C.P.W.D. Contractor's Labour Regulations

1. SHORT TITLE

These regulations may be called the C.P.W.D./PWD (DA) Contractors Labour Regulations.

2. **DEFINITIONS**

- (i) Workman means any person employed by C.P.W.D./PWD (DA) or its contractor directly or indirectly through a subcontractor with or without the knowledge of the Central Public Works Department/PWD (DA)to do any skilled, semiskilled or unskilled manual, supervisory, technical or clerical work for hire or reward, whether the terms of employment are expressed or implied but does not include any person:-
 - (a) Who is employed mainly in a managerial or administrative capacity : or
 - (b) Who, being employed in a supervisory capacity draws wages exceeding five hundred rupees per mensem or exercises either by the nature of the duties attached to the office or by reason of powers vested in him, functions mainly of managerial nature: or
 - (c) Who is an out worker, that is to say, person to whom any article or materials are given out by or onbehalf of the principal employers to be made up cleaned, washed, altered, ornamental finished, repaired adopted or otherwise processed for sale for the purpose of the trade or business of the principal employers and the process is to be carried out either in the home of the out worker or insome other premises, not being premises under the control and management of the principal employer.

No person below the age of 14 years shall be employed to act as a workman.

- (ii) Fair Wages means wages whether for time or piece work fixed and notified under the provisions of the Minimum Wages Act from time to time.
- (iii) Contractors shall include every person who undertakes to produce a given result other than a mere supplyof goods or articles of manufacture through contract labour or who supplies contract labour for any workand includes a subcontractor.
- (iv) Wages shall have the same meaning as defined in the Payment of Wages Act.
- 3. (i) Normally working hours of an adult employee should not exceed 9 hours a day. The working day shall be so arranged that inclusive of interval for rest, if any, it shall not spread over more than 12 hours on any day.
 - (ii) When an adult worker is made to work for more than 9 hours on any day or for more than 48 hours in anyweek, he shall be paid over time for the extra hours put in by him at double the ordinary rate of wages.
 - (iii) (a) Every worker shall be given a weekly holiday normally on a Sunday, in accordance with the provisions of the Minimum Wages (Central) Rules 1960 as amended from time to time irrespective of whether such worker is governed by the Minimum Wages Act or not.
 - (b) Where the minimum wages prescribed by the Government under the Minimum Wages Act are notinclusive of the wages for the weekly day of rest, the worker shall be entitled to rest day wages at the rate applicable to the next preceding day, provided he has worked under the same contractor for acontinuous period of not less than 6 days.
 - (c) Where a contractor is permitted by the Engineer-in-Charge to allow a worker to work on a normalweekly holiday, he shall grant a substituted holiday to him for the whole day on one of the five daysimmediately before or after the normal weekly holiday and pay wages to such worker for the workperformed on the normal weekly holiday at overtime rate.

4. DISPLAY OF NOTICE REGARDING WAGES ETC.

The contractor shall before he commences his work on contract, display and correctly maintain and continue to display and correctly maintain in a clear and legible condition in conspicuous places on the work, notices in English and in the local Indian languages spoken by the majority of the workers giving the minimum rates of wages fixed under Minimum Wages Act, the actual wages being paid, the hours of work for which such wage areearned, wages periods, dates of payments ofwages and other relevant information as per Appendix 'III'.

5. PAYMENT OF WAGES

- (i) The contractor shall fix wage periods in respect of which wages shall be payable.
- (ii) No wage period shall exceed one month.
- (iii) The wages of every person employed as contract labour in an establishment or by a contractor where less than one thousand such persons are employed shall be paid before the expiry of seventh day and in other cases before the expiry of tenth day after the last day of the wage period in respect of which the wages are payable.
- (iv) Where the employment of any worker is terminated by or on behalf of the contractor the wages earned by him shall be paid before the expiry of the second working day from the date on which his employment is terminated.
- (v) All payment of wages shall be made on a working day at the work premises and during the working time and on a date notified in advance and in case the work is completed before the expiry of the wage period, final payment shall be made within 48 hours of the last working day.
- (vi) Wages due to every worker shall be paid to him direct by contractor through Bank or ECS or online transfer to his bank account.
- (vii) All wages shall be paid through Bank or ECS or online transfer.
- (viii) Wages shall be paid without any deductions of any kind except those specified by the Central Government by general or special order in this behalf or permissible under the Payment of Wages Act 1956.
- (ix) A notice showing the wages period and the place and time of disbursement of wages shall be displayed at the place of work and a copy sent by the contractor to the Engineer-in-Charge under acknowledgment.
- (x) It shall be the duty of the contractor to ensure the disbursement of wages through bank account of labour.
- (xi) The contractor shall obtain from the Junior Engineer or anyother authorised representative of the Engineer- in-Charge asthe case may be, a certificate under his signature at the end of the entries in the "Register of Wages" or the "Wage-cum- Muster Roll" as the case may be in the following form:-

FINES AND DEDUCTIONS WHICH MAY BE MADE FROM WAGES

- (i) The wages of a worker shall be paid to him without any deduction of any kind except the following:-
 - (a) Fines
 - (b) Deductions for absence from duty i.e. from the place or the places where by the terms of his employment he is required to work. The amount of deduction shall be in proportion to the period for which he was absent.
 - (c) Deduction for damage to or loss of goods expressly entrusted to the employed person for custody or for loss of money or any other deduction which he is required to account, where such damage or loss is directly attributable to his neglect or default.

- (d) Deduction for recovery of advances or for adjustment of overpayment of wages, advances granted shall be entered in a register.
- (e) Any other deduction which the Central Government may from time to time allow.
- (ii) No fines should be imposed onany worker save in respect of such acts and omissions on his part as have been approved of by the Chief Labour Commissioner.
 - Note: An approved list of Acts and Omissions for which fines can be imposed is enclosed at Appendix-X
- (iii) No fine shall be imposed on a worker and no deduction for damage or loss shall be made from his wages until the worker has been given an opportunity of showing cause against such fines or deductions.
- (iv) The total amount of fine which may be imposed in any one wage period on a worker shall not exceed an amount equal to three paise in a rupee of the total wages, payable to him in respect of that wage period.
- (v) No fine imposed on any worker shall be recovered from him by instalment, or after the expiry of sixty daysfrom the date on which it was imposed.
- (vi) Every fine shall be deemed to have been imposed on the day of the act or omission in respect of which itwas imposed.

LABOUR RECORDS

- (i) The contractor shall maintain a Register of persons employed on work on contract in Form XIII of the CL(R&A) Central Rules 1971 (Appendix IV)
- (ii) The contractor shall maintain a Muster Roll register in respect of all workmen employed by him on the work under Contract in Form XVI of the CL (R&A) Rules 1971 (Appendix V).
- (iii) The contractor shall maintain a Wage Register in respect of all workmen employed by him on the workunder contract in Form XVII of the CL (R&A) Rules 1971 (Appendix VI).
- (iv) Register of accident The contractor shall maintain a register of accidents in such form as may beconvenient at the work place but the same shall include the following particulars:
 - (a) Full particulars of the labourers who met with accident.
 - (b) Rate of Wages.
 - (c) Sex
 - (d) Age
 - (e) Nature of accident and cause of accident.
 - (f) Time and date of accident.
 - (g) Date and time when admitted in Hospital,
 - (h) Date of discharge from the Hospital.
 - (i) Period of treatment and result of treatment.
 - (j) Percentage of loss of earning capacity and disability as assessed by Medical Officer.
 - (k) Claim required to be paid under Workmen's Compensation Act.
 - (l) Date of payment of compensation.
 - (m) Amount paid with details of the person to whom the same was paid.
 - (n) Authority by whom the compensation was assessed.
 - (o) Remarks

- (v) The contractor shall maintain a Register of Fines in the Form XII of the CL (R&A) Rules 1971 (Appendix-XI)

 The contractor shall display in a good condition and in a conspicuous place of work the approved list of acts and omissions for which fines can be imposed (Appendix-X)
- (vi) The contractor shall maintain a Register of deductions for damage or loss in Form XX of the CL (R&A)Rules 1971 (Appendix-XII)
- (vii) The contractor shall maintain a Register of Advances in Form XXIII of the CL (R&A) Rules 1971(Appendix-XIII)
- (viii) The contractor shall maintain a Register of Overtime in Form XXIII of the CL (R&A) Rules 1971(Appendix-XIV)

6. ATTENDANCECARD-CUM-WAGE SLIP

- (i) The contractor shall issue an Attendance card-cum-wage slip to each workman employed by him in the specimen form at (Appendix-VII)
- (ii) The card shall be valid for each wage period.
- (iii) The contractor shall mark the attendance of each workman on the card twice each day, once at the commencement of the day and again after the rest interval, before he actually starts work.
- (iv) The card shall remain in possession of the worker during the wage period under reference.
- (v) The contractor shall complete the wage slip portion on the reverse of the card at least a day prior to the disbursement of wages in respect of the wage period under reference.
- (vi) The contractor shall obtain the signature or thumb impression of the worker on the wage slip at the time of disbursement of wages and retain the card with himself.

7. EMPLOYMENTCARD

The contractor shall issue an Employment Card in Form XIV of the CL (R&A) Central Rules 1971 to each workerwithin three days of the employment of the worker (Appendix-VIII).

8. SERVICECERTIFICATE

On termination of employment for any reason whatsoever the contractor shall issue to the workmanwhose services have been terminated, a Service certificate in Form XV of the CL (R&A) Central Rules 1971 (Appendix-IX)

9. PRESERVATION OF LABOUR RECORDS

All records required to be maintained under Regulations Nos. 6 & 7 shall be preserved in original for a period of three years from the date of last entries made in them and shall be made available for inspection by the Engineer-in-Charge or Labour Officer or any other officers authorised by the Ministry of Urban Development in this behalf.

10. POWER OF LABOUR OFFICER TO MAKE INVESTIGATIONS OR ENQUIRY

The Labour Officer or any person authorised by Central Government on their behalf shall have power to make enquires with a view to ascertaining and enforcing due and proper observance of Fair Wage Clauses and the Provisions of these Regulations. He shall investigate into any complaint regarding the default made by the contractor or subcontractor in regard to such provision.

11. REPORT OF LABOUR OFFICER

The Labour Officer or other persons authorised as aforesaid shall submit a report of result of his investigation or enquiry to the Executive Engineer concerned indicating the extent, if any, to which the default has been committed with a note that necessary deductions from the contractor's bill be made and the wages and other dues be paid to the labourers concerned.

In case an appeal is made by the contractor under Clause 13 of these regulations, actual payment to labourers will be made by the Executive Engineer after the Executive Engineer has given bis decision on such appeal.

(i) The Executive Engineer shall arrange payments to the labour concerned within 45 days from the receipt of the report form the Labour Officer or the Executive Engineer as the case may be.

12. APPEAL AGAINST THE DECISION OF LABOUR OFFICER

Any person aggrieved by the decision and recommendations of the Labour Officer or other person so authorisedmay appeal against such decision to the Executive Engineer concerned within 30 days from the date ofdecision, forwarding simultaneously a copy of his appeal to the Executive Engineer concerned but subject to such appeal, the decision of the officer shall be final and binding upon the contractor.

13. PROHIBITION REGARDING REPRESENTATION THROUGH LAWYER

- (i) A workman shall be entitled to be represented in any investigation or enquiry under these regulations by:-
 - (a) An officer of a registered trade union of which he is a member.
 - (b) An officer of a federation of trade unions to which the trade union referred to in clause (a) is affiliated.
 - (c) Where the employer is not a member of any registered trade union, by an officer of a registered tradeunion, connected with the industry in which the worker is employed or by any other workman employed in the industry in which the worker is employed.
- (ii) An employer shall be entitled to be represented in any investigation or enquiry under these regulations by:-
 - (a) An officer of an association of employers of which he is a member.
 - (b) An officer of a federation of associations of employers to which association referred to in clause (a) is affiliated.
 - (c) Where the employers is not a member of any association of employers, by an officer of association of employer connected with the industry in which the employer is engaged or by any other employer, engaged in the industry in which the employer is engaged.
- (iii) No party shall be entitled to be represented by a legal practitioner in any investigation or enquiry underthese regulations.

14. INSPECTION OF BOOKS AND SLIPS

The contractor shall allow inspection of all the prescribed labour records to any of his workers or to his agent at a convenient time and placeafter due notice is received or to the Labour Officer orany other person, authorised by the Central Government on his behalf.

15. SUBMISSIONS OF RETURNS

The contractor shall submit periodical returns as may be specified from time to time.

16. AMENDMENTS

The Central Government may from time to time add to or amend the regulations and on any question as to the application/Interpretation or effect of those regulations the decision of the Executive Engineer concernedshall be final.



परिशिष्ट / Appendix T

प्रसूति प्रसुविधाओं का रजिस्टर (ठेके की शर्तों का खण्ड 19—च) REGISTER OF MATERNITY BENEFITS (Clause 19 F)

ठेकेदार का नाम अ						
	ress of the contra	ictor				
कार्य का नाम और Namo and loc		k				
कर्मघारी का नाम Name of the	पिता / पति का नाम Father's/	नियोजन का स्वरूप Nature of	वास्तविक नियुवित की अवधि Period of	तारीख जिसको प्रसवावस्था की सूचना दी गई Date on which notice of		
employee	husband's name	employment	actual employment	confinement given		
1	2	3	4	5		
	nda Con	नो प्रसृति छुट्टी प्रारम	e sé alto more			
	Date on which	n maternity leave c	ommenced and e	ended		
प्रसव / गर्भपात की Date of delivery		प्रसव की दशा में In case of deliver		र्नपात की दशा में case of miscarriage		
miscarriage		म हुई समाप nmenced End	त हुई प्रारम्म हुई ed Commen			
6		7 8	9	10		
		कर्नचारी को संदत्त eave pay paid to the				
	व की दशा में se of delivery	गर्मपात की In case of mis		टिप्पणियां Remarks		
छुटी वेतन की दर Rate of leave p		छुट्टी येतन की दर d Rate of leave pa	संदत्त रकम y Amount pai	id		
11	12	13	14	15		

75

165 Years of Engineering Excellence



PROFORMA OF REGISTERS		
-----------------------	--	--



परिशिष्ट / Appendix 'III'

श्रम बोर्ड

		Labou	r Board		
कार्यका नाम					
Name of work					
वेकेदार का न	ाम				
Name of Contr	ractor				
वेकेदार का पर	Π				
Address of Co	ntractor				
के0 लो0 नि0	विभाग के मंडल का	नाम व पता			
Name and add	dress of C.P.W.D. Di	vision			
हे. लो. नि. वि	वेभाग के श्रम अधिक	ारी का नाम			
Name of C.P.V	W.D. Labour Officer				
हे. लो. नि. हि	वेमाग के श्रम अधिक	ारी का पता			
Address of C.F	P.W.D. Labour Office	er e			
श्रम कार्याच्ययन	अधिकारी का नाम				
Name of Labo	ur Enforcement Offic	cer			
त्रम कार्यान्वयन	अधिकारी का पता				
Address of Lat	bour Enforcement O	fficer			
क्रम संख्या SI. No.	श्रेणी Category	ण्युनतम निर्धारित मजदूरी Minimum wage	भुगतान की गई वास्तविक मजदूरी Actual wage	वर्तमान संख्या Number	टिप्पणी Remarks
		fixed	paid	present	
ताप्ताहिक छुट्टी	·				
Weekly holida					
नजदूरी की अ	वधि				
Wage period					
नजदूरी को भुग	ातान की तारीख				
Date of payme					
काम के घंटे					
Working hours					
आराम का मध्य	यान्तर				
Rest interval					
77		155 Voors of Engine			COL

165 Years of Engineering Excellence



र्राजिस्टरों के प्रातम परिशिष्ट / Appendix TV ø बरखारत करने W RIVE Ξ Date of terrindien of smployment बस्डासा कसी 8 ठेकेदार द्वारा लगाये गए मजदूरी का रजिस्टर Register of Workmen Employed by Contractor की समीवा Signature or thumb impression of हसाबार/अपूर theworkers 報 作都円 o गीति आस ght eft triffed Date of commence ment of amployment 100 कार्य 13 Form-XIII (क्षणा निवान 75 देखें) (See Rule 75) F local मजपूर का ख्वामी मूंह पत (गम व सहसीत सम्बुक्त और जिल्ला) Permanent home address of the workman (Villege and Tehs). Taluk and District Name and address of establishment under which contract is carried on œ कार्यात्रय जा नाम व पता जिसके अधीन ठेका मत रहा है sept set FRESE / Un as app Nature of compleyments designation Father's'Husband's name मुख्य नियोक्ता का नाम व पता Name and address of Principal Employer 華華布/起 Name and address of contractor Nature and location of work Age and Sex कार्य का स्वरूप व स्थान ¥ वेकेदार का नाम व पता 馬を

के. लो. नि. वि.

इंजीनियरी उत्कृष्टता के 165 दर्ष

24

78

Name and Surname of workmen

টে 2

मन्द्रा का क्रम

新田田

PROFORMA OF RE	EGIST	ERS	5				Gi.
					Remeth	ø	मिरिशिप्ट / Appendix
							ia
				night		2	•
			महीन क्या में तिए	For the Manth of fortnight	Realth Dates		
Ster Roll			HET GR	For the			8
मस्टर रोख Muster Roll	uopa					5	-
नेक्टार का नाम व पता Name and address of contractor कार्यालय का नाम और पता जिसके अधीन ठेका चल रहा है	Name and address of establishment under which confract is camed on ভাষ জা হল্ডিম ব হল্ডান			her	वित्र/पति का नाम Fathers/Hisbard's name	1	
ाज जनसङ्ख्या	stmertu		TI.	alEmploy	FF Sex	60	
टेकेदार का नाम व पता. Name and address of contractor कार्यालय का नाम और पता जिल्ल	Name and address of establis कार्यकास्वरूप वस्थान	Nature and location of work	लाका नम व पत	Name and address of Principal Employer.	शन्द्रत् स नग Namo d Workman	2	
वैक्दार का Name and कार्यालय क	Nameand कार्यका स	Nature and	मुख्य नियोर	Nameand	St. No	ŧ	

79



रजिस्टरों के प्रासन

फार्म 17 Form-XVII (कृषया नियम 78 (2)(क) देखें) (See Rule 78(2)(a)) मजदूरी रजिस्टर Register of wages

ठेकेदार का नाम व पता

Name and address of contractor

Name and address of establishment under which contract is carried on कार्यात्य का नाम य पता जिसके अधीन ठेका चत रहा है

Nature and location of work कार्य का स्वरूप व स्थान

मुख्य नियोक्ता का नाम व पता Name and address of Principal Employer......wages Period: MonthlyFortright

परिशिष्ट / Appendix V	92	deter ann orne affilia e senar Initial of contractor or his represe	
	15	स्तर्ह के महिलाहर / महिलाहर / निकास Squature or fumb impression of the wark-	
	7	क्रमतम् क्रमत्रे क्रमत्रे अर Ancumi pad	
	2	समूरी पी को स्रो (समूरी का versu तिये Dadudions f any (ndicate	
	2	新	
	#	SET THE STREET SE SEEN SHE CORPER CORP PROPRIES OF CORP P	pour med
	01	सम्प्रोचीर निवा Overtine	की गई मजदूरी की रक्षम Amount of wages earned
	6	Dearners allowances	Amount
		भूत मत्रपूरी Badç Mujos	
	ĸ.	मज्द्री की दर/पीस रेट Daily rate of wages/ plecerate	
	٥	किए गए एक्ट Units of work dom	
	6	Mart Res and Them No. of days worked	
	•	िक्ष म्यू कार्य का स्टब्स / प्रदुत्तान Designation nature of work-chas	
		मज्यून के विज्ञास्त्र में इस संस्था Sadal No. h the mg- blar of workman	
	2	Hame of Workman	
	+	M # 15 25 W	

के. लो. नि. वि.

इंजीनियरी उत्कृष्टता के 165 वर्ष

80

							X.	30 31	Rate	रकम Amount		(सीबी क	on account of my wages Advanged	dix "VII" verse)
								R		⋖		रूपवे प्राप्त किए	ntofr	
								88				包包	9000	
								12				įε	8	et
								88						हरनाक्षर Signature
			11		N			Ю						Sign
			1		-			क						TISK.
								F3						16
								ĸ						
PLR					1			2				19		
ge C	148							R				Page 1	10	
e ×	恒	2				ight		6				护	Jou .	
1 20	जारी करने की तारीख	Date of Issue		Designation	56	Month/Fortnight		8				से अपनी मजदरी के	the sum of Rs.	
450	10	teo	1	Sign	मस / पक्ष	A L		11				10	Ě	
मजदूरी कार्ड Wage Card	SIP.	Ö	100	8	H	ž	1	15 16						-
1			9				1							Sue at
1							1	£ 51				- 1		野
1							1	12				- 1		15 EP
			4		1		1	=						the the
1							1	2				1		F F
9					11			o						यह मजदूरी कार्ड जारी होने की तारीख से एक माल तक के लिए वैद्य है The Wage Card is valid for one month from the date of issue
5		10	4					00				- 1		R M
3		Name and address of contractor					1	1				- 1		in in
DE S	E	100		Mar				5				- 11		在 里
\leq	급	sol	PRIF	Jou	4			4						R S Val
30	H	des	In	offe	12	TIBIL	D 90	m				- 1		15 12
10	E	lad	E	100	F	Sp.	2 eg	0					Ē	₩ 3
मजद्री काड लेखा / Wage Card No	ठेकदार का नाम व पता	ank	कार्यका नाम व स्थान	Name and location of work	मजदुर का नाम	Name of workman	मजदूरी की दर Rate of Wages		go.	g	D:		Received from	महारी शबक्र
104	100	эше	되	эше	142	эше	ale of		STEE Morning	साय Evening	S KIRIO Initial	100	Xe	H S



रजिस्टरों के प्रारूप

परिशिष्ट / Appendix 'VII' (पिछली तरफ / Reverse)

फार्न 19/Form-XIX

(कृप्या नियम 78(2)(ख) देखें) [See rule 78 (2)(b)]

मजदूरी कार्ड Wages Slip

500	दार का नाम व पता
	me and address of contractor
	दूर का नाम तथा उसके पिता / पति का नाम me and Father's/Husband's name of workman
00.7	र्व का स्वरूप तथा स्थान का नाम ture and location of work
सप	ताह / पञ्ज / मास के लिए
FO	r the Week/Fortnight/Month ending
1.	जितने दिन कार्य किया No. of days worked
2.	किए गए कार्य के एककों की सख्या (पीस रेट मजदूरों के बारे में) No. of units worked in case of piece rate workers
3.	दैनिक मजदूरी की दर / पीस रेट Rate of dailly wages/piece rate
4.	समयोपिर मजदूरी की रकम Amount of overtime wages.
5.	दी जाने वाली कुल एकम Gross wages payable
6.	वसूनिया, यदि कोई हो Deduction, if any
7.	दी गई मजदूरी की शुद्ध रकम Net amount of wages paid

वेकेदार अथवा उसके प्रतिनिधि के इस्ताझर Initials of the contractor or his representative

के. लो. नि. वि.

इंजीनियरी उत्कृष्टता के 165 वर्ष

82



परिशिष्ट / Appendix VIII

कार्म 14 / Form-XIV (क्या नियम 76 देख) [Seerule 76]

रोजगार कार्ड Employment Card

	हेदार का नाम व पता ame and address of contractor
	र्यालय का नाम व पता जिसके अधीन ठेका चल रहा है ame and address of establishment under which contract is carried on
	र्च का नाम व स्थान ame of work and location of work
	sa नियोक्ता का नाम व पता arne and address of Principal Employer
1.	मजदूर का नाम Name of the workman
2	लगाये गए मजदूरों को रजिस्टर में क्रम संख्या SI. No. in the register of workman employed
3.	रोजगार / पद का नाम Nature of employment/designation
4	मजदूरी की दर (पीत पर्क के बारें में एकक के ब्यौरा सहित) Wage rate (with particulars of unit in case of piece work)
5,	ਸਯਵ੍ਵੀ ਲੀ ਅਰਬਿ Wage period
6.	रोजगार की अवधि Tenure of employment
7:	टिम्पणी Remarks

देकोदार के हस्ताक्षर Signature of contractor

83

165 Years of Engineering Excellence





परिशिष्ट / Appendix 'IX'

कार्न 15 Form-XV (कृपया नियम 77 देखें) (See Rule 77) सेवा प्रमाणपत्र Service Certificate

Name	Name and address of contractor	ontractor			
कार्य	कार्य का स्वरूप तथा स्थान	WITH THE		er james dense delse dense delse dense delse	
Natur	Nature and location of work	lork			
मजदूर	मजदूर का नाम व पता Name and address of workman	or kman			
आय	आय अध्वा जन्म तिथि				
Ageo	Age or date of birth				
UB all	पष्टचान चिन्ह				
Inden	Indentification marks				
哥哥	पिता / पति का नाम	9		The second secon	
	and the second s	- Comp.	and an expension of the control of t		
Name	and address of e	stablishmentin	ভাবালৰ থা নান ব বুলা তিম্মত কুলান তথা বুল বুল হৈ। Name and address of establishment in under which contract is carried on	niedon	*) *)
Name (1)	मुख्य नियोखता का नाम और पता. Name and address of Principal Employer	और पता Yircipal Employ	1		
神经		अवहा hich employed	किए गए कार्य का स्वरूप Nature of Work Done	कक के ब्योगें सहित) unit	टिप्पणी Remarks
31.NO	From	2		III CASE Of DISCE WORK	
-	2	6	4	5	9
			5		
			9.24		EXTIRITY / Signature

के. लो. नि. वि.

इंजीनियरी उत्कृष्टता के 165 वर्ष



परिशिष्ट / Appendix'X'

LIST OF ACTS AND OMISSONS FOR WHICH FINES CAN BE IMPOSED

ऐसे कार्यों तथा मुलों की सुची जिसके लिए जुर्माने किये जा सकते हैं

केन्द्रीय लोक निर्माण विमाग तेकेदार अमिक विनियमों के नियम 7 (v) के अनुसार कार्य स्थल पर अंग्रेजी तथा स्थानीय भाषा दोनों में अच्छी तथा स्थानीय भाषा दोनों में अच्छी प्रकार से प्रदर्शित किया जाना।

- जान बुझ कर अकेले या अन्य के साथ मिल कर अवझा या उल्लंघन।
- केन्द्रीय लोक निर्माण विचाग के कार्य या सम्पति के अतिरिक्त.
 ठेकों के संबंध में धोरी घोखाबाजी, बेर्डमानी करना।
- धुस या अन्य गैरकानुनी परितोषण लेना या देना।
- नित्य देर से काम पर आना।
- शराब पीकर लडना, उपद्रवी या बेढंगा या अन्यमनस्क व्यवहार।
- नित्य लापरवाही ।
- उस क्षेत्रों के आस—पास बीड़ी—सिरोट पीना जहां आग पकड़ने वाली या अन्य सामग्री रखी हो।
- नित्य अनुशासनदीनता।
- भालू कार्य में अथवा के लो. नि. वि. या ठेकेदार की संपत्ति को बति पहचाना।
- 10. डयुटी पर सोना।
- 11. कामचोरी या कार्य को बीरे करना।
- 12. नाम, आयु, पिता के नाम आदि वो बारे में गलत सूचना देना।
- 13. नियोक्ता द्वारा दिये गये मजदूरी कार्ड को नित्य खो देना।
- मालिक की उत्पादन की सम्पत्ति का अनिविकृत उपयोग या कार्यस्थल पर अनाधिकृत वस्तूए बनाना।
- 15. कुशल कामगारों द्वारा निर्माण तथा अनुख्यण में अकुशल कारीगरी. दिखाना जिसे विमाग स्वीकार नहीं करता जिसके संशोधन के लिये ठेकंदार को बाध्य किया जाता है।
- 16. गलत शिकायतें लगाना और / या भागक विवरण देना ।
- 17. स्थापनाओं के परिसर के मीतर कोई व्यापार चलाना।
- 18. कर्मचारियों का अनधिकृत व्यापार कार्य करना।
- स्थापना के परिसर के मौतर किसी प्रकार का घन एकत्र करना या उसके लिए प्रचार करना जब तक कि मालिक द्वारा अधिकार म दिया गया हो ।

In accordance with rule 7(v) of the CPWD Contractor's Labour Regulations to be displayed prominently at the site of work both in English and local Language.

- Wilful insubordination or disobidience, whether alone or in combination with other.
- Theft fraud or dishonesty in connection with the contractors beside a business or property of CPWD.
- 3. Taking or giving bribes or any illegal gratifications
- 4. Habitual late attendance.
- Drunkenness lighting, riotous or disorderly or indifferent be haviour.
- 6. Habitual negligence.
- Smoking near or around the area where combustible or other materials are locked
- 8. Habitual indiscipline.
- Causing damage to work in the progress or to property of the CPWD or of the contractor.
- 10. Sleeping on duty.
- 11. Malingering or slowing down work.
- Giving of false information regarding name, age father's name, etc.
- 13. Habitual loss of wage cards supplied by the employers.
- Unauthorised use of employer's property of manufacturing or making of unauthorised particles at the work place.
- Bad workmanship in construction and maintenance by skilled workers which is not approved by the Department and for which the contractors are compelled to undertake rectifications.
- Making false complaints and/or misleading statements.
- Engaging on trade within the premises of the establishments.
- Any unauthorised divulgence of business affairs of the employees.
- Collection or canvassing for the collection of any money within the premises of an establishment unless authorised by the employer.

85

165 Years of Engineering Excellence





रजिस्टरों के प्रारूप

- 21. परिसर के भीतर कार्य समय के दौरान किसी कामगार या कर्मचारी को डराना या धमकाना।
- 20. मालिकों की पूर्व अनुमति के बिना परिसर के मीतर बैठकें बुलाना। 20. Holding meeting inside the premises without previous sanction of the employers.
 - 21. Threatening or intimidating any workman or employer during the working hours within the premises.

PROFORMA OF REGISTERS परिशिष्ट / Appendix 'XI' Remarks 12 Start. Date on which सम्बद्ध हुआ F fine imposed Amount of जुममा की 9 報言 Wagepeld मज्यूदे की क्ष महसूक्ष забамрыя payable 0 employee's exploration जिसकी उपस्थिती में कर्मवादी की प्रक्रमा सुनी गई फार्म 12 Form-XII (कृपया नियम 78(2)ध) देखें) (See Rule 78(2) (d)) Inwhose presence उस मामित का नाम Name of person West heard 8 जुमीनों का रजिस्टर Register of Fines workmen showed स्य व्यक्ति ने इस कुमीन के विन्द्र की cause against. fine कारण सामा है Whether Offerce Date of Name and address of establishment in under which contract is carreid on 9 क कार्/पून दिसके जिए जुर्माना सम्माग भ्या for which fine imposed Addomission काझीलय का माम य पता जिसके अधीम ठेका घल रहा है भीकरी का स्थलप Designation⁷ employment traiting of मह-अम w Name and address of Principal Employer Fatter's/Hashard's लिया/की का नाम Name and address of contractor सियोक्सा का माम व पता कार्य का स्थलप व स्थान Nature and location of work STREET ठेकेदार का नाम य पता Name of workstay मतद्रु का नाम N

87

165 Years of Engineering Excellence

SI No. 100

CRNO



रजिस्टरों के प्रान्तप

परिशिष्ट / Appendix 'XII'

Deduction for Damage of Loss	स्या अस्पेश्वर में उस प्रतिकृत कर मान स्थान कर मान स्थान कर मान	earth an subte of Whistons Trans of person Amount of No.of of damage damage workmen showed in Whose presence daturition hallow or loss cales against employee's explanation imposed colors declarition weekward	2 3 4 5 6 7 8 9 10 11 12	
------------------------------	---	---	--------------------------	--

8

के. लो. नि. वि.

इंजीनियरी उत्कृष्टता के 165 वर्ष

88

फार्म 22 Form-XXII (कृपया नियम 78(2)ष) देखे) (See Rule 78(2) (d)) अधिम का शीस्टर Register of Advances कार्यात्रय का माम व पता जिसके अधीन ठेका चास रहा है Name and address of establishment in under which contract is carreid on

Name and address of contractor

मुख्य निद्येख्या का साम व पता

कार्य का स्वकृष व स्थान Nature and location of work

	MT 2007	
Remarks	=	
are first unafter and the state of the state	무	
after of states at the sea of sea indahre of sea indahre of sea indahre	th.	
Resh at their forms and it forms and it forms of indefends by with ablance to be report	100	
es priners forme the origin four rule Purpose s) for wilds acterice made		
कि गए असिम की तिथि कर्ता वर्धि Date कर्ता करणार्था वे क्लंबर ए प्रथम	10	
मज्यूदी की वार्कीट शब्द देश करपूरी Wage Parcot जनअञ्चल payette	10	
that as assu/ option Designation reture of employment	*	
	m	
मद्देश का नाम Name of workman	м	
METER AND	-	

89

165 Years of Engineering Excellence





रजिस्टरों के प्रान्तप

परिशिष्ट / Appendix 'XIV'

समयोपरि रजिस्टर Register of Overtime

फर्म 23 Form-XXIII (कृपया नियम 78(2)(प) देखी, (See Rule 78(2) (e))

सक्दार Name	टेकंदार का नाम व पता Name and address of contractor	ontractor				200 No. 100 No.
कार्यास्य Name	कार्यास्य का नाम व पता जिसके अधीन ठेका बल रहा है Name and address of establishment in under which contract is came id on	ितसके अधीम है stablishment in u	an a	त्त रहा है which contract	is carreid on	
कार्य व Nature	कार्यका स्वसम् व स्थान Nature and location of work	ork		0.000	a Maria de Maria	200 10 100
मुख्य हि Name	मुख्य नियोक्ता का नाम व पता Name and address of Principal Employer	व मता rincipal Employer	2500			
## 12 ZZ	गजदूर का नाम Natio of Workman	िका / भी का नाम Father's! Habards reare	毛 as	नीकरी हा संस्थ / यहनाम Designation reture of employement	for artist at employ and four Dates with a construe worked	हुन सम्प्रोपीर कर्मा अक्टा पीस रेट के मुम्मी में उत्पन्न न Tool owning production in case of place rated
-	2	п	*	NG.	ю	*

맫

9

मत्राहुदी और सामान्य दर् Normalitate of wages

के. लो. नि. वि.

इंजीनियरी उत्कृष्टता के 165 वर्ष

90

Appendix - XV (FORM 31)

INDENTURE FOR SECURED ADVANCES

(Referred to in paragraphs 10.2.20 and 10.2.22 of CPW A Code)

	use in cases in which the contract is for finished work and the contractor has entered into an agreement for the execution of ain specified quantity of work in a given time)
(herei	INDENTURE made the
agreed absoluted of such labour mater and of works himse site of	REAS by an agreement dated
advar	to the Contractor by the President (the receipt whereof the Contractor doth hereby acknowledge) and of suchfurther aces (if any) as may be made to him as aforesaid the Contractor doth hereby covenant and agree with the President and declare lows: -
(1)	That the said sum of Rupees
(2)	That the materials detailed in the said Account of Secured Advances which have been offered to and acceptedby the President as security are absolutely the Contractor's own property and free from encumbrances of anykind and the contractor will not make any application for or receive a further advance on the security of materials which are not absolutely his own property and free from encumbrances of any kind and the Contractor indemnifies the President against all claims to any materials in respect of which an advance has been made to him as aforesaid.
(3)	That the materials detailed in the said Account of Secured Advances and all other materials on the security of which any further advance or advances may hereafter be made as aforesaid (hereinafter called the said materials) shall be used by the Contractor solely in the execution of the said works in accordance with the directions of the Divisional Officer Division (hereinafter called the Divisional Officer) and in the term of the said agreement.
(4)	That the Contractor shall make at his own cost all necessary and adequate arrangements for the proper watch, safe custody and protection against all risks of the said materials and that until used in construction as aforesaidthe said materials shall remain at the site of the said works in the Contractor's custody and on his own responsibility and shall at all times be open to inspection by the Divisional Officer or any officer authorised by

him. In the event of the said materials or any part thereof being stolen, destroyed or damaged or becoming deteriorated in a greater degree than is due to reasonable use and wear thereof the Contractor will forthwithreplace the same with other materials of like quality or repair and make good the same as required by the Divisional Officer.

- (5) That the said materials shall not on any account be removed from the site of the said works except with the written permission of the Divisional Officer or an officer authorised by him on that behalf.
- (6) That the advances shall be repayable in full when or before the Contractor receives payment from the President of the price payable to him for the said works under the terms and provisions of the said agreement. Provided that if any intermediate payments are made to the Contractor on account of work done than on the occasion of each such payment the President will be at liberty to make a recovery from the Contractor's bill for such payment by deducting there from the value of the said materials then actually used in the construction and inrespect of which recovery has not been made previously, the value for this purpose being determined in respect of each description of materials at the rates at which the amounts of the advances made under these presents were calculated.
- (7) That if the Contractor shall at any time make any default in the performance or observance in any respect of anyof the terms and provisions of the said agreement or of these presents the total amount of the advance or advances that may still be owing to the President shall immediately on the happening of such default be repayable by the Contractor to the President together with interest thereon at twelve per cent per annum from the date or respective dates of such advance or advances to the date of repayment and with all costs charges, damages and expenses incurred by the President in or for the recovery thereof or the enforcement of this security or otherwise by reason of the default of the Contractor and the Contractor hereby covenants and agrees with the President to repay and pay the same respectively to him accordingly.
- (8) That the Contractor hereby charges all the said materials with the repayment to the President of the said sumof Rupees and any further sum or sums advanced as aforesaid and all costs charges, damages and expenses payable under these presents PROVIDED ALWAYS and it is herebyagreed and declared that notwithstanding anything in the said agreement and without prejudice to the powers contained therein if and whenever the covenant for payment and repayment herein before contained shall become enforceable and the money owing shall not be paid in accordance therewith the President may at any time thereafter adopt all or any of the following courses as he may deem best:-
 - (a) Size and utilize the said materials or any part thereof in the completion of the said works on behalf of the Contractor in accordance with the provisions in that behalf contained in the said agreement debiting the Contractor with the actual cost of effecting such completion and the amount due in respect of advances under these presents and crediting the Contractor with the value of work done as if he had carried it out in accordance with the said agreement and at the rates thereby provided. If the balance is against the Contractor he is to pay same to the President on demand.
 - (b) Remove and sell by public auction the seized materials or any part thereof and out of the moneys arising from the sale retain all the sums aforesaid repayable or payable to the President under these presents and pay over the surplus (if any) to the Contractor.
 - (c) Deduct all or any part of the moneys owing out of the security deposit or any sum due to the Contractorunder the said agreement.

(9)	That except in the event of such default on the part of the Contractor as aforesaid interest on the said advanceshall not be payable.
(10)	That in the event of any conflict between the provisions of these presents and the said agreement the provisions of these presents shall prevail and in the event of any dispute or difference arising over the construction or effect of these presents the settlement of which has not been herein before expressly provided for the same shall be finally resolved as per provisions of clause 25 of the contract.
	itness whereof the saidby the order and under the direction of the dent have hereunto set their respective hands the day and year first above written.
Signe	ed, sealed and delivered by the said contractor in the presence of
a.	
	ature
Witne	ess Name
Addre	ess
Signe	ed by
by the	e order and direction of the President in the presence of
Signa	ature
Witne	ess Name
Addr	ess

APPENDIX - XVI

(Refer Clause 5)

FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING RESCHEDULING OFMILESTONE/EXTENSION OF TIME

- 1. Name of contractor
- 2. Name of work as given in the agreement
- 3. Agreement no
- 4. Estimated amount put tender CON 297 Page 27
- 5. Date of commencement of work as per agreement
- 6. Period allowed for completion of work as per agreement
- 7. Date of completion stipulated in agreement
- 8. Period for which extension of time if has been given by authority in Schedule 'F' previously

letter no. and date	Extension granted			
	Months	Days		
(a) 1st extension				
(b) 2nd extension				
(c) 3rd extension				
(d) 4th extension				
(e) Total extension previously given				

- 9. Reasons for which extension have been previously given (copies of the previous applications should be attached)
- 10. Period for which extension if applied for
- 11. Hindrances on account of which extension is applied for with dates on which hindrances occurred and the periodfor which these are likely to last (for causes under clause 5.2/ and 5.3).

Submitted to the Authority indicated in Schedule F With copy to the Engineer-in-charge and Sub Divisional Officer

Signature of Contractor
Dated

APPENDIX - XVII Notice for appointment of Arbitrator [Refer Clause 25]

10	The Chief Engineer/ADG/SDG
	(Zone or Region)
Dear S	Sir,
	n terms of clause 25 of the agreement, particulars of which are given below, I/we hereby give notice to you toappoint an ator for settlement of disputes mentioned below:
1	
2	
3	
4	
5	
6	
7	
8	. Date of initiation of work
9	. Stipulated date of completion of work
1	O. Actual date of completion of work (if completed)
	1. Total number of claims made
	2. Total amount claimed
	3. Date of intimation of final bill (if work is completed)
	4. Date of payment of final bill (if work is completed)
	5. Amount of final bill (if work is completed)
	6. Date of appeal to you
1	7. Date of receipt of your decision.
	Specimen signatures of the applicant (only the person/authority who signed the contract should sign)
L	We certify that the information given above is true to the best of my/our knowledge. I/We enclose following
docur	nents.
1	. We have exhausted provision of DRC as per clause 25 of this agreement.
2	
4	
5	
	Yours faithfully,
	(Signatures)
C	opy in duplicate to:
1	
	Division.

Form of Earnest Money Deposit Bank Guarantee Bond

WHE	REAS,	, contractor		(Name of co	ntractor) (her	reinafter	called "	the cor	tractor") has su	bmitted 1	his tender	
				ction of									
				these present									ng our
				me and division									. 11
				(Rs. in									
				gineer-in-Cha e said Bank thi									
		ation are:	non scar or m	c said Dank tin	o	day or	•••••	20	••••••	•••••	11	IIL COND	1110115
	·		1 .0		1 11 .		1		1 6 1	11. 11.	C . 1	/: 1 1:	
(1)				ontractor with the Form of T		ender du	iring th	e perio	d of val	lidity of	tender	(including	extended
(2)	If the	contractor l	having been r	otified of the	acceptance o	of his tend	der by t	he Eng	ineer-in	-Charge	: :		
	(a)	fails or re	fuses to exec	ute the Form	of Agreemer	nt in acco	ordance	e with	the Insti	ructions	s to conti	ractor, ifre	quired;
					(OR							
	(b)		fuses to furni ns to contract	sh the Perforr or,	nance Guara	antee, in	accord	ance w	rith the j	provisio	ons of te	nder docui	ment and
demai note t	nd, wit hat the	hout the Eng	gineer-in-Char aimed by his	er-in-Charge e ge having to so is due to him	ubstantiates h	his demar	nd, prov	ided th	at in his	deman	d theEngi	ineer-in-Cl	narge will
as suc	ch deac	dline is state	ed in the Instr	p to and incluductions to conived. Any dem	tractor or as	s it may b	be exte	nded by	y the En	igineer-	in- Char	ge, notice	of which
DATI	Е									SIGNA	ATURE (OF THE B.	ANK
WITN	NESS									SEAL			
(SIGN	NATUI	RE, NAMEA	AND ADDRE	SS)									
*Doto	to ha	rrical cut	on the besis	of realidites mani	ad of 6 man	the faces	loot do	to of mo	agint of	tandan			

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender

Form of Performance Security (Guarantee)Bank Guarantee Bond-Format - I

	consideration of the President of India (hereinafter called "The Government") having offered to accept the terms and			
	tions of the proposed agreement betweenand			
	inafter d "the said Contractor(s)") for the work(hereinafter called "the			
said	the said Contractor(s)) for the work(neremarker called the			
	ement") having agreed to production of an irrevocable Bank Guarantee for Rs			
Rupe				
	only) as a security/guarantee from the contractor(s) for compliance of his ations in accordance with the terms and conditions in the said agreement.			
1.	We,			
١.	an amount not exceeding Rs			
	Government.			
2.	We,(indicate the name of the Bank) do hereby undertake to pay the amounts due			
	and payable under this guarantee without any demure, merely on a demand from the Government stating that			
	the amountclaimed as required to meet the recoveries due or likely to be due from the said contractor(s).			
	Anysuch demand made on the bank shall be conclusive as regards the amount due and payable by the bank under			
	this Guarantee. However, our liabilityunder this guarantee shall be restricted to an amount not exceeding Rs.			
	(Rupees only)			
3.	We, the said bank further undertake to pay the Government any money so demanded notwithstanding any			
	dispute or disputes raised by the contractor(s) in any suit or proceeding pending before any court or			
	Tribunalrelating thereto, our liability under this present being absolute and unequivocal. The payment so			
	made by us under this bond shall be a validdischarge of our liability for payment thereunder and the			
	Contractor(s) shall have no claim against us for making such payment.			
4.	We,(indicate the name of the Bank) further agree that the guarantee herein contained			
	shall remain in full force and effect during the period that would be taken for the performance of the said			
	agreement and that it shall continue to be enforceable till all the dues of the Government under or by virtue of the			
	said agreement have been fully paid and its claims satisfied or discharged or till Engineer-in- Charge on behalf of			
	the Government certified that the terms and conditions of the said agreement have been fully and			
_	properlycarried out by the said Contractor(s) and accordingly discharges this guarantee.			
5.	We,			
	Government shall have the fullest liberty without our consent and without affecting in any manner our			
	obligationhereunder to vary any of the terms and conditions of the said agreement or to extend time of performance			
	by the said Contractor(s) from time to time or to postpone for any time or from time to time any of the powers			
	exercisable by the Government against the said contractor(s) and to forbear or enforce any of the terms and			
	conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Contractor(s) orfor any forbearance, act of omission on the			
	part of the Government or any indulgence by the Government to the said Contractor(s) or by any such matter			
	or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so			
	relieving us.			
6.	This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s).			
7.	We,			
• •	except with the previous consent of the Government in writing.			
8.	This guarantee shall be valid up tounless extended on demand by the Government.			
	Notwithstanding anything mentioned above, our liability against this guarantee is restricted toRs.			
	six			
	months of the date of expiry or the extended date of expiry of this guarantee all our liabilities under			
	this guarantees hall stand discharged. Dated theday of			

	for(
indicate		
	the name of the Bank)	

Form of Performance Security (Guarantee) Bank GuaranteeBond- Format -II

cond (her	onsideration of the President of India (hereinafter called "The Government") having offered to accept the terms and litions of the proposed agreement between
said	
Rup	only) as a security/guarantee from the contractor(s) for compliance of his
	gations in accordance with the terms and conditions in the said agreement.
1.	We,(hereinafterreferred to as "the Bank") herebyundertake to pay to the Government
	an amount not exceeding Rs
2.	We,
3.	We, the said bank further undertake to pay the Government any money so demanded notwithstanding any dispute or disputes raised by the contractor(s) in any suit or proceeding pending before any court or Tribunalrelating thereto, our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be a validdischarge of our liability for payment thereunder and the Contractor(s) shall have no claim against us for making such payment.
4.	We,
5.	We,
6.	This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s).
7.	We,
0	except with the previous consent of the Government in writing.
8.	This guarantee shall be valid up tounless extended on demand by the Government. Notwithstanding anything mentioned above, our liability against this guarantee is restricted

toRs.
(Rupees)
निविदा TENDER
I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.
I/We hereby tender for the execution of the work specified within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.
We agree to keep the tender open for Ninety (90) days from the due date of opening of financial bid and not to make any modification in its terms and conditions.
I/We undertake and confirm that eligible similar work(s) has / have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of AIIMS Rishikesh, then I/We shall be debarred for tendering in AIIMS Rishikesh in future forever. Also, if such a violation comes to the notice of Department before date of start of work, The Engineer – in – Charge shall be free to forfeit the entire amount of Earnest Money Deposit / Performance Guarantee.
मं/हम एततद्वारा घोणा करत है कि मं/हम निवेदा कागजातं नव्यं और कार्य से स्नांधित अन्य अभिलेखं का गुप्त/गोपनीय कागजात क रूज मं रखें और उनसे प्राप्त/ली गई जानकारी किसी अन्य को जिहें मं/हम स्नाचित करने के लिए प्रधिकत हो से भिन किसी कोनहांबताएगे य जानकारी का किसी ऐस रूप मं प्रयोग नहीं करगे जो राज्य की सुखा के लिए पतिकूल हो।
I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived therefrom to any person other than a person to whom I/We am/are authorised to communicate the same or use the information in any manner prejudicial to the safety of the State.
तारीख Dated # ठेकेदार के हस्ताक्षर Signature of Contractor# डाक का पता Postal Address#
साक्षे Witness : #

Page **99** of **130**

उपजीविका Occupation: #

To be filled in by the contractor/witness as applicable

ACCEPTANCE

The above tender (as modified vide letters mentioned he Executive Director, AIIMS Rishikesh for a sum of ₹	•
(Rupees)
The letters referred to below shall form part of this contra	ract Agreement: -
a)	
b)	
c)	
For &	on behalf of The Executive Director, AIIMS Rishikesh
	Signature
तारीख Dated	Designation

अनुसूचियां <u>SCHEDULES</u> LFOR MAJOR (CIVIL) COMPONENT1

अनुसूची 'क' SCHEDULE 'A'

मात्राओं की अनुसूची (संलग्न)

Schedule of quantities (Enclosed)

Page No. - 129 to 130

अनुसूची ख SCHEDULE 'B'

वेकेंद्रार की निर्गत की जान वाली सामग्रियां की अनसूची Schedule of materials to be issued to the contractor.

क्रम. सं. S.No.	मद विवरण Description of item	मात्रा Quantity	जिस्त दर पर सामगिया वैकार की प्रारित होगी वह दर अंग एवं षद्धं म Rates in figures & words at which the material will be charged to the contract	निर्गत स्थान Place of Issue or
1	2	3	4	5

अन्सूची 'ग' SCHEDULE 'C'

वेकवार का गड पर दिए जाने वाल औजार एवं स्नयंत्र

Tools and plants to be hired to the contractor

क्रम रन	विवरण	भाड़ा प्रभार प्रतिदिन	निर्गत स्थान
Sl. No.	Description	Hire charges per day	Place of Issue
1	2	3	4
		W.	
		Page 101 of 130	

अनुसूची ष्घ' SCHEDULE 'D'

कार्य के लिए विषेष अपेक्षाएं / दस्तावेज, यदि कोई हों, की अतिरिक्त अनुसूची

Extra schedule for specific requirements/documents for the work, if any. ----Nil-----

अनुसूची (ड) SCHEDULE 'E'

General conditions of contract for CPWD वेक की रनामान्य पता का रनंब

works 2020 (maintenance work)

Executive Engineer, AIIMS Rishikesh

1. Reference to General Conditions of contract as amended upto date.

Name of work **Supplying, Installation, Testing & Commissioning of Programable Outdoor LED Display Screen at AIIMS Rishikesh**

कार्य की अनुमानित लागत Estimated cost of work **:₹8,05,165.00** (i) धरोहर राषि Earnest money : ₹16.103.00

(ii)निष्पादन गारंटी Performance guarantee : 3% of Tendered value. निविदित मृत्य का 03

प्रतिषत

(iii) प्रतिभृति निक्षेपः Security Deposit: 2.5% of tendered value

अनुसूची 'च' SCHEDULE 'F'

सामान्य नियम एवं दिषानिर्देषः

General Rules & Directions:

निविदा आमंत्रण करने वाला प्राधिकारी वीपेबमत पदअपजपदह जमदकमत .

कार्य की मर्दो की मात्रा के लिए अधिकतम प्रतिषत जिससे अधिक

निष्पादित मदों के लिए दरों का निर्धारण खण्ड 12.2 और 12.3 के निम्नानुसार अनुसार होगा

Maximum percentage for quantity of items of work to be executed beyond which rates are to

be determined in accordance with Clauses see below

12.2 & 12.3.

Definitions:

भारसाधक इंजीनियर 2(v)

> Engineer-in-Charge **Executive Engineer, AIIMS Rishikesh**

2(viii) स्वीकार कर्ता प्राधिकारी

Accepting Authority **Superintending Engineer, AIIMS Rishikesh**

अतिरिक्त और लाभों को पूरा करने के 2(x)

लिए श्रम एवं सामग्रियों की लागत पर प्रतिषतता

Percentage on cost of materials and

labour to cover all overheads and profits. 15% (Fifteen per cent)

2(xi) दरों की मानक अनुसूची

> Standard schedule of Rates for Civil: -Delhi Schedule of rate 2021(Civil)& E&M

> > (2022)/Market

Rate issued upto date of receipt of tender. विभाग 2(xii) Department **AIIMS Rishikesh** मानक के.लो.नि.वि. टेका फार्म CPWD form7 GCC 2020Maintenance work 9(ii) Standard CPWD contract Form with up to date correction slip. खण्ड Clause 1 स्वीकृति पत्र जारी होने की तारीख से निष्पादन गारंटी के प्रस्तुतीकरण के लिए अनुमत समय Time allowed for submission of performance guarantee from the date of issue of letter of acceptance : 15 days (ii) (उपर्युक्त प) में दी गई अवधि के पष्चात अधिकतम अनुमेय एक्सटेंषन Maximum allowable extension with late fee @ 0.10% per day of performance guarantee amount beyond the period as provided in (i) above : 1 to 07 days खण्ड Clause 2 खण्ड 2 के तहत प्रतिकार निष्चित करने वाला प्राधिकारी **Superintending Engineer, AIIMS** Authority for fixing Rishikesh compensation under clause 2 खण्ड Clause 2A क्या खण्ड २ क लागू होगा Whether clause 2A shall be applicable No खण्ड Clause 5 कार्य आरंभ की तारीख की गणना के लिए स्वीकृति पत्र के जारी होने की तारीख से दिनों की संख्या No. of days from the date of issue of letter of acceptance for reckoning date of start 15 days. नीचे दी गई सारणी के अनुसार लक्ष्य Milestone(s): -NA कार्य निष्पादित करने के लिए अनुमत्य समय Time allowed for execution of work 45 Days Authority to decide (i) Extension of Time EE, AIIMS Rishikesh (ii) Rescheduling of mile stones Superintending Engineer, AIIMS Rishikesh. (iii) Shifting of date of start in case of Executive Engineer, AIIMS Rishikesh delay in handing over of site खण्ड Clause 7

अंतरिम भूगतान के लिए पात्र होने के लिए अंतिम ऐसे

भुगतान के बाद कुल भुगतान एकत्रित सामग्रियों के अग्रिमों के समायोजन सहित किया जाने वाला कुल कार्य Gross work

to be done together with net

payment/adjustment of advances for

Rs.5.0 Lakhs

material collected, if any since the last

such payment for being eligible to interim payment

खण्ड 10 d Clause10A

कार्यस्थल प्रयोगषाला में ठेकेदार द्वारा उपलब्ध कराये जाने परीक्षण उपकरण की सूची

> List of testing equipment to be provided by the N.A. contractor at site lab.

खण्ड Clause10B(ii)

क्या खण्ड 10 ख ;पपद्ध लागू होगा

Whether clause 10B (ii) shall be applicable

NA

खण्ड Clause10C

Component of labour expressed as NA

Percent of value of work

[k.M Clause 10CC - NOT APPLICABLE.

खण्ड 10 गग उन स्नीवेदाआ पर लागू होगा जिसम काय समापन की अविभि अगल कालम में वर्षाई गई अविधि से अधिक अनुबंधित ह। Clause 10CC to be applicable i DELETE with sipulated period of compensation

खण्ड Clause10d Yes

exceeding the period shown in next column

खण्ड Clause 11

कार्य निष्पादन क लिए अनुपालन

For Civil: CPWD specification 2019,

:....Months

Volume-I & II

Specifications to be followed for execution of work

with correction slips upto date of receipt of tender.

खण्ड Clause 12

Applicable 12.2 & 12.3

विचलन सीमा जिन्नक पर खण्ड 122 तथा 123 मवन निमाण

कार्य क लिए लाग हागे

Deviation limit beyond which clauses 12.2 & 12.3 50% shall apply for building work (Other than foundation)

12.5 (i) Deviation limit beyond which clauses 12.2 & 12.3

shall apply for foundation work (except earth work) 50%

(ii) Deviation limit for items in earth work subhead of

DSR or related items 100%

Page **104** of **130**

खण्ड Clause 16 धरी हुई दर निश्चरित करन की लिए सक्षम पाधिकारी Superintending Engineer, AIIMS Rishikesh Competent Authority for deciding reduced rates . [k.M Clause 18 कार्यस्थल पर ठेकेदार द्वारा लगाय जान वाली अनिवायमधीनरे आजार एव स्थायं को स्नृषी — List of mandatory machines, tools and plants to be deployed by the contractor at site.					
खण्ड C	Clause 25 Constitution of dispute redressed committe	e (DRC) Deleted			
ব্ৰুদ্ধ Clause 32		NA Deleted			
खण्ड C I) क)	lause 38 सीमेन्ट आर बिटुमन की अनुमानमूल मात्रा निधारित करन के लिए <u>अनुसूची/विवरण</u>	केलोनिवि द्वारा गुद्रित दिल्ली दर अनुसूर्ग 2018 क आधर पर			
I) (a)	Schedule/statement for determining theoretical quantity of cement &	on the basis of Delhi Schedule of R 2021 printed by C.P.W.D. wit			
correc	ctionslips bitumen	issued up to date of receipt of tende	r.		
II)	अनुमानमूलक मात्राओं में अनुमत्य विचलन Variations permissible on theoretical quantities.	Yes			
II)	अनुमानमूलक मात्राआ मे अनुमत्य विचलन Variations permissible on theoretical quantities.	Yes			
d½	सीमेट जिन कायां क लिए निविदा मं अनुमानित मूल्य स्त. 5 लाख स्न अधिक न हा				
a)	Cement for works with estimated cost put to tender not more than Rs. 5 lakhs	Not Applicable			
	जिन कार्या के लिए निविदामं अनुमानित मूल्य रूठ. 5 लाख रन अधिक हा	2 पतिषत जमा⁄घटा			
	for works with estimated cost put to tender more than Rs. 5 lakhs	2 % plus/minus.			
ख	बिटुमन रनाम कायां क लिए	2-5 पतिषत केवल जामा आर घटा के पक्ष में क्	य		

Page **105** of **130**

Bitumen for all works

इस्पात पत्येक व्यास, कोर आर श्रेणी क लिए

पुर्वलन आर स्नांचनात्मक इस्पात काट

b)

ग)

2.5% plus only & Nil on minus side.

2 पतिषत जमा/घटा

c) Steel Reinforcement and structural steel sections for each diameter, section and category.

2% plus/minus

घ सभी अन्य स्नामियां

d) All other materials

ष्य Nil.

अनुमत्य विचलन स्नं अधिक की मात्राओं कं लिए वसूली दर

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

क्रम सं. SI No.	मद विवरण Description of item	अंग आर ष्दा में वह दर जिस्त पर ठेबेदार स्त वसूली की जाएगी Rates in figures and words at which recovery shall be made from the Contractor	
		अनुमत्य विचलन হন अधिक अधिक्य beyond permissible variatio	अमुत्य विचलन रन अधिक उपयोग घराया Excess Less use beyond n the permissible variation
1. 2.	सीमेट Cement इस्पात Steel Reinforcement	N.A. N.A.	Rs. 6210/- Per MT Rs. 53099/- Per M.T.

FORM OF EARNEST MONEY (BANK GUARANTEE)

WHEREAS, contractor(Name of contractor) (Hereinafter called "the contractor") has submitted his tender dated (date) for the construction of (name of work) (hereinafter called "the Tender")				
KNOW ALL PEOPLE by these presents that we				
SEALED with the Common Seal of the said Bank thisday of				
THE CONDITIONS of this obligation are:(1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;				
 (2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge: (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required; OR (b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor, OR (c) fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor, OR (d) fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract. 				
We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by him is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.				
This Guarantee will remain in force up to and including the date. * after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.				
DATE SIGNATURE OF THE BANK				
WITNESS SEAL				
(SIGNATURE, NAME AND ADDRESS)				

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

PARTICULAR SPECIFICATIONS

&

SPECIAL CONDITIONS

1. GENERAL

- 1.1 Wherever any reference to any Indian Standard Specifications of BIS occurs in the documents relating to this contract, the same shall be inclusive of all amendments issued there-to or revisions thereof, if any, up to the date of receipt of tenders.
- 1.2 The contractor shall work according to the programme of work as approved by the Engineer-in-charge, for which purpose, the contractor shall submit a programme of the work within 15 days from the stipulated date of start of the work.
- 1.3 The contractor shall take instructions from the Engineer-in-charge for stacking of materials at site. No excavated earth or building materials shall be stacked on areas where the buildings, roads, services or compound walls are to be constructed.
- 1.5 Unless otherwise provided in the Schedule of quantities, the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing shall be payable to him on this account.
- The working drawings appearing at para 8.1(iii) of conditions of contract in the form CPWD-8, shall mean to include both architectural and structural drawings respectively. The structural and architectural drawings shall be properly correlated before executing the work. In case of any difference noticed between architectural and structural drawings, final decision, in writing of the Engineer-incharge shall be obtained by the contractor before proceeding further.
- 1.7 Some restrictions may be imposed by the security staff etc. on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restriction / instructions including issue of identity cards to all persons authorized by him to do work / visit the work site and nothing shall be payable on this account.
- 1.8 The contractor shall make his own arrangements for obtaining electric connections, if required, and make necessary payments directly to the department concerned.
- 1.9 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor (s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose of the materials being used or removed, so as not to interfere with the operations of other contractors, or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of Engineer-in-Charge. The contractor shall be responsible for any damage due to hindrance caused by him.
- 1.10 All the material related to the work execution shall be approved by Engineer-In-charge.
- 1.11 Any cement slurry added over base surface for bond or for continuation of concreting, for protecting reinforcement bars, its cost shall be deemed to have been included in the respective items, unless specified otherwise and nothing extra shall be payable nor extra cement shall be considered in the cement consumption on this account.
- 1.12 Stacking of materials and excavated earth including its disposal shall be done as per the directions of the Engineer-in-Charge. Double handling of materials or excavated earth if required at any stage shall have to be done by the contractor at his own cost.
- 1.13 No claim for idle establishment & labour, machinery & equipments, tools & plants and the like, for any reason whatsoever, shall be admissible during the execution of work as well as after its completion.

- 1.14 Only Stainless Steel screws shall be used unless otherwise specified.
- 1.15 Work shall be carried out in professional manner with finished product serving the intended purpose with specified strength, durability and aesthetics.
- 1.16 Work activities shall be executed in well thought out sequences such that consequent activities not adversely affecting previously done work. Nothing extra shall be payable to protect the works already done
- 1.17 The contractor shall prepare all the needed shop drawings well in advance and get them approved before placing the order and execution of the item.
- 1.18 Contractor shall be able to claim bill only after issuing site clearance certificate from Junior Engineer & Assistant Engineer.
- 1.19 Contractor shall submit all material in store which is to be consumed according to specifications during execution of work. It will be further issued by concerned JE and AE according to daily requirement.
- 1.20 All materials to be used during work shall be got approved from engineer in charge.
- 1.21 All samples of material shall be got approved from engineer in charge before execution of work.
- 1.22 The contractor(s) shall inspect the site of work before tendering and acquaint himself with the site conditions and **no claim on this account** shall be entertained by the department.
- 1.23 The tender shall see the approaches to the site. In case any approach from main road is required at or existing approach is to be improved and maintained for cartage of materials by the contractor, the same shall be provided, improved and maintained by the contractor at his own cost.
- 1.24 Contractor shall take all precautionary measures to avoid any damage to adjoining property. **All necessary arrangement shall be made at his own cost.** Any damage caused by the contractor to the contractor to existing building/ installation / roads / boundary walls shall be made good by him (the contractor) at his own cost.
- 1.25 The contractor shall take all precautions to avoid accidents by exhibiting necessary caution board day and night, speed limit, red flags, red lights and proving barriers. He shall be responsible for all damages and accidents caused to existing / new work due to negligence on his part. No hindrances shall be caused to traffic, running of hospital services during the execution of the work.
- 1.26 Royalty at the prevailing rates whenever payable shall have to be paid by the contractor on the boulders, metal, shingle, sand and bajri etc. Or any other material collected by him for the work direct to revenue authorities and the department shall pay nothing extra for the same.
- 1.27 The contractor shall provide at his own cost suitable weighing, surveying and levelling and measuring arrangements as may be necessary at site for checking. All such equipment shall be got calibrated in advance from laboratory, approved by the Engineer-In-Charge. Nothing extra shall be payable on this account.
- 1.28 Contractor shall provide permanent bench mark, flags tops and other reference points for the proper execution of work and these shall be preserved till the end of work. All such reference points shall be in relation to the level and location, given in the Architectural and plumbing drawings.
- 1.29 Water tanks, taps, sanitary, water supply and drainage pipes, civil fittings and accessories should confirm to byelaws and municipal body / corporation where CPWD specifications are not available. The contractor should engage licensed plumbers for the work and get the materials (fixture /fittings) tested by municipal Body / Corporation authorities wherever required at his own cost.
- 1.30 The contractor shall give performance test of the entire installations as per the standing specifications before the work is finally accepted and completion certificate is recorded by the Engineer- In -Charge.

 Nothing extra whatsoever shall be payable to the contractor for the test.
- 1.31 Any cement slurry added over base surface for the continuation of concreting for better bond is deemed to have been included in the items and nothing extra shall be payable on this account, also the cement consumed on this account shall not be considered in theoretical consumption.
 - For RCC work, only factory made round type cover block shall be used.

- 1.32 The contractor shall bear all incidental charges for cartage, storage and safe custody of materials bought to site.
- 1.33 The work shall be carried out in accordance with the Architectural drawings and structural drawings, to be issued from time to time, by the Engineer-In-Charge. Before commencement of any item of work, the contractor shall correlate all the relevant architectural and structural drawings issued for the and satisfy himself that the information available there from is complete and unambiguous.

The discrepancy, if any, shall be brought to the notice of the Engineer-In-Charge before execution of the work. The contractor alone shall be responsible for any loss or damage occurring by the commencement of the work on the basis of any erroneous and or incomplete information.

- 1.34 Other agencies will also simultaneously execute and install the works of internal electrical installations, sub- station / generating sets, air- conditioning, lifts, etc. for the work and the contractor shall afford necessary facilities for the same. The contractor shall leave such recesses, holes, openings trenches etc. as may be required for such related works (for which inserts, sleeves, brackets, conduits, base plates, clamps etc. Shall be supplied free of cost by the department unless otherwise specifically mentioned) and the contractor shall fix the same at the time of casting of concrete, stone work and brickwork, if required, and nothing extra shall be payable on this account.
- 1.35 All materials obtained from Govt. stores or otherwise shall be got checked by the Engineer-In-Charge or his any authorized supervisory staff on receipt of the same at site before use.
- 1.36 All material shall only be brought at site as per programme finalized with the Engineer-In-Charge. Any pre-delivery of the material not required for immediate consumption shall not be accepted and thus not paid for.
- 1.37 The architectural drawings given in the tender other than those indicated in nomenclature of the items are only indicative of the nature of the work and materials / fixtures involved unless otherwise specifically mentioned. However, the work shall be executed in accordance with the drawings duty approved by the Engineer-In –Charge. Architectural drawings are available in the office of Engineer-In-Charge and can be seen.
- 1.38 Normally contractors shall not be allowed to work at night. Work at night shall, however, be allowed if the site conditions / circumstances at night, no claim on this account shall be entertained. In such situations the contractor shall make available to the department proper means of transport such as vehicle at his own cost.
- 1.39 Existing drains, cables, pipes, over-head wires, sewer lines and similar services encountered in the course of execution of work shall be protected against the damage by the contractor's own expense. The contractor shall not store materials or otherwise occupy any part of the site in a manned likely to hinder the operation of such services. In no case such services should be stopped to the existing buildings.
- 1.40 The contractor shall be responsible for the watch and ward/ guard of the buildings, safety of all fitting and fixtures provided by him against pilferage and breakage during the period of installations and thereafter till the building is physically handed over to the department. No extra payment shall be made on this account.
- 1.41 The day to day receipt and issue accounts of different / brands of cement shall be maintained separately in the standard Performa by the Jr. Engineer of work and which shall be duly signed by the contractor or his authorized representative.
- 1.42 The contractor shall be fully responsible for the safe custody of materials brought by him issued to even though the materials are under double lock key system.
- 1.43 The contractor shall procure the required materials in advance so that there is sufficient time for testing of the materials and clearance of the same before use in the work. Any predelivery of the materials not required for immediate consumption shall not be resorted to. The contractor shall provide at his own cost suitable weighing and measuring arrangements at site for checking the weight / dimensions as may be necessary for execution of work.

- 1.44 No payment shall be made to the contractor for any damage caused by rain, floods, earthquake or any other natural causes whatsoever during execution of work. The contractor at his own cost will make the damages to the work good and no claim on this account shall be entertained.
- 1.45 For construction works which are likely to generate malba / rubbish to the tune of more than a truck load, contractor shall dispose of malba, rubbish & other unserviceable materials and wastes at his own cost to the notified specified dumping ground and under no circumstances these shall be stacked / dumped even temporarily, outside the construction premises.
- 1.46 Any damage done by the contractor to any existing work or work being executed by other agencies shall be made good by him at his own cost.
- 1.47 On the account of security consideration, there would be some restrictions, on the working hours, movement of vehicle for transportation of material and location of labour camp. The contractor shall be bound to follow all such restrictions and adjust the programme for execution of work.
- 1.48 The contractor shall also be required to follow the rules & restrictions imposed on working / movement/ stacking of materials by the local competent authority at all times. Nothing extra shall be payable on this account.
- 1.49 In case, there is any discrepancy between English version and corresponding Hindi version, if provided, then the provisions in English version will prevail.
- 1.50 The contractor will have to work as per schedule given by the Engineer-In-Charge.
- 1.51 The contractor shall remove all splashes from doors, windows and floors etc. if the contractor fails to remove the same 10% of gross value of the bills would be kept in deposit from each bill simultaneously.
- 1.52 The contractor submits the authenticated copies of itemized bills of the material which has to be entered in the M.A.S. Register viz steel, Cement, Bitumen, Paint water proofing material or any other item suggested by the technical sanction authority before settling payment.
- 1.53 The contractor shall pump the concrete wherever necessary to expedite the progress of work. Nothing extra shall be paid on this account.
- 1.54 Sample of building material, fitting and other articles required for execution of work shall be got approved from the Engineer-In-Charge before use in the work. The quantity of samples brought by the contractor shall be judge by standards laid down in the relevant BIS specification.
- approved by the Engineer-In-Charge which shall be preserve till the completion of work. If a particular brand of material is specified in the item of work in schedule of quantity, the same shall be used after getting the same approved from Engineer-In-Charge. Wherever brand/quality of material is not specified in the items of work, the contractor shall submit the samples as per suggestive list of brand name given in the tender document /particular specifications for approval of Engineer-In-Charge. For all other items, materials and fitting carrying BIS mark shall be used with approval of Engineer-In-Charge. Wherever BIS marked material / fittings are not available, the contractor shall submit samples of material/fittings manufactured by firm of repute conforming to relevant specification or IS codes and use the same only after getting the approval of Engineer-In-Charge. To avoid delay, contractor should submit samples as stated above well in advance so as to give timely order for procurement. If any material, even though approved by Engineer-In-Charge is found defective or not conforming to specifications shall be replaced/removed by the contractor at his own risk and cost.
- 1.56 The contractor shall ensure quality construction in a planned and time in bound manner. Any substandard material/work beyond set-out tolerance limit shall be summarily rejected by the Engineer-In-Charge& contractor shall be bound to replace/ remove such sub-standard/defective work immediately.
- 1.57 BIS marked items (except cement and steel) required on the work shall be got tested. Only important tests shall be carried out. The frequency of such tests shall be 25% of the frequency specified in the CPWD specifications 2009 Vol. I to II with up to date correction slips. for certain items, if the frequency of test is not mentioned in CPWD specifications then relevant IS code shall be followed and tests shall be carried out @25% of frequency specified therein.

- 1.58 BIS marked materials except otherwise specified shall be subjected to quality test besides testing of other materials as per the specifications described for the item/material. Wherever BIS marked materials are brought to the site of work, the contractor shall furnish manufacturer's test certificate or test certificate from approved testing laboratory to establish that the material produced by the contractor for incorporation in the work satisfies the provisions of BIS codes relevant to the material and /or the work done.
- 1.59 Sample for testing –The contractor shall provide samples of materials required for testing free of charge. The cost of test shall be borne by the contractor / department in the manner indicate below: -
 - (a) By the contractor, if the results show that the material does not conform to relevant specifications.
 - (b)By the department, if the result show that the material conforms to relevant specifications. All other expenditure required to be incurred for talking samples, conveyance, packing etc. shall be borne by the contractor himself.
- 1.60 However, if any load testing or special testing is to be done for concrete whose strength is doubtful, the cost of the same shall be borne by the contractor.
- 1.61 All necessary tests as per the NIT/CPWD specifications/ relevant BIS codes shall be carried out on all the materials whether ISI marked or otherwise. Wherever NIT/CPWD specifications/relevant BIS Codes do not specify the frequency of tests, the same shall be carried out as per the directions of the engineer –in-charge. Nothing extra whatsoever shall be payable on this account.
- 1.62 The contractor shall ensure quality control measures on different aspects of construction methodologies to be adopted.
- 1.63 Lists of approved makes and brand of materials for civil works and sanitary works are annexed hereto. Makes and brands of materials specified therein shall only be used on the work. The contractor shall submit brand/ make of various materials to be used for the approval of Engineer-In-Charge along with samples.
- 1.64 All material shall be brought as per programme finalized with the Engineer-In-Charge. Any pre delivery of the material, not required for immediate consumption shall not be accepted and thus not paid for.
- 1.65 Samples including brand/quality of materials and fitting to be used in the work shall be got approved from the Engineer-In-Charge, well in advance of actual execution and shall be preserved till the completion of the work.
- 1.66 The rates for all items of work shall, unless clearly specified otherwise, include cost of all labor, material, tools, and plants and other inputs involved in the execution of the items and nothing extra shall be payable on this account.
- 1.67 The contractor shall quote all-inclusive rates against the items in the schedule of quantities and **nothing** extra shall be payable for any of the conditions and specifications mentioned in the tender document unless specially specified otherwise.
- 1.68 Unless otherwise specified in the schedule of quantities, the rates for all items, shall be considered as inclusive of pumping / bailing out water wherever necessary for which **no extra payment shall be made.**
- 1.69 The rate for all items, in which the use of cement is involved is inclusive of charges for curing.
- 1.70 The foundation trenches shall be kept free from water work below ground level are in progress.
- 1.71 The contractor shall indemnify the Govt. against any claims or obligation rising out of any damage to adjacent property, structure or to building work done by him.
- 1.72 In case service are encountered during excavation /earth work and such services are required to be shifted, the contractor is bound to carry out the shifting operation as per guidance/ instructions and with the approval of the Engineer-In-Charge. However, necessary payments shall be made in this regard as per provision of the agreement.
- 1.73 Many other agencies would be executing work simultaneously at site. The contractor shall maintain proper co-ordination with other agencies in maintaining progress of work. In case of any dispute, the decision of the Engineer-In-Charge shall be final and binding.

- 1.74 LABOUR CESS @ 1% OF THE GROSS VALUE OF THE WORK DONE WIL BE DEDUCTED FROM EACH RUNNING & FINAL BIL AS PER GOVT. NOTIFICATION.
- 1.75 RECOVERY FOR WATER @ 1% OF THE GROSS VALUE OF WORK DONE SHALL BE MADE FROM THE BILL.
- 1.76 THE CONTRACTOR COMPLIES WITH THE INSTRUCTIOB CONTAINED TO DPCC OREDER FOLLOWS:-
 - (a) The dismantle material /building rubbish received from dismantling/demolishing shall be dumped to the dumping ground in properly covered truck with precaution.
- 1.77 The agency has to deposit 50% of paint material before the start of work at site calculated as per theoretical consumption calculated.

2.0 CONDITION FOR CEMENT: -

2.1 The Contractor shall procure 43 grade Ordinary Portland cement (conforming to IS: 8112) or Portland slag cement (conforming to IS: 455) or Portland Pozzolana Cement (PPC) (Fly ash based) – conforming to IS: 1489 (Part-I) as required in the work, from reputed manufactures of cement such as ACC, Ultratech, Vikram, Shree Cement, Ambuja, Jaypee Cement, Century Cement & J.K. Cement or from any other reputed cement Manufacturer having a production capacity not less than one million tons per annum.

The tenderers may also submit a list of names of cement manufacturers which they propose to use in the work. The tender accepting authority reserves right to accept or reject name(s) of cement manufacture(s) which the contractor proposes to use in the work. No change in the tendered rates will be accepted if the tender accepting authority does not accept the list of cement manufactures, given by the tenderer, fully or partially.

Supply of cement shall be taken in 50 Kg bags bearing manufacture's name, batch No. & ISI marking. Samples of cement arranged by the contractor shall be taken by the Engineer-in-charge and got issue in accordance with provisions of relevant BIS codes. In case test results indicate that the cement arranged by the Contractor does not conform to the relevant BIS codes, the same shall stand rejected and shall be removed from the site by the Contractor at his own cost within a week's time of written order from the Engineer-in-charge to do so.

If Portland Pozzolana cement or Portland slag cement is used, suitable modification in deshuttering time etc. shall be done if need be as per specifications and standards and as directed by Engineer - in - charge and nothing extra shall be payable on this account.

No extra payment / deduction shall be made from the payment to the contractor for using any of the above type of cement.

- 2.2 The cement shall be brought at site in bulk supply of approximately 50 tonnes or as decided by the Engineer in charge.
- 2.3 For each grade / type, cement bags shall be stored in two separate godowns, one for tested cement and the other for fresh cement (under testing) constructed by the contractor at site of work as per sketch shown in General conditions of contract for CPWD works 2020 with weather proof roofs and walls, for which no extra payment shall be made. The size of the cement godown is indicated in the sketch for guidance only. The actual size of godown shall be as per site requirements and as per the direction of the Engineer in charge and nothing extra shall be paid for the same. The decision of the Engineer-in-charge regarding the capacity required/needed will be final. However, the capacity of each godown shall not be less than 100 tonnes. Each godown shall be provided with a single door with two locks. Thekeys of one lock shall remain with CPWD Engineer-in-charge or his authorized representative and thatof other lock with the contractor at the site of work so that the cement is issued from godown accordingto the daily requirement with the knowledge of both the parties. The account of daily receipt and issue of cement shall be maintained in a register in the prescribed Proforma and signed daily by the contractoror his authorized agent in token of its correctness.

- 2.4 The cement shall be got tested by Engineer –in –charge and shall be used on the work only after satisfactory test results have been received. The contractor shall supply free of charge the cement required for testing including its transportation cost to testing laboratories. The cost of tests shall be borne by the contractor / Department in the manner indicated below: -
 - (a) By the contractor, if the results show that the cement does not conform to relevant BIS codes.
 - (b) By the Department, if the results show that the cement conforms to relevant BIS codes.
- 2.4.1 All other charges of sampling, packing and transportation of sample shall also be borne by the contractors.
- 2.5 The actual issue and consumption of cement on work shall be regulated and proper accounts maintained separately for each type of cement, as provided in clause 10 of the contract. The theoretical consumption of cement shall be worked out as per procedure prescribed in Clause 42 of the contract and shall be governed by conditions laid therein. However, for consumption lesser beyond permissible theoretical variation recovery shall be made in accordance with conditions of contract at Schedule A to F (CPWD-7), without prejudice to action for acceptance of work/item at reduced rate or rejection as the case may be. In case of excess consumption, no adjustment shall be made.
 - (i) Cement brought to site and cement remaining unused after completion of work shall not be removed from site without return permission of the Engineer-in-charge.
 - (ii) Damaged cement shall be removed from the site immediately by the contractor on receipt of notice in written. In case if he does not do within three days or receipt of same notice, the Engineer-in-charge shall get removed at the site of the contractor.
- 2.6 Cement brought to site and cement remaining unused after completion of work shall not be removed from site without written permission of the Engineer-in-charge.

3.0 CONDITIONS FOR REINFORCEMENT STEEL: -

- 3.1 The contractor shall procure TMT bars of Fe 415 / Fe 415D / Fe 500/ Fe 500D / Fe 550 / Fe 550D grade from primary producers such as SAIL, Tata Steel Ltd., RINL, Jindal Steel & Power Ltd. and JSW Steel Ltd. or any other producer as approved by CPWD who are using iron ore as the basic raw material / input and having crude steel capacity of 2.0 Million tonnes per annum and above.
 - In case of non-availability of steel from primary producers, use of TMT reinforcement bars procured from secondary producers will be allowed subject to fulfillment of following conditions:
 - a. The grade of the steel such as Fe 415 / Fe 415D / Fe 500 / Fe 500D / Fe 550 / Fe 550D or other grade to be procured is to be specified as per BIS: 1786 2008.
 - b. The secondary producers must have valid BIS license to produce HSD bars conforming to IS 1786: 2008. In addition to BIS license, the secondary producer must have valid license from either of the firms Tempcore, Thermex, Evcon Turbo & Turbo Quench to produce TMT Bars.
 - c. The TMT bars procured from primary producers and ISPs shall conform to manufacture's specifications.
 - d. The TMT bars procured from secondary producers shall conforms to the specifications as laid down by Tempcore, Thermex, Evcon, Turbo and Turboquench as the case may be.
 - e. TMT bars procured either from primary producers or secondary producers, the specifications shall meet the provisions of IS 1786: 2008 pertaining to Fe 415 / Fe 415D / Fe 500 / Fe 500D / Fe 550 / Fe 550D or other grade of steel as specified in the tender.

3.2 Samples shall also be taken and got tested by the Engineer-in-Charge as per the provisions in this regard in relevant BIS codes. In case the test results indicate that the steel arranged by the contractor does not conform to the specifications as defined under para (c) & (d) above, the same shall stand rejected, and it shall be removed from the site of work by the contractor at his cost within a week

time or written orders from the Engineer-in-Charge to do so.

In case contractor is permitted to use TMT reinforcement bars procured from secondary producers then: (i) The base price of TMT reinforcement bars as stipulated under schedule 'F' shall be reduced by Rs. 6700/- MT. However, for operation of provisions of clause 10CA in such case, the indices for TMT reinforcement bars of secondary producers will be considered same as for primary producers.

- (ii) The rate of providing & laying TMT reinforcement bars as quoted by the contractor in the tender shall also be reduced by Rs. 8.00 per kg.
- 3.3 The steel reinforcement bars shall be brought at site in bulk supply of 25 tonnes or more as decided by the Engineer in charge.
- 3.4 The steel reinforcement bars shall be stored by the contractor at site of work in such a way as to prevent distortion and corrosion and nothing extra shall be paid on this account. Bars of different sizes and lengths shall be stored separately to facilitate easy counting and checking.
- 3.5 For checking nominal mass tensile strength bend test re-bend test etc. specimen of sufficient length shall be cut from each size of the bar at random at frequency not less than that specified below:

Dia of bar	For consignment below	For consignment above 100tones		
	100tones			
Under 10 mm One sample for each 25 tonnes or part thereof		One sample for each 40tonnes or part thereof		
10 mm to 16mm	One sample for each 35 tonnes or part thereof	One sample for each 45tonnes or part thereof		
Over 16mm	One sample for each 45 tonnes or part thereof	One sample for each 50tonnes or part thereof		

- 3.6 The contractor shall supply free of charge the steel required for testing including its transportation to testing laboratories. The cost of tests shall be borne by the contractor.
- 3.7 All other charges of sampling, packing and transportation of sample shall also be borne by the Contractor.
- 3.8 The actual issue and consumption of steel on work shall be regulated and proper accounts maintained as provided in clause 10 of the contract. The theoretical consumption of steel shall be worked out as per procedure prescribed in clause 42 of the contract and shall be governed by conditions laid therein. In case the consumption is less than theoretical consumption including permissible variations, recovery at the rate so prescribed shall be made. In case of excess consumption no adjustment need to be made.
- 3.9 Steel brought to site and remaining unused shall not be removed from site without the written permission of Engineer-in-Charge.
- 3.9(i) Reinforcement including authorized spacer bars and lap pages shall be measured in length for different diameters as actually (not more than as specified in the drawings) used in the work nearest to a centimeter. Wastage and unauthorized overlaps shall not be measured.

- (ii) The standard sectional weights referred to shall be as in Table 5.4 in para 5.3.4 in revised CPWD specifications 2009 Vol. I will be considered for conversion of length of various sizes of TMT bars in to standard weight.
- (iii) Record of actual sectional weights shall also be kept dia wise and lot wise. The average sectional weight for each diameter shall be arrived at from samples from each lot of steel received at site. The decision of the Engineer in charge shall be final for the procedure to be followed for determining the average sectional weight of each lot. Quantity of each diameter of steel received at site of work each day will constitute one single lot for the purpose. The weight of steel by conversion of length of various sizes of bars based on the actual weighted average sectional weight shall be termed as Derived Actual Weight.
 - (a) If the derived weight as in sub-para (iii) above is less than the standard weight as in sub-para (ii) above, then the Derived Actual Weight shall be taken for payment.
 - (b) If the derived actual weight is found more than the standard weight, than standard weight as worked out in sub para (ii) above shall be taken for payment. Nothing shall be paid extra for the difference in Derived/ Actual Weight and standard weight.

The contractor has to obtain vouchers and furnish test certificate to the Engineer-in-charge in respect of all the lots of Steel brought by him from approved suppliers at the site of work.

- 3.10 Every care should be taken to avoid mixing different types of grades of bars in the same structural members as main reinforcement to satisfy relevant clause of IS: 456. In case of buildings, wherever the situation necessitates, the changeover shall be permitted only from any one level onwards. In case of foundations, all foundation elements (footings and grade beams) shall have the same kind of steel. In the caseof columns, all structural elements up to the level of change, where the changeover is taking place should have the same kind of steel as those in columns.
- 3.11 The reinforcing steel brought to site of work shall be stored on brick / timber platform of 30 / 40 cm height, nothing extra shall be paid on this account.

4.0 SAFETY MEASURES AT CONSTRUCTION SITE

In order to ensure safe construction, following shall be adhered for strict compliance at the site: -

- (i) The work site shall be properly barricaded.
- (ii) Adequate signage's indicating 'Work in Progress Inconvenience caused is Regretted' or Diversion Signs shall be put on the sites conspicuously visible to the public even during night hours. These are extremely essential where works are carried out at public places in use by the public.
- (iii) The construction malba at site shall be regularly removed on daily basis.
- (iv) All field officials and the workers must be provided with safety helmets, safety shoes and safety belts.
- (v) Proper MS pipe scaffoldings with work platforms and easy-access ladders shall be provided at site to avoid accidents.

Necessary First-Aid kit shall be available at the site.

The above provisions shall be followed in addition to the provisions of General Condition of Contract.

- 5.0 SPECIFICATIONS FOR FLY ASH BRICKS All fly ash bricks as brought to the site shall conform to the strength & durability parameters as prescribed in the tender and CPWD specifications.
- 6.0 The contractor shall submit 'Method Statement' for the approval soon after the award of work. 'Method Statement' is a statement by which the construction procedures for important activities of construction are stated, checked and approved. Method Statement shall have description of the item with elaborate procedures in steps to implement the same. The specification of the materials involved their testing and acceptance criteria, equipments to be used, precautions to be taken, mode of measurements etc.
- 6.1 Formwork for exposed concrete surfaces: -
- 6.1.1 Where it is specifically shown on the drawings to have original fair face finish of concrete surface without any rendering of plastering, formwork shall be carried put by using plywood on steel plates of approved quality.
- 6.1.2 The forms shall be constructed so as to produce a uniform and consistent texture and pattern on the face of the concrete. The formwork shall be placed so that all horizontals are constructed of lumber and are not paneled and the formwork joints shall be staggered.
- 6.1.3 To achieve a finish which shall be free of board marks, the formwork shall be faced with plywood or equivalent material in large sheets. The sheets shall be arranged in an approved pattern. Whenever possible, joints between sheets shall be arranged to coincide with architectural feature, sills, window heads or change in direction of surface. All joints between panels shall be vertical or horizontal unless otherwise directed. Suitable joints shall be approved between sheets. The joints shall be arranged and fitted so that no blemish or mark is imparted to the finished surfaces.
- 6.1.4 Forms for exposed concrete surfaces shall be constructed with grade strips (the underside of which indicate top of pour) at horizontal constructions joints, unless the use of groove strips is specified on the drawings. The reset forms shall be tightened against the concrete so that the forms will not be spread and permit abrupt irregularities or loss of mortar. Supplementary form ties shall be used as necessary to hold the reset forms tight against the concrete.
- 6.1.5 For fair faced concrete, the position of through bolts will be restricted and generally as indicated on the drawings.
- 6.1.6 Plywood and steel plates used in the formwork for obtaining exposed surfaces shall be got approved from Engineer-in-charge on each use. However, no forms will be allowed for reuse if it is doubtful to produce desired texture of exposed concrete.
- 6.1.7 Cement of only approved shade shall be used preferably of single lot to achieve integrity of texture.
- 6.2 Class of Surface Finish: -
- 6.2.1 For Beams & Slabs:

The finish shall be uniform, dense and smooth. no grout, no grain pattern, no crazing and no major blemishes shall be permitted. Abrupt irregularities not exceeding 3mm and gradual irregularities less than 5mm in 2m length only shall be permitted.

6.2.2 For Columns/Wall/Fins:

The finish shall be uniform and smooth leveling the surface of the compacted concrete shall be done with a screed board with power floating the surface and over that steel trowelling the surface under firm pressure characteristics of finish shall be brush marks < 3mm gradual irregularities less than 10mm in 2m.

6.3 Tolerance in Finished Concrete: -

The formwork shall be so made as to produce a finished concrete true to shape, lines, level, plumb and dimensions as shown in the drawings subject to the following tolerance unless otherwise specified in this specification or drawings.

6.4 WALL/COLUMN/FINS:

21.4.1 Variation from the plumb ± 6 mm Upto 3m height

21.4.2 Variation from the plumb of \pm 6mm Upto 6m height

conspicuous liner

21.4.3 Variation in the size of (+)15mm wall openings (-) 6mm

21.4.4 Variation in parapet wall thickness

(a) Upto 30cm thickness \pm 6mm

6.5 SLAB, BEAM & GIRDER FORMS:

21.5.1 Variation from the level or from the specified grid for beam soffit before removal of shores,

(a) In any 3m \pm 6mm (b) In any 6m \pm 10mm

All the tolerances mentioned above shall apply to concrete dimensions only, and not to positioning of vertical steel or dowels. The tolerances given above are specified for local aberration in the finished concrete surface and should not be taken as tolerance for the entire structure taken as whole for the setting and alignment of formwork. Any error, within the above tolerance limits, or any other if noticed in any of the structure after part or portion stripping of forms, shall be corrected in the subsequent work to bring back the structure to its true line, level and alignment.

Sub: - Amendment in general conditions of contractor (GCC) maintenance works -2020 The following provision of GCC-2020 is modified as under

Existing Provision

ADG/SDG may give notice to the Chief Engineer/CPM, CPWD, in charge of the work or if there be no Chief Engineer/ CPM, the Additional Director General /Special Director General of the concerned region of CPWD or if there be no Additional Director General/Special Director General, the Director General, CPWD for appointment of arbitrator one prescribed proforma as per Appendix XVII under intimation to the other party. It is a term of contract that each party invoking arbitration must exhaust the aforesaid mechanism of settlement claims/disputes prior to invoking arbitration.

The CE/CPM/ADG/ SDG shall in such case appoint the sole arbitrator or one of the three arbitratorsas the case may be within 30 days of receipt of such a request and refer such disputes to arbitration. Wherever the Arbitral Tribunal consists of three Arbitrators, the contractor shall appoint one arbitrator within 30 days of makingrequest for arbitration or of receipt of request byEngineer-incharge to CE/ADG/SDG/DG for appointment of arbitrator, as the case may be, and two appointed arbitrators shall appoint the third arbitrator who shall act as the Presiding Arbitrator In the event of

- a) A party fails to appoint the second Arbitrator, or
- b) The two appointed Arbitrators fail to appoint the Presiding Arbitrator, then the Director General; CPWD shall appoint the second or Presiding Arbitrator as the case may be.
- (ii) Disputes or difference shall be referred for adjudication through arbitration by a Tribunal having sole arbitrator where claimed amount is Rs. 20 Crore or less. Where claimed Value is more than Rs. 20 Crore, Tribunal shall consist of three Arbitrators as above. The requirements of the Arbitration and Conciliation Act, 1996 (26 of 1996) and any further statutory modification or re-enactment thereof and the rules made there under and for the time being in force shall be applicable.

It is a term of this contract that the party invoking arbitration shall give a list of disputes with amounts claimed, if any, in respect of each such dispute along with the notice for appointment of arbitrator and giving reference to the decision of the ADG/SDG on the finding / recommendation of DRC. It is also a term of this contract that member(s) of the Arbitration Tribunal shall be a Graduate Engineer with experience in handling public works engineering contracts, and further he shall have earlier worked at a level not lower than Chief Engineer/ equivalent (i.e. Joint Secretary level of Government of India). This shall be treated as a mandatory qualification tobe

Modified Provision

Arbitration & Reconciliation

- a) In case amicable settlement is not reached in the event of any dispute of difference arising out of the execution of the contract or the respective rights and liabilities of the parties or in relation to interpretation of any provision by the contractor in any manner touching upon the contract, such dispute or difference shall (except as to any matters, the decision of which is specifically provided for therein) be referred to the sole arbitration of the arbitrator appointed by AIIMS.
- b) The award of the Arbitrator shall be binding upon the parties to the dispute.
- c) Subject as aforesaid, the provisions of Arbitration and Reconciliation Act 1996 (India) or statutory modifications or re enactments thereof and the rules made there under and for the time being in force shall apply to the arbitration proceedings under this clause. The venue of the arbitration shall be held at Rishikesh and the language of the proceedings shall be in English.

Subject to the above, the Courts at Rishikesh alone shall have the jurisdiction to deal any disputes between the Parties pertaining to the contract.

- d) The cost of arbitration shall be borne equally by both the parties.
- e) Work under the contract shall be continued during the arbitration proceedings.
- f) Failure to comply with any of the above conditions can result in termination of the

Contract, forfeiture of the security deposit, penalty as may be decided by AIIMS and future blacklisting of the contractor.

appointed as arbitrator. Parties, before or at the time of appointment of Arbitral Tribunal may agree in writing for fast track arbitration as per the Arbitration and Conciliation Act, 1996 (26 of 1996) as amended in 2015. Subject to provision in the Arbitration and Conciliation Act, 1996 (26 of 1996) as amended in 2015 whereby the counter claims if any can be directly filed before the arbitrator without any requirement of reference by the appointing authority. The arbitrator shall adjudicate on only such disputes as are referred to him by the appointing authority and give separate award against each dispute and claim referred to him and in all cases where the total amount of the claims by any party exceeds Rs. 1,00,000/-, the arbitrator shall give reasons for the award. It is also a term of the contract that fees payable to arbitral tribunal shall be as approved by DG, CPWD, OM issued vide no.2/2006/SE(TLC)/CSQ /137 dated 19-11-2019 (or its latest amendment as approved by DG, CPWD). This fee shall be shared equally by parties. The place of arbitration shall be as mentioned in Schedule F. In case there is no mention of placeof arbitration, the arbitral tribunal shall determine the place of arbitration. The venue of the arbitration shall be such place as may be fixed by the Arbitral Tribunal in consultation with both the parties. Failing any such agreement, then the Arbitral Tribunal shall decide the venue.

LIST OF APPROVED MATERIALS (CIVIL)

Note:

- 1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender, shall be used in the work.
- 2. The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
- 3. Whenever the specified brand of material is not available than, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.

MATERIALS:	В	RAND/MAKE

ATER	IALS:	BRAND/MAKE		
1	AAC Block	Aerocon, Siporex, Ultratech, Ecolite, Concrelite, J.K. Laxmi (Cement Ltd.), BILTECH, Kansal, Dlite Blocks		
2	AAC Block Adhesive	Ferrous crete(Ferro-1188), ARDEX ENDURA (White Star), Ultratech (Fixed-Block)		
3	Acrylic Distemper, Emulsion, Synthetic Enamel Paint and Primer.	Asian Paints, ICI Dulux, Berger, Nerolac		
4	Epoxy Adhesive	FOSROC, Aquomix, Choksey, BAL-ENDURA, MYK Laticrete		
5	Aluminium Composite Panel	Alpolic, Aluco Bond, Reynobond, Euro bond, Alstrong		
6	Aluminium Extrusions	Hindalco, Indalco, Jindal		
7	Aluminum Sections	Jindal, Hindalco, Indalco		
8	Annealed Float Glass	Saint Gobain, Modi Guard, Asahi		
9	Bitumen	Indian Oil, Hindustan Petroleum, Bharat Petroleum		
10	Calcium Silicate Board / Tiles	Aerolite, Hilux, Starpan		
11	CC Pavers / Grass Pavers	Nitco, Hindustan, Ultra, KJS Concrete, Duracrete, Mehtab Tiles, Kaptim		
12	Centrifugally Cast Iron Pipe & Fittings	NECO, SKF, BIC, RIF, KAPILANSH, HIF		
13	Ceramic Tiles	Kajaria, Nitco, Orient Bell, Johnson, RAK Ceramics		
14	Chequered / Tactile Tiles	Dura, Eurocon, Modern, Hindistan, Johnson, Eavison		
15	CI Manhole Cover	BIC, SKF, NICO, Hepco, Kapilansh, RIF		
16	CI Double flanged non-return valves	Kirloskar, Sant, Kartar		
17	CP fittings	Jaquar, Marc, Kohler, Grohe		
18	CPVC Pipes & Fittings	Astral Flowguard, Ashirvad, Prince, Supreme, Finolex, VECTUS		
19	Curtain Carrier / Drapery Rod	Marvel, Vista levlor, Johnson.		
20	Dash fastener, Expansion Bolt	Hilti, Bosch Fischer		
21	Hydraulic Door closer, Floor springs	Dorma, Hettich, Hafele, Geze		
22	Ductile Iron Pipe (Water Supply)	Electro steel, Kesso, KDUPL, Electro Spun		
23	EPDM Gasket	Hanu, Anand, Lescuyer		
24	GRC / Tactile Tile	Unistone, Eurocon, Dazzle		
25	Epoxy Grouting Compound	Pidilite, Ferrous Crete(Ferro-102), MYK LATICRETE, Fosrock		
26	Epoxy Primer & Paints	Berger, Pidilite, CICO, BASF, SIKA, Fosrock		
27	Fire Check door	Navair, Godrej, Shakti		
28	Float Glass Mirror	Modifloat, Saint Gobain, Asahi		
29	Flush Doors (ISI Mark only)	Century, Kitlam, Archid, Greenply, Marino, Duro, Gujcon		
30	Friction Stay	Earl-Bihari, Geze, Hettich, Securistyle		
31	Galvanized/Stainless Steel Anchor Fasteners	Shakti, Arrow, Hilti, Fischer		
32	GI Pipe & fittings	Tata, Zenith, Jindal, Prakash Surya, Swastik; (ISI Marked only)		
33	GI Sheet	Sail, TATA, Jindal or equivalent		
34	Gun Metal Gate Valve	Zoloto, Leader, SANT, Prima		
35	Glass Mosaic Tile	Bisazza, Italia, Palladio, Mridul		
36	Gypsum Board (False Ceiling)	Boral Gypsum, India Gypsum, St. Gobain		
37	Hardener	Hardcrete of Snowcem India, Pidilite, CICO.		
38	HDPE Pipes	VECTUS, Emco, Polyfins, Pioneer, Plyfab		
39	Jet Assembly for EWC/Health Faucet	Parryware , Jaquar, Marc, PRIMA(ISI)		
40	Kitchen loft tank	Sintex, Tirupati Structurals Ltd, KMS Plast world P.Ltd. Planet Plastics, Sri Kamakshi Traders, Sreyah Novel InC.		
41	Laminate and Veneers	Merino, Greenlam, Kitlam, Duro		
42	Locks / Latch	Godrej, Harrision, Dorma, Doorset (ISI)		
43	Marine Plywood / BWP Ply	Duro, Century, Greenlam		
44	Melamine Polish	Asian Paints, Pidilite, ICI Dulux, Burger		
45	Metal False Ceiling	Nitobond, Armstrong, Trac, Durlum, Lafarge, Anutone		
46	Mineral Fibre/ GRG Ceiling	Armstrong, Daiken, Anutone, Diamond, Credence		
47	M.S. Pipe (Railing)	Jindal, Tata, RINL, Prakash Surya		
48	M.S. Tubes	Tata, Apolo, Prakash Surya		

49	Multicoat Synthetic Plaster/ Textured Exterior	Spectrum, Heritage, Ultratech		
49	wall paint	Spectrum, Hernage, Omatech		
50	Plywood, Block Board	Greenply, Century, Duro		
51	Polycarbonate Sheet	Danpalon (DPI), Bayer, Macrolux		
52	Polysulphide / Silicon Sealent	Pidilite, Fosroc, Tuffseal, Chouksey Chemicals, Perma, BASF		
53	POP (Plaster of paris)	JK, Laxmi, Sriram Nirman, Sakarni		
54	PPR Pipes	SFMC, SAFE, Poineer Industries		
55	Precast CC interlocking Tiles	Hindustan, Paver India, KK		
56	Precoatd Profile Sheet	Tata, Bhushan or equivalent		
57	Pre-laminated Particle Board	Ecoboard, Action-Tesa, Duro, Century Ply, Greenlam, Albihari		
58	Pressed steel door frame	M/s Engineers & Fabricator, Raipur, M/s J.K. Enternprises, Jaipur, M/s Jangid Engineering Works, Jaipur, M/s Swastik Super Industries, Mohali, M/s SKS Steel Industries, New Delhi.		
59	PTMT Fittings	Prayag, Polytuf, Pearl, Millennium, PRIMA		
60	PVC Cistern	Steelbird, Jindal, Seabird, Prayag, Commander		
61	PVC Connection Pipe	Supreme, Prince, Finolex		
62	PVC Rain Water Pipe & Fitting	Finolax, Kisan, Kasta, Supreme, Astral, Prince		
63	Ready Mix Concrete (RMC)	Lafarge, Alchon, ACC, L&T, Grasim, Ultratech, RMC India		
64	Ready Mix plaster	Ultratech, Precisecon Chem, Perma, Ferrous Crete, JK, Fosrock,		
65	PVC Shutter	Polygreen, Rajshri, Plastogreen, Sintex		
66	PVC Water storage Tank (Only ISI)	VECTUS, Water well, Plasto, Polycon, Sintex. (Weight as per ISI)		
67	Sluice Valve	Kirloskar, Venus, Kalpana, SANT, KARTAR, Zolto		
68	Solid PVC frames and shutters	Polygreen, Rajshri, Plastogreen, Sintex		
69	Stainless Steel	Jindal, Salem or equivalent		
70	Stainless steel Sink with or without Draining board.	Nirali, Hindware, Frankee, Neelkanth, Jaquar		
71	Stainless steel Door/Window fittings & Fixtures	Dorma, Ozone, D-Line, Hettich, Kich, Geze		
72	Structural steel section	TATA, SAIL, RINL, Jindal		
73	Super plasticizer / admixture	Sika, Fosroc, Chouksey Chemicals, BASF		
74	Tensile Fabric	Bluestone, Encon, Structure Flex		
75	Tile Adhesive	Ferrous Crete(Ferro-1122), Ardex Endura (Gold Star), PIDILITE (Fevimate XL), WEABR(Saint-Gobin) Sika, Thermoshield, Somany		
76	Towel Ring/Towel Rod/Towel Rack	Marc, Jaquar, Kolher, Grohe		
77	Tubular steel Window, ventilator, Door frame	M/s Engineers & Fabricator, Raipur, M/s J.K. Enterprises, Jaipur,		
		M/s Swastik Super Industries, Mohali (Punjab) M/s Jangid Engg. Jaipur		
78	UPVC Pipes & Fittings	Astral Flowguard, Ashirvad, Prince, Supreme, Finolex, VECTUS		
79	Urinal, Washbasin, Orrisa Pattern W.C., Wall mounted European W.C.Seat with Cistern	Hindware, Parryware, Jaquar, Cera, Kolher, Grohe		
80	Vitrified Tile	Johnson -Marbonite, Somany, Kajaria, Orient Bell, NITCO, RAK		
81	Wall Putty	JK, BIRLA, SARAPUTTY		
82	Waste Pipe	Kamal, Viking, Jaquar		
83	Water Proofing Compound (Liquid)	Pidilite, Cico, Impermo		
84	White Cement	JK White, Birla White, Grasim		
85	FRLS PVC insulated copper conductor single core/ cable for wiring. (ISI marked)	R.R Kable/ Havells/Grandlay/Polycab/Bonton		
86	Modular switch, socket	Legrand-(Arteor)/ M.K.(Blenze)/ Crabtree/Anchor Woods/C&S/Havells		
87	MCB, MCBDB, RCBO's/RCCB's,	Schneider Electric/Legrand/L&T Hagger Siemens/ABB/C&S/ Havells		
88	MCCB	Schneider Electric/ Siemens/Larsen & Toubro/Legrand/L&T		
		Multiline/ Havells/ABB/C&S/Havells		

TENDER ACCEPTANCE LETTER Company Latter Head)

(To be g	(To be given on Company Letter Head)			
	Date:			
To,				
Executive Engineer AIIMS, RISHIKESH RISHIKESH-				
Sub: Acceptance of Terms & Conditions of	f Tender.			
Tender Reference No:				
Name of Tender / Work: Supplying, Installation Screen at AIIMS Rishikesh.	on, Testing & Commissioning of Programable Outdoor LED Display			
Dear Sir,				
	e tender document(s) for the above-mentioned 'Tender/Work' from ikesh.edu.in as per advertisement, given in the above mentioned			
	read the entire terms and conditions of the tender documents of all ure(s), schedule(s), etc.,), which form part of the contract agreement / conditions / clauses contained therein.			
3. The corrigendum(s) issued from time consideration, while submitting this accep	to time by department/ organization too has also been taken into tance letter.			
4. I / We hereby unconditionally acceptorrigendum(s) in its totality / entirety.	t the tender conditions of above mentioned tender document(s) /			
5. I / We do hereby declare that our Firm sector undertaking/Private organization.	has not been blacklisted/ debarred by any Govt. Department/Public			
information is found to be incorrect/untr giving any notice or reason therefore or su	nished by the our Firm is true & correct and in the event that the ue or found violated, then department/ organization shall without ammarily reject the bid or terminate the contract, without prejudice e forfeiture of the full said earnest money deposit /Security deposit			
Date: Place:	Signature of authorized person Full Name & Designation: Company's Seal			

DECLARATION BY AUTHORISED SIGNATORY OF BIDDER

(To be typed submitted in the letter Head of the Company/firm of Bidder)

To, Executive Engineer AIIMS, RISHIKESH RISHIKESH-	
Dear Sir,	
Sub: Declaration by Authorised Signatory Ref: i) NIT/Title of the work. Name of Tender No ii) All other pertinent issues till date	······,
I/We hereby certify that all the information and data fur Specification are true and complete to the best of my kno condition, stipulations and other pertinent issues till date, and of the specification.	owledge. I have gone through the specifications
I further certify that I am authorized to represent on behalf of ma valid Power of Attorney/Authorization letter to this effect	
	Yours faithfully,
	(Signature, Date & Seal of AuthorizedSignatory of the Bidder)
Date:	
Enclosed: Power of Attorney/Authorization letter	

DECLARATION CONFIRMING KNOWLEDGE ABOUT SITE CONDITIONS (To be typed submitted in the letter Head of the Company/firm of Bidder)

	ive Engineer , RISHIKESH KESH-
Dear S	ir,
Sub: Ref:	Declaration confirming knowledge about Site conditions i) NIT/Tender No, ii) All other pertinent issues till date
includi the site any na I/We, l	hereby declare and confirm that we have visited the site as d in AIIMS Tender Specifications and acquired full knowledge and information about the site conditions ng Wage structure, Industrial Climate, the Law & Order and other conditions prevalent at and around a we further confirm that the above information is true and correct and we shall not raise any claim of ture due to lack of knowledge of Site conditions. Thereby declare and confirm that we have visited the site as decentions are declared and information about the site conditions are declared and other conditions prevalent at and around a correct and we shall not raise any claim of ture due to lack of knowledge of Site conditions.
	Yours faithfully,
	(Signature, Date & Seal of Authorized Representative of the Bidder)
Date: Place:	

NO DEVIATION CERTIFICATE

(To be typed submitted in the letter Head of the Company/firm of Bidder)

To,
Executive Engineer
AIIMS, RISHIKESH
RISHIKESH-

Dear Sir,

Sub: No deviation certificate

Ref: i) NIT/Tender No....,

ii) All other pertinent issues till date

We hereby confirm that we have not changed/modified/materially altered any of the tender documents as downloaded from the website/issued by AIIMS and in case of such observance at any stage, it shall be treated as null and void and this tender shall deemed to be withdrawn.

We also hereby confirm that we have neither set any Terms and Conditions and nor have we taken any deviation from the Tender conditions together with other references applicable for the above referred NIT/Tender Specification.

We further confirm our unqualified acceptance to all Terms and conditions, unqualified compliance to Tender Conditions, Integrity Pact (if applicable) and acceptance to Reverse bidding process.

We confirm to have submitted offer in accordance with tender instructions and as per aforesaid reference.

Thanking you,

Yours faithfully,

(Signature, Date & Seal of Authorized Signatory of the Bidder)

DECLARATION

(TO BE TYPED ON NON-JUDICIAL STAMP PAPER OF RS.10/-)

Го,
Executive Engineer
AIIMS, RISHIKESH
RISHIKESH-
Ref: 1) NIT/Tender No
Dear Sir,

- 1. We have carefully read and understood all the terms and conditions of the tender and hereby convey our acceptance to the same.
- 2. The information / documents furnished along with the above offer are true and authentic to the best of my knowledge and belief. We are well aware of the fact that furnishing of any false information / fabricated document would lead to rejection of our tender/Order at any stage besides liabilities towards prosecution under appropriate law.
- 3. We are agree to bear penalty imposed upon us due to nonperformance or deficiencies or delay in work or poor workmanship in the services on our part.
- 4. We have no objection, if enquiries are made about the work listed by us.
- 5. We have not been under suspension/termination/banned/blacklisted in the preceding 2 years, till last date of submission of bid, by any PSU/Govt. Departments/PSU Banks/AIIMS or any other organization where we have worked. Further, if any of the partners/directors of our organization /firm is black listed or having any criminal case against them, our bid/offer shall not be considered. At any later point of time, if this information is found to be false, AIIMS may terminate the assigned contract immediately.
- 6. We have not been found guilty by a court of law in India for fraud, dishonesty or moral turpitude.
- 7. We agree that the decision of AIIMS in selection of Bidders will be final and binding to us.

Signature of authorized person Full Name & Designation

	Company's Seal:
Date:	
Place:	

- 1. The above declaration, duly signed and sealed by the authorized signatory of the company, should be enclosed with Technical Bid.
- 2. The filling of this declaration is mandatory while submitting the tender documents failing which the tender will rejected out rightly.

UNDERTAKING

(To be executed on Company Letter head)

	ss of the Bidder/Contractor) undertake that we will maintain the
	s) properly in smooth running condition. As we have accepted and
offered the prices for all inclusive of Supplying, Insta	allation, Testing & Commissioning of Programable Outdoor LED
Display Screen at AIIMS Rishikesh.contract in the sub	mitted bid, If any equipment or its related parts or machineryfound
damaged/not working properly/ abnormal sound	/heating/leakage/wiring damage/insulation damaged/any parts
	ns/ spare part damage etc. than we shall be fully responsible for
	ing the whole system in completely healthy and smooth running
condition.	ing the whole system in completely healthy and smooth running
condition.	
2. We also undertake that we will replace/repair the faitem/equipment shall be similar to the existing items of	aulty equipment(s) immediately. The make of replace or reputed make as per agreed by AIIMS.
	Signature of Authorized Person: Name:
Date:	Address:
Place:	Company Seal
1 1400.	Company Sour

Schedule of quantity

Sr. No.	DSR Item No.	Item Name & Description	Unit	Qty.	Rate	Amount
1	NS	Technical Specification Display type: - P-10 LED Display Multiline Single Red Colour LED Pitch: - 10 mm or less LED size: - 5 mm LED type: - Bright RED high bright RED colour LED suitable for daylight viewing Mounting: - Wall Mounted LED Screen size (Total):- 25 ft. (W) X 5.9 ft. (h) (Approx.) Character height: - Customizable according to viewing distance. Line density: - 192 (Vert.) x 384 dots (horz.) Cabinet: - CNC IP65 suitable for outdoor Input Power supply: - +5 V DC Brightness, (calibrating value):- ≥5500 CD/m² Viewing Angle: - Horizontal: ≥160 , Vertical: ≥60 Working Temperature:20° to 60° (Celsius) Working humidity: - 10-95%RH Video display function: - Synchronous display kinds of text, graphics, signs, flashes. Waterproof Protection: - IP65 Life Time: - >100,000 hours Certification: - Bidder/OEM must be ISO 9001 certified firm/ company Warranty: - 02 Years from the date of installation	Sq.ft. 148 3200.00		473600.00	
2	1.14	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.				
a	1.14.3	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	Mtr.	100	334.00	33400.00
3	2.3	2 X 6 sq. mm + 1 X 6 sq. mm earth wire Supplying and fixing following way, single pole and neutral, sheet steel. MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without		150	439.00	65850.00
a	2.3.2	MCB/RCCB/Isolator) 8 way , Double door	Each	1	1760.00	1760.00
4	2.1	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.		<u> </u>		
a	2.10.1	Single pole	Each	5	256.00	1280.00
b	2.10.3	Double pole	Each	2	656.00	1312.00
5	1.32	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required.	Each	8	586.00	4688.00
6	10.16	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
	10.16.3	Electric resistance or induction butt welded tubes	Kg.	1500.00	140.85	211275.00
7	NS	Supplying, drilling/cleaning hole and fixing fastener of approved make fastener HRD-CR2 of size 10x120, anchor suitable for fastenings on both concrete & masonry /aerated blocks. Anchor comprises of 7 mm diameter screw made of Stainless steel, (corrosion class II: 1.4301 / 1.4567) grade countersunk head Double Threaded screw and Sleeve of dia 10mm made of Polyamide PA 6 grade. Fixing methodology to be followed as per manufacturers guidelines and as per direction of engineer-in-charge.	No.	50.00	240.00	12000.00
	<u> </u>	Total Amount of Programable Outdoor LED Display Screen	in Rs.		<u> </u>	805165.00

Note:

- 1. The tenderer shall quote below/above amount with respect to Grand total of estimated cost **Rs**. **8,05,165.00** (Inclusive of all taxes & Freight charges), at which he will be willing to execute the work.
- **2.** Submission in any other format may result in cancellation of the offer.
- 3. In case the lowest tendered amount of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and the contractor shall be suspended for two years and shall not be eligible to bid for AIIMS, Rishikesh tenders from date of issue of suspension order. If the revised tendered amount of two more contractors received in revised offer is again found to be equal, the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle or EE in-charge of & the lowest contractorsthose have quoted equal amount of their tenders. In case all the lowest contractors those have quoted same tendered amount, refuse to submit revised offers, then tenders are to be recalled after issue of suspension order for all Contractor(s), because of non-submission of revised offer, shall not be allowed to participate inthe retendering process and shall be suspended for two years.